







Layer teacher station desk ED1-6628TDL (left) and ED1-6628TDR (right)

Overall dimensions 66"w x 28"d x 43.75"h Weight 129 lbs. Cubic feet 53



Standard features	Options available
Wire management Two adjustable shelves One stationary shelf Paper stop on angled lectern top Frosted acrylic modesty panel Locking casters Grommet in worksurface Shipped KD	 29"h worksurface on right Lectern on left 29"h worksurface on left Lectern on right Door Slideout shelf

Height adjustable Layer teacher station desk ED1-6622HATDL (left) and ED1-6622HATDR (right)

Overall dimensions 66"w x 22"d x 43.75"h Weight 165 lbs. Cubic feet 33



Standard features	Options available
 Desk worksurface detaches from lectern for extra mobility Two adjustable shelves One stationary shelf Paper stop on angled lectern top Frosted acrylic modesty panel Locking casters Silver hardware Shipped KD 	30"/47.63"h worksurface on right with silver pneumatic height adjustable base Lectern on left 30"/47.63"h worksurface on left with silver pneumatic height adjustable base Lectern on right Door Slideout Shelf Foot style Bar stock or tubular

Height adjustable Layer teacher station desk with AV lectern ED1-6622AVTDL (left) and ED1-6622AVTDR (right)

Overall dimensions 66"w x 22"d x 43.75"h Weight 142 lbs. Cubic feet 53



Standard features	Options available
 Desk worksurface detaches from lectern for extra mobility Two adjustable shelves Two stationary shelves Approach side wire access door Vented side Paper stop on angled lectern top Frosted acrylic modesty panel Locking casters Silver hardware Shipped KD 	30"/47.63"h worksurface on right with silver pneumatic height adjustable base AV Lectern on left 30"/47.63"h worksurface on left with silver pneumatic height adjustable base AV Lectern on right Shelves TFL or wire Foot style Bar stock or tubular

ofs.com 1 of 3 imagine a place® 800.521.5381 Spec sheet





Height adjustable Layer teacher desk ED1-4221HATD

Overall dimensions 42"w x 21"d x 30"h Weight 78 lbs. Cubic feet 18



Standard features	Options available
 30"/47.63"h worksurface with silver pneumatic height adjustable base Frosted acrylic modesty panel Locking casters Shipped KD 	Foot style Bar stock or tubular

Lectern ED1-2444LEC

Overall dimensions	24"w x 22"d x 43.75"h	Weight	87 lbs.
		Cubic feet	15



Standard features	Options available
 Two adjustable shelves One stationary shelf Paper stop on angled lectern top Locking casters 	Door Slideout shelf

AV lectern ED1-2444AVLEC

Overall dimensions	24"w x 22"d x 43.75"h	Weight	87 lbs.
		Cubic feet	15



Standard features	Options available
 One adjustable shelf Two stationary shelves Approach side wire access door Vented side Paper stop on angled lectern top Locking casters 	Shelves TFL or Wire

Storage drawer ED1-MOCD

Overall dimensions	23"w x 13"d x 3"h	Weight	11 lbs.
		Cubic feet	2



Standard features

- Mounts to underside of layer teacher station
- Storage drawer with pencil tray

ofs.com imagine a place* **800.521.5381** Spec sheet 2 of 3



Layer

Paper cubby ED1-113PC

Overall dimensions

11"w x 13.25"d x 6.5"h

Weight Cubic feet 16 lbs.



Standard features

- Mounts to underside of teacher station
- · Two storage shelves
- Each shelf is: $9.5"w \times 12.5"d \times 2.5"h$

Frame construction

Lectern

- Butt-joint construction using mini-fix cam and bolts
- MSL or BKO (non-height adjustable items only) hardware (standoffs, paper stop, pull, lock)
- Four black locking casters
- Optional pull out shelf w/zinc ball bearing slides
- MSL wire shelf or matching TFL shelf

Worksurface top

- 1.125" thick TFL or HPL with PBD core and 3MIL PVC edge banding
- Removable/mobile worksurface on height adjustable items

Base

- MSL or BKO static base w/two black casters (non-height adjustable items)
- MSL pneumatic bar stock or tubular u-base w/four black casters (height adjustable items)

Modesty

• Frosted Acrylic w/metal brackets for attachment

Finish selection

TFL

· See price book

HPL

See price book

Carton/packaging

• Ships in three cartons (lectern in one box, top and modesty in one box and base in another box)

ofs.com imagine a place* **800.521.5381** Spec sheet 3 of 3