



carolina
an OFS company

May 2022 Update

Effective May 16, 2022, OFS and Carolina will implement a 9% increase on list prices.
The 9% is not reflected in the January 2022 price list.

For the most accurate pricing (options, grades, etc.) please reference your eTools
(CET Designer, ProjectMatrix, 2020, etc)



carolina
an OFS company

Surcharge

Effective April 4, 2022, a 3% surcharge on net prices will be applied.

ALL STANDARD VENEERS

- **OSLO** [OSL]
Quartered Grain Pattern
- **LINEN** [MRO]
Quartered Grain Pattern
- **BLONDE** [MBM]
Quartered or Flat Grain Pattern
- **HONEY** [MHM]
Quartered or Flat Grain Pattern
- **DESERT** [DST]
Quartered Grain Pattern
- **PECAN** [PCO]
Quartered Grain Pattern
- **ROOT** [MNV]
Quartered Grain Pattern
- **SIENNA** [MLC]
Quartered or Flat Grain Pattern
- **TOFFEE** [MGW]
Quartered Grain Pattern
- **MOCHA** [MMC]
Quartered or Flat Grain Pattern
- **STEEL** [MGO]
Quartered Grain Pattern
- **BURNISHED** [BUW]
Quartered or Flat Grain Pattern
- **EBONY** [EBY]
Quartered or Flat Grain Pattern

STUDIO VENEERS (10%)

- **SILVER GREY** [SVC]
Quartered Grain Pattern
- **SALVAGED LINEN** [SFO]
Planked Grain Pattern
- **SALVAGED ROOT** [SFW]
Planked Grain Pattern

ALL WOODGRAIN LAMINATES

P = HPL 2 = TFL

- **OCHRE** [TMP | LM2]
Flat Grain Pattern
- **LINEN** [COP | CO2]
Quartered Grain Pattern
- **BLONDE** [BEP | BE2]
Flat Grain Pattern
- **HONEY** [HNP | MH2]
Flat Grain Pattern
- **KODIAK** [KDP | KD2]
Quartered Grain Pattern
- **DESERT** [DSP | DS2]
Quartered Grain Pattern
- **PECAN** [PCP | PC2]
Quartered Grain Pattern
- **ROOT** [NWP | NW2]
Quartered Grain Pattern
- **SIENNA** [CHP | LC2]
Flat Grain Pattern
- **TOFFEE** [MEP | EN2]
Quartered Grain Pattern
- **MOCHA** [CMP | MC2]
Flat Grain Pattern
- **COGNAC** [MGP | VM2]
Flat Grain Pattern
- **STEEL** [STP | ST2]
Quartered Grain Pattern
- **BURNISHED** [BUP | BU2]
Flat Grain Pattern

TEXTURED LAMINATES

- **FINN** [FNP | FN2]
Quartered Grain Pattern
- **PEAK** [PKP | PK2]
Quartered Grain Pattern
- **LOFT** [LOP | LO2]
Quartered Grain Pattern
- **DRIFT** [DRP | DR2]
Quartered Grain Pattern

STUDIO TEXTURED LAMINATES (10%)

- **SADDLE** [SDP | SD2]
Quartered Grain Pattern
- **CHAR** [CRP | CR2]
Quartered Grain Pattern

SOLID COLOR LAMINATES

- **FROSTY WHITE** [FWP | FW2]
- **GREY** [GRP | GR2]
- **PURE WHITE** [RWP | RW2]
- **SLATE GREY** [SGP | SG2]
- **BLACK** [BLP | BL2]

PAINTS

- **BLACK** [BLK]
- **IRON** [IRN]
- **WHITE** [WHT]

FABRIC PARTNERS

- **ARC-COM**
www.arc-com.com
- **ARCHITEX**
www.architex-ljh.com
- **CAMIRA**
www.camirafabrics.com
- **CARNEGIE**
www.carnegiefabrics.com
- **C.F. STINSON**
www.cfstinson.com
- **DESIGNTEX**
www.designtex.com
- **GREEN HIDES**
www.greenhides.com
- **HELVETIA LEATHER**
www.helvetialeather.com
- **KVADRAT**
www.kvadrat.dk
- **LUNA**
www.lunatextiles.com
- **MAHARAM**
www.maharam.com
- **MAYER FABRICS**
www.mayerfabrics.com
- **MOMENTUM**
www.themomgroup.com
- **SPRADLING INTERNATIONAL, INC.**
www.spradlingvinyl.com
- **ULTRAFABRICS**
www.ultrafabricsllc.com



10734-60 Limber Maple
10745-60 Fonthill Pear
10776-60 Kensington Maple
1500-60 Grey
1503-60 Putty
1530-60 Beige
1531-60 Light Beige
1570-60 White
1572-60 Antique White
1573-60 Frosty White
1595-60 Black
1787-60 Oxide
2932-60 Almond Leather
4142-60 Grey Glace
4143-60 Neutral Glace
4166-60 Pampas
4168-60 Grey Pampas
4170-60 Beige Pampas
4621-60 White Nebula
4623-60 Graphite Nebula
4630-60 Cloud Nebula
4633-60 Natural Nebula
4651-60 Navy Legacy
4656-60 Bronze Legacy
4663-60 Tawny Legacy
4667-60 Green Tigris
4669-60 Natural Tigris
4674-60 Evening Tigris
4745-60 Maroochy Brush
4746-60 Woolamai Brush
4762-60 Mystique Dawn
4779-60 Pewter Brush
4783-60 White Tigris
4794-60 Windswept Bronze
4795-60 Windswept Pewter
4796-60 Burnished Chestnut
4810-60 Titanium EV
4811-60 Silicon EV
4813-60 Nickel EV
4814-60 Tungsten EV
4820-60 Carbon EV
4823-60 Antique Brush
4835-38 Tumbled Roca
4841-60 Desert Zephyr
4842-60 Canyon Zephyr
4843-60 Misted Zephyr
4844-60 Loden Zephyr
4845-60 Twilight Zephyr
4846-60 Morro Zephyr
4856-60 Cloud Zephyr
4857-60 Shadow Zephyr
4859-60 Spiced Zephyr
4869-60 Western White
4871-60 Western Suede
4876-38 Sheer Mesh
4877-38 Grey Mesh
4878-38 Pewter Mesh
4879-38 Steel Mesh
4880-38 Carbon Mesh
4882-38 Oiled Soapstone
4883-38 Sable Soapstone
4885-38 Green Soapstone

4886-38 Pearl Soapstone
4887-38 Tan Soapstone
4888-38 Rustic Slate
4904-38 Desert Springs
4905-38 Spicewood Springs
4907-38 Deep Springs
4909-60 Ginseng Tea
4911-38 Soft Gold Mesh
4912-38 Gilded Mesh
4913-60 Eggplant
4915-60 Tangerine
4918-60 Sprout
4919-60 Blue Agave
4924-38 White Carrara
4929-38 Bordeaux Juparana
4931-38 White Juparana
4932-38 Golden Juparana
7054-60 Wild Cherry
7061-60 Natural Pear
7806-60 Bannister Oak
7816-60 Solar Oak
7850-60 Beigewood
7909-60 Fusion Maple
7911-60 Manitoba Maple
7921-38 Tuscan Walnut
7925-38 Monticello Maple
7928-38 Castle Oak
7929-38 Huntington Maple
7937-38 River Cherry
7938-38 New Age Oak
7946-38 Brazilwood
7953-38 Harvest Maple
7954-38 Natural Rift
D14-60 Port
D25-60 Atlantis
D30-60 Natural Almond
D307-60 Hollyberry
D315-60 Platinum
D321-60 Brittany Blue
D327-60 Pepperdust
D354-60 Designer White
D379-60 Indigo
D381-60 Fashion Grey
D403-60 White Sand
D417-60 Lapis Blue
D431-60 Alabaster
D495-60 Coffee Bean
D50-60 Khaki Brown
D90-60 North Sea
D91-60 Slate Grey
D92-60 Dove Grey
D96-60 Shadow

**THE FOLLOWING WILSONART
STANDARD PATTERN HPL'S
ARE AVAILABLE AT STANDARD
LIST PRICES WITH EXTENDED
LEAD TIMES.**

1572-38 Antique White
1573-38 Frosty White
4550-60 Granite
4551-60 Blackstar Granite
4552-60 Ebony Star
4595-60 Bahia Granite
4724-60 Milano Amber
4725-60 Milano Brown
4726-60 Milano Quartz
4781-60 Sunstone
4835-60 Tumbled Roca
4860-38 Silver Alchemy
4861-38 Gold Alchemy
7039-38 Windsor Mahogany
7039-60 Windsor Mahogany
7040-60 Figured Mahogany
7054-38 Wild Cherry
7110-60 Montana Walnut
7122-38 Empire Mahogany
7122-60 Empire Mahogany
7209-60 Nepal Teak
7885-60 English Oak
7919-38 Amber Cherry
7919-60 Amber Cherry
7921-60 Tuscan Walnut
7922-38 Brighton Walnut
7922-60 Brighton Walnut
7923-60 Versailles Anigre
7924-38 Biltmore Cherry
7924-60 Biltmore Cherry
7925-60 Monticello Maple
7928-60 Castle Oak
7929-60 Huntington Maple
7933-60 Cafelle
7935-60 Shaker Cherry
7936-60 Williamsburg Cherry
7937-60 River Cherry
7938-60 New Age Oak
7939-38 Blond Echo
7941-38 Tan Echo
7942-38 Cocobala
7943-38 Colombian Walnut
7944-38 Madagascar
7945-38 Xanadu
7947-38 Rio
7948-38 Mambo
7949-38 Asian Night
7951-38 Asian Sun
7952-38 Asian Sand
7957-38 Zanzibar
7959-38 Hampton Walnut
7960-38 Studio Teak
7962-38 Aloe
D12-60 Regimental Red
D26-60 Persian Blue
D315-38 Platinum



FIELD INSTALLED CORES & KEYS

Field Installed Cores & Keys

Select the "LOCK" option when ordering product with a lock. The product will initially ship with a plastic plug, which will be removed in the field and the lock core installed.

Cores & Keys will ship in a separate package. Multiple cores and keys may be shipped together in one package.

You do not need a Core Change to install the original lock core. Once installed, a Core Change is required for removal. A Core Change may be ordered for **\$36** list.

USING LOCK OPTION

When using "LOCK" option your cores and keys must be ordered separately by ordering **LOCK-SET(s)** (see below for ordering instructions) to satisfy the number of locking mechanisms required for product on your PO.

Five lock core models are available to pick from to be field installed. They are:

LOCK-SET- 1

This includes 1 core & 1 key



LOCK-SET- 2

This includes 2 cores & 2 keys



LOCK-SET- 3

This includes 3 cores & 3 keys



LOCK-SET- 4

This includes 4 cores & 4 keys



LOCK-SET- 5

This includes 5 cores & 5 keys



The options available on these models are:

OPTION 1: Color (Black, Nickel or Brass)

OPTION 2: Type (Alike, Random or Consecutive)

OPTION 3: Starting Key # (This applies to the Alike and Consecutive types only)

OPTION 4: Number of Sets

KEYING TYPES

Three keying options are available to pick from to be field installed. (Keyed Alike, Keyed Random & Keyed Consecutive)

Keyed Alike all cores and keys on that line will match the starting key number selected.



100



100



100

Keyed Random all cores and keys on that line will be randomly selected. You do not have to pick a key number with this option.

Note: you could end up with two of the same number when ordering large quantities.



101



128



143

Keyed Consecutive all keys included in the quantity will be numbered in consecutive order starting with the starting key number you select. This will make sure no two numbers are the same. You must pick a starting key number.



100



101



102

Standard Key # numbers range between 100-200 when using the Nickel color and 100-150 when using Black or Brass. Additional numbers 151-999 are available when using Black or Nickel Cores. There is no additional charge for key numbers 151-999 but they could potentially add additional lead time.


EXAMPLES

Example of using Keyed Alike

If you have one office that requires multiple cores & keys which all need to be the same lock number you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-2	Black	Alike	100	1

In this scenarios you would receive (2) cores and keys with the key number of 100.




Example of using Keyed Random

If you had 8 workstations that required one unique core & key per user you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-1	Black	Random	n/a	8

In this scenario you would receive (8) cores and keys consisting of 8 different numbers chosen randomly.




Example of using Keyed Consecutive


If you had multiple offices that required (2) cores & keys per office where each office requires matching keys you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-2	Black	Consecutive	100	6

In this scenario you would receive (6) sets of cores and keys consisting of key numbers that would start from 100. You would have (2) 100's, (2) 101's, (2) 102's... (2) 105's.



TYPICAL CONFIGURATIONS



ENW001 - 4 USERS


Qty	Model Number	Description	List
1	ENW-16870DFB4	Benching Table Base	\$ 7,060
4	ENW-7224MCT	24"D Worksurface	\$ 1,968
2	ENW-5812PSB	End Storage Box	\$ 2,170
2	ENW-PVPT-71.63/18.81	TFL Privacy Panel	\$ 814
1	ENW-A144TKA2	Toolrail Kit	\$ 1,042
Subtotal			\$ 13,054

Economy Electrical:

1	PS-144PK3E4-4	Economy Power Kit	\$ 286
1	PWF3M120	Power In-Feed	\$ 247
1	WM-144CBKT-2	Cable Basket Kit	\$ 795
8	DPX8W1, DPX8W2,	Duplex Receptacles	\$ 216
DPX8W3, DPX8W4 (2 each)			

Individual Footprint	Overall Dimensions	Per User	Total List
2' 6"D x 7'W	5' 1"D x 14'W	\$3,650	\$ 14,600

Note: Pricing is standard in TFL laminate.



ENW002 - 8 USERS


Qty	Model Number	Description	List
1	ENW-28850DF8	Benching Table Base	\$ 11,212
8	ENW-7224MCT	24"D Worksurface	\$ 3,936
4	ENW-PVPA-71.63/18.81	Frosted Acrylic Privacy Panel	\$ 3,432
1	ENW-A288TKA4	Toolrail Kit	\$ 2,022
Subtotal			\$ 20,602

Economy Electrical:

1	PS-288PK3E8-4	Economy Power Kit	\$ 660
1	PWF3M120	Power In-Feed	\$ 247
1	WM-288CBKT-4	Cable Basket Kit	\$ 1,588
16	DPX8W1, DPX8W2,	Duplex Receptacles	\$ 432
DPX8W3, DPX8W4 (4 each)			

Individual Footprint	Overall Dimensions	Per User	Total List
2' 2"D x 6'W	4' 4"D x 24'W	\$2,941	\$ 23,529

Note: Pricing is standard in TFL laminate.



ENW003 - 6 USERS


Qty	Model Number	Description	List
1	ENW-24011ITC6-48	Tri Cluster Table Base	\$ 16,717
6	ENW-8345CU	Tri Cluster Worksurface	\$ 9,504
2	ENW-4824BR	Bridge Worksurface	\$ 1,382
7	ENW-PVPA-47.63/12.81	Frosted Acrylic Privacy Panel	\$ 3,073
1	ENW-ATRI48TKA6	Toolrail Kit	\$ 3,158
Subtotal			\$ 30,676

Economy Electrical:

1	PS-TRPKE6-8	Tri Economy Power Kit	\$ 1,962
1	PWF3M120	Power In-Feed	\$ 247
1	WM-TRCBKT-7	Tri Cable Basket Kit	\$ 2,094
24	DPX8W1, DPX8W2,	Duplex Receptacles	\$ 648
DPX8W3, DPX8W4 (6 each)			

Individual Footprint	Overall Dimensions	Per User	Total List
7' 1"W x 3' 11"D	7' 1"W x 20'D	\$5,938	\$ 35,627

Note: Pricing is standard in TFL laminate.



ENW004 - 3 USERS

Qty	Model Number	Description	List
1	ENW-137119TC3	Tri Cluster Table Base	\$ 9,502
3	ENW-8345CU	Tri Cluster Worksurface	\$ 4,752
3	ENW-5215ET	Extension Worksurface	\$ 1,743
2	ENW-PVPF-47.63/12.81	Fabric Privacy Panel	\$ 1,072
1	ENW-ATRI48TKC3	Toolrail Kit	\$ 1,354
Subtotal			\$ 18,423


Economy Electrical:

1	PS-TRPKE3-8	Economy Power Kit	\$ 738
1	PWF3M120	Power In-Feed	\$ 247
1	WM-TRCBKT-3	Cable Basket Kit	\$ 897
12	DPX8W1, DPX8W2,	Duplex Receptacles	\$ 324
DPX8W3, DPX8W4 (3 each)			

Individual Footprint	Overall Dimensions	Per User	Total List
9' 3"W x 4' 6"D	11' 3"W x 9' 11"D	\$6,876	\$ 20,629

Note: Pricing is standard in TFL laminate.

TYPICAL CONFIGURATIONS



ENW005 - 8 USERS


Qty	Model Number	Description	List
1	ENW-34484DF8	Benching Table Base	\$ 22,197
8	ENW-7224MCT	24"D Worksurface	\$ 3,936
2	ENW-8414PSB	End Storage Box	\$ 2,566
1	ENW-8428PSB	Center Storage Box	\$ 1,283
4	ENW-PVPA-71.63/12.81	Frosted Acrylic Privacy Panel	\$ 2,596
2	ENW-A144TKD2	Toolrail Kit	\$ 1,838
Subtotal			\$ 34,416

Economy Electrical:

1	PS-288PK3E8-4	Economy Power Kit	\$ 660
1	PWF3M120	Power In-Feed	\$ 247
1	WM-288CBKT-4	Cable Basket Kit	\$ 1,588
16	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (4 each)	Duplex Receptacles	\$ 432

Individual Footprint	Overall Dimensions	Per User	Total List
3' 6"D x 7' 7"W	7'D x 28'W	\$4,668	\$ 37,343

Note: Pricing is standard in TFL laminate.



ENW007 - 8 USERS


Qty	Model Number	Description	List
1	ENW-24050DF8	Benching Table Base	\$ 10,817
8	ENW-6024MCT	24"D Worksurface	\$ 3,792
2	ENW-7214-4DA	Shared Storage	\$ 3,392
4	ENW-SSS	Stanchion Bracket	\$ 744
1	ENW-PVPA-47.63/18.81	Frosted Acrylic Privacy Panel	\$ 596
2	ENW-PVPA-23.63/18.81	Frosted Acrylic Privacy Panel	\$ 770
1	ENW-A240TKA4	Toolrail Kit	\$ 1,778
Subtotal			\$ 21,889

Economy Electrical:

1	PS-240PK3E8-4	Economy Power Kit	\$ 632
1	PWF3M120	Power In-Feed	\$ 247
1	WM-240CBKT-4	Cable Basket Kit	\$ 1,412
16	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (4 each)	Duplex Receptacles	\$ 432

Individual Footprint	Overall Dimensions	Per User	Total List
2' 2"D x 5'W	4' 4"D x 20'W	\$3,077	\$ 24,612

Note: Pricing is standard in TFL laminate.
Locking is not included.



ENW006 - 4 USERS


Qty	Model Number	Description	List
1	ENW-12050DF4	Benching Table Base	\$ 6,047
4	ENW-6024MCT	24"D Worksurface	\$ 1,896
1	ENW-6014-4AX	Shared Storage	\$ 1,313
2	ENW-SSS	Stanchion Bracket	\$ 372
1	ENW-A120TKA2	Toolrail Kit	\$ 883
Subtotal			\$ 10,511

Economy Electrical:

1	PS-120PK3E4-4	Economy Power Kit	\$ 278
1	PWF3M120	Power In-Feed	\$ 247
1	WM-120CBKT-2	Cable Basket Kit	\$ 706
8	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (2 each)	Duplex Receptacles	\$ 216

Individual Footprint	Overall Dimensions	Per User	Total List
2' 2"D x 5'W	4' 4"D x 10'W	\$2,990	\$ 11,958

Note: Pricing is standard in TFL laminate.
Locking is not included.



ENW008 - 4 USERS

Qty	Model Number	Description	List
1	ENW-14470DFB4	Benching Table Base	\$ 6,771
4	ENW-6030MCT	30"D Worksurface	\$ 2,312
2	ENW-7012PSB	End Storage Box	\$ 2,360
2	ENW-PVPA-59.63/12.81	Frosted Acrylic Privacy Panel	\$ 1,100
1	ENW-A120TKA2	Toolrail Kit	\$ 883
4	ENW-1619MP	Mobile Pedestal	\$ 3,860
Subtotal			\$ 17,286


Economy Electrical:

1	PS-120PK3E4-4	Economy Power Kit	\$ 278
1	PWF3M120	Power In-Feed	\$ 247
1	WM-120CBKT-2	Cable Basket Kit	\$ 706
8	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (2 each)	Duplex Receptacles	\$ 216

Individual Footprint	Overall Dimensions	Per User	Total List
2' 11"D x 6'W	5' 10"D x 12'W	\$ 4,683	\$ 18,733

Note: Pricing is standard in TFL laminate.
Locking is not included.

TYPICAL CONFIGURATIONS



ENW009 - 3 USERS

Qty	Model Number	Description	List
1	ENW-11196TC3	Tri Cluster Table Base	\$ 8,253
3	ENW-8345CU	Tri Cluster Worksurface	\$ 4,752
3	ENW-PVPV-47.63/12.81	Veneer Privacy Panel	\$ 1,614
1	ENW-ATRI48TKA3	Toolrail Kit	\$ 1,080
3	ENW-1619MPC	Mobile Pedestal	\$ 2,808
3	ENW-1619SC	Mobile Pedestal Cushion	\$ 426
Subtotal			\$ 18,933


Economy Electrical:

1	PS-TRPKE3-8	Tri Economy Power Kit	\$ 738
1	PWF3M120	Power In-Feed	\$ 247
1	WM-TRCBKT-3	Tri Cable Basket Kit	\$ 897
12	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (3 each)	Duplex Receptacles	\$ 324

Individual Footprint	Overall Dimensions	Per User	Total List
7' 1"W x 3' 11"D	9' 3"W x 8'D	\$7,046	\$ 21,139

Note: Pricing is standard in TFL laminate.

Locking is not included.



ENW011 - 8 USERS


Qty	Model Number	Description	List
1	ENW-33658DFEB8	Benching Table Base	\$ 12,102
8	ENW-7224MCT	24"D Worksurface	\$ 3,936
2	ENW-7012PSB	End Storage Box	\$ 2,360
1	ENW-7024PSB	Center Storage Box	\$ 1,180
4	ENW-3614-2DA	Shared Storage	\$ 4,164
4	ENW-SSS	Stanchion Bracket	\$ 744
2	ENW-PVPA-35.63/12.81	Frosted Acrylic Privacy Panel	\$ 780
4	ENW-PVPA-17.63/12.81	Frosted Acrylic Privacy Panel	\$ 876
2	ENW-A144TKC2	Toolrail Kit	\$ 2,082
Subtotal			\$ 28,224

Economy Electrical:

1	PS-288PK3E8-4	Economy Power Kit	\$ 660
1	PWF3M120	Power In-Feed	\$ 247
1	WM-288CBKT-4	Cable Basket Kit	\$ 1,588
16	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (2 each)	Duplex Receptacles	\$ 432

Individual Footprint	Overall Dimensions	Per User	Total List
2' 11"D x 7'W	5' 10"D x 28'W	\$3,894	\$ 31,151

Note: Pricing is standard in TFL laminate. Locking is not included.



ENW010 - 6 USERS

Qty	Model Number	Description	List
1	ENW-255137TC6-48	Tri Cluster Table Base	\$ 18,246
6	ENW-8345CU	Tri Cluster Worksurface	\$ 9,504
4	ENW-5215ET	Extension Worksurface	\$ 2,324
2	ENW-4824BR	Bridge Worksurface	\$ 1,382
1	ENW-6014-4DL	Shared Storage	\$ 1,471
2	ENW-SSS	Stanchion Bracket	\$ 372
4	ENW-PVPA-47.63/12.81	Frosted Acrylic Privacy Panel	\$ 1,756
2	ENW-PVPA-41.63/12.81	Frosted Acrylic Privacy Panel	\$ 828
1	ENW-ATRI48TKA6	Toolrail Kit	\$ 3,158
Subtotal			\$ 39,041


Economy Electrical:

1	PS-TRPKE6-8	Tri Economy Power Kit	\$ 1,962
1	PWF3M120	Power In-Feed	\$ 247
1	WM-TRCBKT-7	Cable Basket Kit	\$ 2,094
24	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (6 each)	Duplex Receptacles	\$ 648

Individual Footprint	Overall Dimensions	Per User	Total List
9' 3"W x 4' 7"D	11' 5"W x 21' 3"D	\$ 7,332	\$ 43,992

Note: Pricing is standard in TFL laminate.

Locking is not included.



ENW012 - 4 USERS

Qty	Model Number	Description	List
1	ENW-9650DF4	Benching Table Base	\$ 5,836
4	ENW-4824MCT	24"D Worksurface	\$ 1,556
2	ENW-PVPT-47.63/12.81	TFL Privacy Panel	\$ 454
1	ENW-A96TKA2	Toolrail Kit	\$ 724
Subtotal			\$ 8,570

Economy Electrical:

1	PS-96PK3E4-4	Economy Power Kit	\$ 265
1	PWF3M120	Power In-Feed	\$ 247
1	WM-96CBKT-2	Cable Basket Kit	\$ 598
8	DPX8W1, DPX8W2, DPX8W3, DPX8W4 (2 each)	Duplex Receptacles	\$ 216

Individual Footprint	Overall Dimensions	Per User	Total List
2' 2"D x 4'W	4' 4"D x 8'W	\$2,474	\$ 9,896


Note: Pricing is standard in TFL laminate.



ELEVEN BENCHING is intended to connect runs of open plan workspace without any significant division of space between users on the same side. Options of added functionality are provided via small desktop personal-storage size boxes for any or all users. The storage boxes extend slightly beyond the edge of the starter worksurfaces without any additional support of the frame understructure.

Eleven Benching:


- open benching
- desktop storage option
- personal storage accessory



ELEVEN TEAMING TABLES are intended for personal and small team work areas. This application provides personal workspace, utility storage, space division, visual sightline breaks, and standing height touchdown area functionality. The Eleven Teaming Table end of run storage boxes are significantly larger and extend well beyond the edge of the tops, supported by an extension in the frame understructure.

Eleven Teaming Table:

- self-contained
- work area
- utility storage
- space division
- standing height touchdown



BASE FOR 24"D BENCHING TABLE - FOUR USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Four Users
- Double Sided
- Use with Benching Table Consisting of Four Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-9650DF4	96	50	28.25/31.5	108	24	\$ 5,836	\$ 7,216
• Use with Four ENW-4824MCT Worksurfaces							
ENW-12050DF4	120	50	28.25/31.5	113	27	\$ 6,047	\$ 7,451
• Use with Four ENW-6024MCT Worksurfaces							
ENW-14450DF4	144	50	28.25/31.5	119	30	\$ 6,259	\$ 7,684
• Use with Four ENW-7224MCT Worksurfaces							

USE WITH TWO END STORAGE BOXES - ONE ON INSIDE END AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-12058DFB4	120.31	58	28.25/31.5	108	24	\$ 6,211	\$ 7,660
• Use with Four ENW-4824MCT Worksurfaces							
ENW-14458DFB4	144.31	58	28.25/31.5	113	27	\$ 6,421	\$ 7,894
• Use with Four ENW-6024MCT Worksurfaces							
ENW-16858DFB4	168.31	58	28.25/31.5	119	30	\$ 6,702	\$ 8,205
• Use with Four ENW-7224MCT Worksurfaces							

USE WITH TWO END STORAGE BOXES ON OUTSIDE ENDS



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-12058DFEB4	120.31	58	28.25/31.5	108	24	\$ 6,211	\$ 7,660
• Use with Four ENW-4824MCT Worksurfaces							
ENW-14458DFEB4	144.31	58	28.25/31.5	113	27	\$ 6,421	\$ 7,894
• Use with Four ENW-6024MCT Worksurfaces							
ENW-16858DFEB4	168.31	58	28.25/31.5	119	30	\$ 6,702	\$ 8,205
• Use with Four ENW-7224MCT Worksurfaces							

OPTIONS

Base	Color
B7Z Static	PAL Polished Aluminum - Standard
B8A Sliding	BKO Onyx
	POLR Polar

HOW TO ORDER

SPECIFY: Base | color.

MODEL NUMBER	
ENW-9650DF4	
Base	Color
B7Z	POLR

BASE FOR 24"D BENCHING TABLE - SIX USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Six Users
- Double Sided
- Use with Benching Table Consisting of Six Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-14450DF6	144	50	28.25/31.5	148	24	\$ 8,090	\$ 10,058
• Use with Six ENW-4824MCT Worksurfaces							
ENW-18050DF6	180	50	28.25/31.5	154	27	\$ 8,394	\$ 10,393
• Use with Six ENW-6024MCT Worksurfaces							
ENW-21650DF6	216	50	28.25/31.5	164	30	\$ 8,698	\$ 10,533
• Use with Six ENW-7224MCT Worksurfaces							

USE WITH THREE END STORAGE BOXES - TWO ON INSIDE ENDS AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-18058DFB6	180.5	58	28.25/31.5	148	24	\$ 8,649	\$ 10,738
• Use with Six ENW-4824MCT Worksurfaces							
ENW-21658DFB6	216.5	58	28.25/31.5	154	27	\$ 8,954	\$ 10,876
• Use with Six ENW-6024MCT Worksurfaces							
ENW-25258DFB6	252.5	58	28.25/31.5	164	30	\$ 9,363	\$ 11,528
• Use with Six ENW-7224MCT Worksurfaces							

OPTIONS

Base	Color
B7Z Static B8A Sliding	PAL Polished Aluminum - Standard BKO Onyx POLR Polar

HOW TO ORDER SPECIFY: Base | color.

MODEL NUMBER

ENW-14450DF6

Base	Color
B7Z	POLR

BASE FOR 24"D BENCHING TABLE - EIGHT USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Eight Users
- Double Sided
- Use with Benching Table Consisting of Eight Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-19250DF8	192	50	28.25/31.5	193	27	\$ 10,418	\$ 12,982

- Use with Eight ENW-4824MCT Worksurfaces

ENW-24050DF8	240	50	28.25/31.5	203	30	\$ 10,817	\$ 13,425
--------------	-----	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6024MCT Worksurfaces

ENW-28850DF8	288	50	28.25/31.5	217	33	\$ 11,212	\$ 13,866
--------------	-----	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7224MCT Worksurfaces

USE WITH FOUR END STORAGE BOXES - THREE ON INSIDE ENDS AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-24058DFB8	240.63	58	28.25/31.5	193	27	\$ 11,164	\$ 13,902

- Use with Eight ENW-4824MCT Worksurfaces

ENW-28858DFB8	288.63	58	28.25/31.5	203	30	\$ 11,564	\$ 14,344
---------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6024MCT Worksurfaces

ENW-33658DFB8	336.63	58	28.25/31.5	217	33	\$ 12,102	\$ 14,938
---------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7224MCT Worksurfaces

USE WITH TWO END STORAGE BOXES ON OUTSIDE ENDS AND ONE CENTER STORAGE BOX IN CENTER



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-24058DFEB8	240.63	58	28.25/31.5	193	27	\$ 11,164	\$ 13,902

- Use with Eight ENW-4824MCT Worksurfaces

ENW-28858DFEB8	288.63	58	28.25/31.5	203	30	\$ 11,564	\$ 14,344
----------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6024MCT Worksurfaces

ENW-33658DFEB8	336.63	58	28.25/31.5	217	33	\$ 12,102	\$ 14,938
----------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7224MCT Worksurfaces

OPTIONS

Base	Color
B7Z Static	PAL Polished Aluminum - Standard
B8A Sliding	BKO Onyx
	POLR Polar

HOW TO ORDER

SPECIFY: Base | color.

MODEL NUMBER


ENW-19250DF8

Base	Color
B7Z	POLR

BASE FOR 30"D BENCHING TABLE - FOUR USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Four Users
- Double Sided
- Use with Benching Table Consisting of Four Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-9662DF4	96	62	28.25/31.5	121	24	\$ 6,187	\$ 7,713
• Use with Four ENW-4830MCT Worksurfaces							
ENW-12062DF4	120	62	28.25/31.5	125	27	\$ 6,397	\$ 7,948
• Use with Four ENW-6030MCT Worksurfaces							
ENW-14462DF4	144	62	28.25/31.5	132	30	\$ 6,607	\$ 8,181
• Use with Four ENW-7230MCT Worksurfaces							

USE WITH TWO END STORAGE BOXES - ONE ON INSIDE END AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-12070DFB4	120.31	70	28.25/31.5	121	24	\$ 6,559	\$ 8,159
• Use with Four ENW-4830MCT Worksurfaces							
ENW-14470DFB4	144.31	70	28.25/31.5	125	27	\$ 6,771	\$ 8,392
• Use with Four ENW-6030MCT Worksurfaces							
ENW-16870DFB4	168.31	70	28.25/31.5	132	30	\$ 7,060	\$ 8,712
• Use with Four ENW-7230MCT Worksurfaces							

USE WITH TWO END STORAGE BOXES ON OUTSIDE ENDS



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-12070DFEB4	120.31	70	28.25/31.5	125	24	\$ 6,559	\$ 8,159
• Use with Four ENW-4830MCT Worksurfaces							
ENW-14470DFEB4	144.31	70	28.25/31.5	132	27	\$ 6,771	\$ 8,392
• Use with Four ENW-6030MCT Worksurfaces							
ENW-16870DFEB4	168.31	70	28.25/31.5	139	30	\$ 7,060	\$ 8,712
• Use with Four ENW-7230MCT Worksurfaces							

OPTIONS

Base	Color
B7Z Static	PAL Polished Aluminum - Standard
B8A Sliding	BKO Onyx
	POLR Polar

HOW TO ORDER

SPECIFY: Base | color.

MODEL NUMBER


ENW-9662DF4

Base	Color
B7Z	POLR

BASE FOR 30"D BENCHING TABLE - SIX USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Six Users
- Double Sided
- Use with Benching Table Consisting of Six Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-14462DF6	144	62	28.25/31.5	172	24	\$ 8,591	\$ 10,777
• Use with Six ENW-4830MCT Worksurfaces							
ENW-18062DF6	180	62	28.25/31.5	177	27	\$ 8,896	\$ 11,113
• Use with Six ENW-6030MCT Worksurfaces							
ENW-21662DF6	216	62	28.25/31.5	183	30	\$ 9,201	\$ 11,252
• Use with Six ENW-7230MCT Worksurfaces							

USE WITH THREE END STORAGE BOXES - TWO ON INSIDE ENDS AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-18070DFB6	180.5	70	28.25/31.5	172	24	\$ 9,149	\$ 11,456
• Use with Six ENW-4830MCT Worksurfaces							
ENW-21670DFB6	216.5	70	28.25/31.5	177	27	\$ 9,454	\$ 11,595
• Use with Six ENW-6030MCT Worksurfaces							
ENW-25270DFB6	252.5	70	28.25/31.5	183	30	\$ 9,872	\$ 12,257
• Use with Six ENW-7230MCT Worksurfaces							

OPTIONS

Base	Color
B7Z Static B8A Sliding	PAL Polished Aluminum - Standard BKO Onyx POLR Polar

HOW TO ORDER SPECIFY: Base | color.

MODEL NUMBER	
ENW-14462DF6	
Base	Color
B7Z	POLR

BASE FOR 30"D BENCHING TABLE - EIGHT USERS STATIC AND SLIDING WORKSURFACE STANDARD FEATURES

- Eight Users
- Double Sided

- Use with Benching Table Consisting of Eight Worksurfaces

- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH NO END OR CENTER STORAGE BOX



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-19262DF8	192	62	28.25/31.5	220	27	\$ 11,070	\$ 13,923

- Use with Eight ENW-4830MCT Worksurfaces

ENW-24062DF8	240	62	28.25/31.5	227	30	\$ 11,468	\$ 14,364
--------------	-----	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6030MCT Worksurfaces

ENW-28862DF8	288	62	28.25/31.5	234	33	\$ 11,868	\$ 14,805
--------------	-----	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7230MCT Worksurfaces

USE WITH FOUR END STORAGE BOXES - THREE ON INSIDE ENDS AND ONE ON OUTSIDE END



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-24070DFB8	240.63	70	28.25/31.5	220	27	\$ 11,814	\$ 14,840

- Use with Eight ENW-4830MCT Worksurfaces

ENW-28870DFB8	288.63	70	28.25/31.5	227	30	\$ 12,213	\$ 15,284
---------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6030MCT Worksurfaces

ENW-33670DFB8	336.63	70	28.25/31.5	234	33	\$ 12,762	\$ 15,888
---------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7230MCT Worksurfaces

USE WITH TWO END STORAGE BOXES ON OUTSIDE ENDS AND ONE CENTER STORAGE BOX IN CENTER



model	w	d	h	wt	cu ft	B7Z static	B8A sliding
ENW-24070DFEB8	240.63	70	28.25/31.5	227	27	\$ 11,814	\$ 14,840

- Use with Eight ENW-4830MCT Worksurfaces

ENW-28870DFEB8	288.63	70	28.25/31.5	234	30	\$ 12,213	\$ 15,284
----------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-6030MCT Worksurfaces

ENW-33670DFEB8	336.63	70	28.25/31.5	241	33	\$ 12,762	\$ 15,888
----------------	--------	----	------------	-----	----	-----------	-----------

- Use with Eight ENW-7230MCT Worksurfaces

OPTIONS

Base	Color
B7Z Static	PAL Polished Aluminum - Standard
B8A Sliding	BKO Onyx
	POLR Polar

HOW TO ORDER

SPECIFY: Base | color.

MODEL NUMBER

ENW-19262DF8

Base	Color
B7Z	POLR

BASE FOR TRI CLUSTER TABLE - THREE USERS WORKSURFACE STANDARD FEATURES

- Three Users
- Use with Tri Cluster Table Consisting of Three Tri Cluster Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation


TRI CLUSTER WORKSURFACE



model	w	d	h	wt	cu ft	list
ENW-11196TC3	111	96	28.25/31.5	134	30	\$ 8,253

- Use with Three ENW-8345CU Worksurfaces

USE WITH THREE EXTENSIONS



model	w	d	h	wt	cu ft	list
ENW-137119TC3	137	119	28.25/31.5	142	30	\$ 9,502

- Use with Three ENW-8345CU Worksurfaces and Three ENW-5215ET Extensions

BASE FOR TRI CLUSTER TABLE - SIX USERS WORKSURFACE STANDARD FEATURES

- Six Users
- Use with Tri Cluster Table Consisting of Six Tri Cluster Worksurfaces
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

USE WITH TWO BRIDGES



model	w	d	h	wt	cu ft	list
ENW-240111TC6-48	240	111	28.25/31.5	287	33	\$ 16,717

- Use with Six ENW-8345CU Worksurfaces and Two ENW-4824BR Bridges

USE WITH TWO BRIDGES AND FOUR EXTENSIONS



model	w	d	h	wt	cu ft	list
ENW-255137TC6-48	255	137	28.25/31.5	295	33	\$ 18,246

- Use with Six ENW-8345CU Worksurfaces, Two ENW-4824BR Bridges and Four ENW-5215ET Extensions

OPTIONS

Color

- PAL Polished Aluminum - Standard
- BKO Onyx
- POLR Polar

HOW TO ORDER

SPECIFY: Color.

MODEL NUMBER

ENW-11196TC3


Color

POLR

INDIVIDUAL WORKSURFACE STANDARD FEATURES

- Individual Seating


24"D WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-4824MCT	47.88	24	1.06	28	3	\$ 389	\$ 578
ENW-6024MCT	59.88	24	1.06	42	4	\$ 474	\$ 714
ENW-7224MCT	71.88	24	1.06	58	4	\$ 492	\$ 737

- Order Base Separately (see pages 89-91)

30"D WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-4830MCT	47.88	30	1.06	47	4	\$ 522	\$ 787
ENW-6030MCT	59.88	30	1.06	57	5	\$ 578	\$ 867
ENW-7230MCT	71.88	30	1.06	67	6	\$ 633	\$ 950

- Order Base Separately (see pages 92-94)

OPTIONS

Material	Finish	Edge Finish	Edge Shape
T TFL or HPL (with PP edge)	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	 EY Square (2mm PP Edge)
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP <i>Textured</i> FNP PKP LOP DRP <i>Studio Textured</i> (10% upcharge) SDP CRP	Matching Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	 EY Square (2mm PP Edge)
	HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Worksurfaces are available in Wilsonart matte texture standard pattern color laminates at standard list prices. Lead times may be extended depending on supplier's availability. See page I.	Any PP Edge Color Solid Color Laminate RW2 FW2 GR2 SG2 BL2	 EY Square (2mm PP Edge)
V HPL or Veneer (with wood edge)	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Flat Cut</i> MBM MHM MLC MMC BUW EBY	 B6P Square (2mm Veneer Edge)
	Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW	 B6P Square (2mm Veneer Edge)

HOW TO ORDER

SPECIFY: Material | finish | edge finish | edge shape. See page H for finish details.


MODEL NUMBER

ENW-4824MCT

Material	Finish	Edge Finish	Edge Shape
T	CO2	CO2	EY

INDIVIDUAL WORKSURFACE FOR TRI CLUSTER TABLE STANDARD FEATURES

BRIDGE WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-4824BR	48	24	1.06	28	3	\$ 691	\$ 1,287

EXTENSION WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-5215ET	52	15	1.06	35	2	\$ 581	\$ 1,133

TRI CLUSTER WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-8345CU	83.13	47.75	1.06	64	6	\$ 1,584	\$ 2,574

- For Tri Cluster 120 Degree Work Station
- Diagonal Grain
- Order Base Separately (see page 133)

OPTIONS

Material	Finish	Edge Finish	Edge Shape
T TFL or HPL (with PP edge)	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2	Any PP Edge Color TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	 EY Square (2mm PP Edge)
	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP <i>Textured</i> FNP PKP LOP DRP <i>Studio Textured</i> (10% upcharge) SDP CRP	Matching Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	 EY Square (2mm PP Edge)
V HPL or Veneer (with wood edge)	HPL Solid Color Laminate RWP FWP GRP SGP BLP	Any PP Edge Color Solid Color Laminate RW2 FW2 GR2 SG2 BL2	 EY Square (2mm PP Edge)
	NOTE: Worksurfaces are available in Wilsonart matte texture standard pattern color laminates at standard list prices. Lead times may be extended depending on supplier's availability. See page I.		
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Flat Cut</i> MBM MHM MLC MMC BUW EBY	 B6P Square (2mm Veneer Edge)
	Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW	 B6P Square (2mm Veneer Edge)

HOW TO ORDER

SPECIFY: Material | finish | edge finish | edge shape. See page H for finish details.

MODEL NUMBER

ENW-4824BR

Material	Finish	Edge Finish	Edge Shape
T	CO2	CO2	EY


BENCHING END STORAGE BOX STANDARD FEATURES

• **ENW-5812PSB:** Use on ENW-12058DFB4, ENW-14458DFB4, ENW-16858DFB4, ENW-18058DFB6, ENW-21658DFB6, ENW-25258DFB6, ENW-24058DFB8, ENW-28858DFB8, ENW-33658DFB8, ENW-12058DFEB4, ENW-14458DFEB4, ENW-16858DFEB4, ENW-24058DFEB8, ENW-28858DFEB8 and ENW-33658DFEB8

• **ENW-7012PSB:** Use on ENW-12070DFB4, ENW-14470DFB4, ENW-16870DFB4, ENW-18070DFB6, ENW-21670DFB6, ENW-25270DFB6, ENW-24070DFB8, ENW-28870DFB8, ENW-33670DFB8, ENW-12070DFEB4, ENW-14470DFEB4, ENW-16870DFEB4, ENW-24070DFEB8, ENW-28870DFEB8 and ENW-33670DFEB8


• **NOTE:** Inside: 12.25"H, 11.875"D with an Outside Tackboard, 11.6875"D with No Outside Tackboard

USE WITH 24"D BENCHING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-5812PSB	58	12	14	114	7	\$ 1,085	\$ 2,467

USE WITH 30"D BENCHING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-7012PSB	70	12	14	126	9	\$ 1,180	\$ 2,806

OPTIONS

Material	Finish	Back Finish	Outside Tackboard	Tackboard Material
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	X9 No Tackboard Standard	X9 No Tackboard Standard
	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	B8V Felt Tackboard \$350	ANT Anthracite CRT Curry EBT EcoBrown JNT Jeans LBT LightBlue LMT Lime MKT Mokka ORT Orange OWT OffWhite PKT Pink RDT Red SGT StoneGrey
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT	B8D Fabric Tackboard (see pricing below)	Grade, Vendor, Pattern, Color NOTE: Fabric must be tested and approved for tackboard use/compatibility

Fabric Tackboard B8D (ENW-5812PSB)

yds com (54")	sq ft col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	622	659	701	754	827	932	1,038	1,143	1,248	1,353	1,459	1,564	1,669	1,774	1,880	n/a	n/a	n/a

Fabric Tackboard B8D (ENW-7012PSB)

yds com (54")	sq ft col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
3	n/a	703	758	821	900	1,011	1,169	1,327	1,484	1,642	1,800	1,958	2,116	2,274	2,432	2,589	n/a	n/a	n/a

HOW TO ORDER

SPECIFY: Material | finish | back finish | outside tackboard | tackboard material. See page H for finish details.

MODEL NUMBER

ENW-5812PSB

Material	Finish	Back Finish	Outside Tackboard	Tackboard Material
T	CO2	CO2	X9	X9


BENCHING CENTER STORAGE BOX STANDARD FEATURES

• **ENW-5824PSB:** Use on ENW-24058DFEB8, ENW-28858DFEB8 and ENW-33658DFEB8

• **ENW-7024PSB:** Use on ENW-24070DFEB8, ENW-28870DFEB8 and ENW-33670DFEB8


• **NOTE:** Inside: 12.25"H

USE WITH 24"D BENCHING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-5824PSB	58	24	14	155	12	\$ 1,085	\$ 2,467

USE WITH 30"D BENCHING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-7024PSB	70	24	14	174	14	\$ 1,180	\$ 2,806

OPTIONS

Material	Finish	Back Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW Studio Veneer Quartered (10% upcharge) SVC Studio Veneer Planked (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW Studio Veneer Quartered SVC Studio Veneer Planked SFO SFW Paint BLK IRN WHT

HOW TO ORDER

SPECIFY: Material | finish | back finish. See page H for finish details.

MODEL NUMBER

ENW-5824PSB

Material	Finish	Back Finish
T	CO2	CO2



TACKBOARD FOR BENCHING STORAGE BOX STANDARD FEATURES

ONE-PIECE TACKBOARD



model	w	d	h	wt	cu ft
FT1225	27.56	0.5	12.13	5	1

- Use with ENW-5812PSB and ENW-5824PSB Storage Boxes
- **NOTE:** ENW-5812PSB Requires Two Tackboards
ENW-5824PSB Requires Four Tackboards

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	n/a	285	303	324	351	388	440	493	545	598	651	703	756	809	861	914	n/a	n/a	n/a

model	w	d	h	wt	cu ft
FT1224	33.56	0.5	12.13	6	1

- Use with ENW-7012PSB and ENW-7024PSB Storage Boxes
- **NOTE:** ENW-7012PSB Requires Two Tackboards
ENW-7024PSB Requires Four Tackboards

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	345	373	404	444	499	578	657	736	815	894	973	1,051	1,130	1,209	1,288	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: Fabric must be tested and approved
for tackboard use/compatibility

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER


FT1225

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

**BASE FOR TEAMING TABLE - FOUR USERS SLIDING WORKSURFACE STANDARD FEATURES**

- Four Users
- Double Sided
- Use with Teaming Table Consisting of Four Worksurfaces with Two End Storage Boxes on Outside Ends
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

TABLE BASE - 24"D SLIDING WORKSURFACES

model	w	d	h	wt	cu ft	list
ENW-17284DF4	172.31	84	28.25/31.5	208	24	\$ 11,768

- Use with Four ENW-7224MCT Worksurfaces

TABLE BASE - 30"D SLIDING WORKSURFACES

model	w	d	h	wt	cu ft	list
ENW-17296DF4	172.31	96	28.25/31.5	261	27	\$ 12,333

- Use with Four ENW-7230MCT Worksurfaces


BASE FOR TEAMING TABLE - EIGHT USERS SLIDING WORKSURFACE STANDARD FEATURES

- Eight Users
- Double Sided
- Use with Teaming Table Consisting of Eight Worksurfaces with Two End Storage Boxes on Outside Ends and One Center Storage Box in Center
- **NOTE:** A Minimum of One Tool-4 (see page 150) per Order is Required for Installation

TABLE BASE - 24"D SLIDING WORKSURFACES

model	w	d	h	wt	cu ft	list
ENW-34484DF8	344.63	84	28.25/31.5	283	30	\$ 22,197

- Use with Eight ENW-7224MCT Worksurfaces

TABLE BASE - 30"D SLIDING WORKSURFACES

model	w	d	h	wt	cu ft	list
ENW-34496DF8	344.63	96	28.25/31.5	336	33	\$ 22,829

- Use with Eight ENW-7230MCT Worksurfaces

OPTIONS**Color**

PAL Polished Aluminum - Standard
BKO Onyx
POLR Polar

HOW TO ORDER

SPECIFY: Color.

MODEL NUMBER

ENW-9662DF4

Color

POLR

INDIVIDUAL SLIDING WORKSURFACE STANDARD FEATURES

- Individual Seating

24"D SLIDING WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-7224MCT	71.88	24	1.06	58	4	\$ 492	\$ 737

- Order Base Separately (see pages 89-91)

30"D SLIDING WORKSURFACE



model	w	d	h	wt	cu ft	TFL	veneer/ HPL
ENW-7230MCT	71.88	30	1.06	67	6	\$ 633	\$ 950

- Order Base Separately (see pages 92-94)

OPTIONS

Material	Finish	Edge Finish	Edge Shape
T TFL or HPL (with PP edge)	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2	Any PP Edge Color TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	 EY Square (2mm PP Edge)
	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP <i>Textured</i> FNP PKP LOP DRP <i>Studio Textured</i> (10% upcharge) SDP CRP	Matching Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2	 EY Square (2mm PP Edge)
V HPL or Veneer (with wood edge)	HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Worksurfaces are available in Wilsonart matte texture standard pattern color laminates at standard list prices. Lead times may be extended depending on supplier's availability. See page I.	Any PP Edge Color Solid Color Laminate RW2 FW2 GR2 SG2 BL2	 EY Square (2mm PP Edge)
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP BEP HNP CHP CMP MGP BUP	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Flat Cut</i> MBM MHM MLC MMC BUW EBY	 B6P Square (2mm Veneer Edge)
	Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW	Matching Edge Veneer <i>Quartered</i> OSL MBM DST MNW MGW MGO EBY MRO MHM PCO MLC MMC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW	 B6P Square (2mm Veneer Edge)

HOW TO ORDER

SPECIFY: Material | finish | edge finish | edge shape. See page H for finish details.

MODEL NUMBER

ENW-7224MCT

Material	Finish	Edge Finish	Edge Shape
T	CO2	CO2	EY


TEAMING END STORAGE BOX STANDARD FEATURES

• **ENW-8414PSB:** Use on ENW-17284DF4 and ENW-34484DF8

• **ENW-9614PSB:** Use on ENW-17296DF4 and ENW-34496DF8


• **NOTE:** Inside: 12.25"H, 13.1875"D with an Outside Tackboard, 13.6875"D with No Outside Tackboard

USE WITH 24"D TEAMING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-8414PSB	84	14	14	159	13	\$ 1,283	\$ 3,157

USE WITH 30"D TEAMING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-9614PSB	96	14	14	180	14	\$ 1,383	\$ 3,510

OPTIONS

Material	Finish	Back Finish	Outside Tackboard	Tackboard Material
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	X9 No Tackboard Standard B8V Felt Tackboard \$565	X9 No Tackboard Standard ANT Anthracite CRT Curry EBT EcoBrown JNT Jeans LBT LightBlue LMT Lime MKT Mokka ORT Orange OWT OffWhite PKT Pink RDT Red SGT StoneGrey
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT	B8D Fabric Tackboard (see pricing below)	Grade, Vendor, Pattern, Color NOTE: Fabric must be tested and approved for tackboard use/compatibility

Fabric Tackboard B8D (ENW-8414PSB)

yds com (54")	sq ft col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
3	n/a	722	777	840	919	1,030	1,188	1,346	1,503	1,661	1,819	1,977	2,135	2,293	2,451	2,608	n/a	n/a	n/a

Fabric Tackboard B8D (ENW-9614PSB)

yds com (54")	sq ft col	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
3	n/a	754	809	872	951	1,062	1,220	1,378	1,535	1,693	1,851	2,009	2,167	2,325	2,483	2,640	n/a	n/a	n/a

HOW TO ORDER

SPECIFY: Material | finish | back finish | outside tackboard | tackboard material. See page H for finish details.

MODEL NUMBER

ENW-8414PSB

Material	Finish	Back Finish	Outside Tackboard	Tackboard Material
T	CO2	CO2	X9	X9


TEAMING CENTER STORAGE BOX STANDARD FEATURES

• **ENW-8428PSB:** Use on ENW-34484DF8

• **ENW-9628PSB:** Use on ENW-34496DF8


• **NOTE:** Inside: 12.25"H

USE WITH 24"D TEAMING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-8428PSB	84	28	14	309	23	\$ 1,283	\$ 3,157

USE WITH 30"D TEAMING TABLE



model	w	d	h	wt	cu ft	TFL	veneer
ENW-9628PSB	96	28	14	330	26	\$ 1,383	\$ 3,510

OPTIONS

Material	Finish	Back Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT

HOW TO ORDER

SPECIFY: Material | finish | back finish. See page H for finish details.


MODEL NUMBER

ENW-8428PSB

Material	Finish	Back Finish
T	CO2	CO2

TACKBOARD FOR TEAMING STORAGE BOX STANDARD FEATURES

ONE-PIECE TACKBOARD



model	w	d	h	wt	cu ft
FT1229	40.56	0.5	12.13	6	1

- Use with ENW-8414PSB and ENW-8428PSB Storage Boxes
- **NOTE:** ENW-8414PSB Requires Two Tackboards
ENW-8428PSB Requires Four Tackboards

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	363	391	422	462	517	596	675	754	833	912	991	1,069	1,148	1,227	1,306	n/a	n/a	n/a

model	w	d	h	wt	cu ft
FT1228	46.56	0.5	12.13	7	1

- Use with ENW-9614PSB and ENW-9628PSB Storage Boxes
- **NOTE:** ENW-9614PSB Requires Two Tackboards
ENW-9628PSB Requires Four Tackboards

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	366	394	425	465	520	599	678	757	836	915	994	1,072	1,151	1,230	1,309	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: Fabric must be tested and approved
for tackboard use/compatibility

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER

FT1229

Fabric/Grade

Grade 3, Momentum, Hue, Smoke


**TOOLRAIL KIT - FOR USE WITH FULL PRIVACY PANEL WITH 1/4" THICK PRIVACY PANEL STANDARD FEATURES**

- Clear Anodized Aluminum Finish

- **NOTE:** Use when Specifying 1/4" Thick Privacy Panel

Single Sided Frosted Glass
Double Sided Frosted Glass
Frosted Acrylic

Lumicor
Clear Glass
3form

TWO TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A96TKA2	96	1.19	3.94	12	2	\$ 724


- Two 48"W Toolrails - Use with Four ENW-4830MCT or Four ENW-4824MCT Worksurfaces

ENW-A120TKA2	120	1.19	3.94	14	2	\$ 883
--------------	-----	------	------	----	---	--------

- Two 60"W Toolrails - Use with Four ENW-6030MCT or Four ENW-6024MCT Worksurfaces

ENW-A144TKA2	144	1.19	3.94	16	2	\$ 1,042
--------------	-----	------	------	----	---	----------

- Two 72"W Toolrails - Use with Four ENW-7230MCT or Four ENW-7224MCT Worksurfaces

THREE TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A144TKA3	144	1.19	3.94	18	2	\$ 1,168


- Three 48"W Toolrails - Use with Six ENW-4830MCT or Six ENW-4824MCT Worksurfaces

ENW-A180TKA3	180	1.19	3.94	21	2	\$ 1,319
--------------	-----	------	------	----	---	----------

- Three 60"W Toolrails - Use with Six ENW-6030MCT or Six ENW-6024MCT Worksurfaces

ENW-A216TKA3	216	1.19	3.94	24	2	\$ 1,531
--------------	-----	------	------	----	---	----------

- Three 72"W Toolrails - Use with Six ENW-7230MCT or Six ENW-7224MCT Worksurfaces

FOUR TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A192TKA4	192	1.19	3.94	27	2	\$ 1,542

- Four 48"W Toolrails - Use with Eight ENW-4830MCT or Eight ENW-4824MCT Worksurfaces

ENW-A240TKA4	240	1.19	3.94	28	2	\$ 1,778
--------------	-----	------	------	----	---	----------

- Four 60"W Toolrails - Use with Eight ENW-6030MCT or Eight ENW-6024MCT Worksurfaces

ENW-A288TKA4	288	1.19	3.94	32	2	\$ 2,022
--------------	-----	------	------	----	---	----------

- Four 72"W Toolrails - Use with Eight ENW-7230MCT or Eight ENW-7224MCT Worksurfaces

HOW TO ORDER**MODEL NUMBER**


ENW-A96TKA2

**TOOLRAIL KIT - FOR USE WITH FULL PRIVACY PANEL WITH 1" THICK PRIVACY PANEL STANDARD FEATURES**

- Clear Anodized Aluminum Finish

- **NOTE:** Use when Specifying 1" Thick Privacy Panel

TFL
Veneer
Dry Erase
Fabric Tackboard

TWO TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A96TKB2	96	1.19	3.94	12	2	\$ 714


- Two 48"W Toolrails - Use with Four ENW-4830MCT or Four ENW-4824MCT Worksurfaces

ENW-A120TKB2	120	1.19	3.94	14	2	\$ 748
--------------	-----	------	------	----	---	--------

- Two 60"W Toolrails - Use with Four ENW-6030MCT or Four ENW-6024MCT Worksurfaces

ENW-A144TKB2	144	1.19	3.94	16	2	\$ 882
--------------	-----	------	------	----	---	--------

- Two 72"W Toolrails - Use with Four ENW-7230MCT or Four ENW-7224MCT Worksurfaces

THREE TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A144TKB3	144	1.19	3.94	18	2	\$ 1,049


- Three 48"W Toolrails - Use with Six ENW-4830MCT or Six ENW-4824MCT Worksurfaces

ENW-A180TKB3	180	1.19	3.94	21	2	\$ 1,196
--------------	-----	------	------	----	---	----------

- Three 60"W Toolrails - Use with Six ENW-6030MCT or Six ENW-6024MCT Worksurfaces

ENW-A216TKB3	216	1.19	3.94	24	2	\$ 1,350
--------------	-----	------	------	----	---	----------

- Three 72"W Toolrails - Use with Six ENW-7230MCT or Six ENW-7224MCT Worksurfaces

FOUR TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A192TKB4	192	1.19	3.94	27	2	\$ 1,381

- Four 48"W Toolrails - Use with Eight ENW-4830MCT or Eight ENW-4824MCT Worksurfaces

ENW-A240TKB4	240	1.19	3.94	28	2	\$ 1,580
--------------	-----	------	------	----	---	----------

- Four 60"W Toolrails - Use with Eight ENW-6030MCT or Eight ENW-6024MCT Worksurfaces

ENW-A288TKB4	288	1.19	3.94	32	2	\$ 1,782
--------------	-----	------	------	----	---	----------

- Four 72"W Toolrails - Use with Eight ENW-7230MCT or Eight ENW-7224MCT Worksurfaces

HOW TO ORDER**MODEL NUMBER**

ENW-A96TKB2


**TOOLRAIL KIT - FOR USE WITH ABOVE WORKSURFACE STORAGE WITH 1/4" THICK PRIVACY PANEL STANDARD FEATURES**

- Clear Anodized Aluminum Finish

- **NOTE:** Use when: No Privacy Panel is Specified
1/4" Thick Privacy Panel is
Specified in Middle and/or on
Ends

Single Sided Frosted Glass
Double Sided Frosted Glass
Frosted Acrylic

Lumicor
Clear Glass
3form

TWO TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A96TKC2	96	1.19	3.94	12	2	\$ 797


- Two 48"W Toolrails - Use with Four ENW-4830MCT or Four ENW-4824MCT Worksurfaces

ENW-A120TKC2	120	1.19	3.94	14	2	\$ 916
--------------	-----	------	------	----	---	--------

- Two 60"W Toolrails - Use with Four ENW-6030MCT or Four ENW-6024MCT Worksurfaces

ENW-A144TKC2	144	1.19	3.94	16	2	\$ 1,041
--------------	-----	------	------	----	---	----------

- Two 72"W Toolrails - Use with Four ENW-7230MCT or Four ENW-7224MCT Worksurfaces

THREE TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A144TKC3	144	1.19	3.94	18	2	\$ 1,168


- Three 48"W Toolrails - Use with Six ENW-4830MCT or Six ENW-4824MCT Worksurfaces

ENW-A180TKC3	180	1.19	3.94	21	2	\$ 1,347
--------------	-----	------	------	----	---	----------

- Three 60"W Toolrails - Use with Six ENW-6030MCT or Six ENW-6024MCT Worksurfaces

ENW-A216TKC3	216	1.19	3.94	24	2	\$ 1,531
--------------	-----	------	------	----	---	----------

- Three 72"W Toolrails - Use with Six ENW-7230MCT or Six ENW-7224MCT Worksurfaces

FOUR TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A192TKC4	192	1.19	3.94	27	2	\$ 1,542

- Four 48"W Toolrails - Use with Eight ENW-4830MCT or Eight ENW-4824MCT Worksurfaces

ENW-A240TKC4	240	1.19	3.94	28	2	\$ 1,778
--------------	-----	------	------	----	---	----------

- Four 60"W Toolrails - Use with Eight ENW-6030MCT or Eight ENW-6024MCT Worksurfaces

ENW-A288TKC4	288	1.19	3.94	32	2	\$ 2,022
--------------	-----	------	------	----	---	----------

- Four 72"W Toolrails - Use with Eight ENW-7230MCT or Eight ENW-7224MCT Worksurfaces


HOW TO ORDER**MODEL NUMBER**

ENW-A96TKC2

**TOOLRAIL KIT - FOR USE WITH ABOVE WORKSURFACE STORAGE WITH 1" THICK PRIVACY PANEL STANDARD FEATURES**

- Clear Anodized Aluminum Finish

- **NOTE:** Use when Specifying 1" Thick Privacy Panel in Middle and/or on Ends
 - TFL
 - Veneer
 - Dry Erase
 - Fabric Tackboard

TWO TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A96TKD2	96	1.19	3.94	12	2	\$ 718


- Two 48"W Toolrails - Use with Four ENW-4830MCT or Four ENW-4824MCT Worksurfaces

ENW-A120TKD2	120	1.19	3.94	14	2	\$ 817
--------------	-----	------	------	----	---	--------

- Two 60"W Toolrails - Use with Four ENW-6030MCT or Four ENW-6024MCT Worksurfaces

ENW-A144TKD2	144	1.19	3.94	16	2	\$ 919
--------------	-----	------	------	----	---	--------

- Two 72"W Toolrails - Use with Four ENW-7230MCT or Four ENW-7224MCT Worksurfaces

THREE TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A144TKD3	144	1.19	3.94	18	2	\$ 1,044


- Three 48"W Toolrails - Use with Six ENW-4830MCT or Six ENW-4824MCT Worksurfaces

ENW-A180TKD3	180	1.19	3.94	21	2	\$ 1,196
--------------	-----	------	------	----	---	----------

- Three 60"W Toolrails - Use with Six ENW-6030MCT or Six ENW-6024MCT Worksurfaces

ENW-A216TKD3	216	1.19	3.94	24	2	\$ 1,350
--------------	-----	------	------	----	---	----------

- Three 72"W Toolrails - Use with Six ENW-7230MCT or Six ENW-7224MCT Worksurfaces

FOUR TOOLRAILS

model	w	d	h	wt	cu ft	list
ENW-A192TKD4	192	1.19	3.94	27	2	\$ 1,382

- Four 48"W Toolrails - Use with Eight ENW-4830MCT or Eight ENW-4824MCT Worksurfaces

ENW-A240TKD4	240	1.19	3.94	28	2	\$ 1,580
--------------	-----	------	------	----	---	----------

- Four 60"W Toolrails - Use with Eight ENW-6030MCT or Eight ENW-6024MCT Worksurfaces

ENW-A288TKD4	288	1.19	3.94	32	2	\$ 1,784
--------------	-----	------	------	----	---	----------

- Four 72"W Toolrails - Use with Eight ENW-7230MCT or Eight ENW-7224MCT Worksurfaces

HOW TO ORDER**MODEL NUMBER**

ENW-A96TKD2

TOOLRAIL KIT - FOR USE WITH TRI CLUSTER TABLE STANDARD FEATURES

- Clear Anodized Aluminum Finish

THREE TOOLRAILS - USE WITH THREE TRI CLUSTER WORKSURFACES - THREE 48"W TOOLRAILS



model	w	d	h	wt	cu ft	list
ENW-ATRI48TKA3	84.5	84.5	3.94	20	2	\$ 1,080

- Use with 1/4" Thick Material Insert and No Shared Organizer

ENW-ATRI48TKB3	84.5	84.5	3.94	20	2	\$ 1,219
----------------	------	------	------	----	---	----------

- Use with 1" Thick Material Insert and No Shared Organizer


ENW-ATRI48TKC3	84.5	84.5	3.94	20	2	\$ 1,354
----------------	------	------	------	----	---	----------

- Use with 1/4" Thick Material Insert and Shared Organizer

ENW-ATRI48TKD3	84.5	84.5	3.94	20	2	\$ 1,219
----------------	------	------	------	----	---	----------

- Use with 1" Thick Material Insert and Shared Organizer

SEVEN TOOLRAILS - USE WITH SIX TRI CLUSTER WORKSURFACES - SEVEN 48"W TOOLRAILS



model	w	d	h	wt	cu ft	list
ENW-ATRI48TKA6	196.5	84.5	3.94	45	2	\$ 3,158

- Use with 1/4" Thick Material Insert and No Shared Organizer

ENW-ATRI48TKB6	196.5	84.5	3.94	45	2	\$ 2,797
----------------	-------	------	------	----	---	----------

- Use with 1" Thick Material Insert and No Shared Organizer

ENW-ATRI48TKC6	196.5	84.5	3.94	45	2	\$ 3,158
----------------	-------	------	------	----	---	----------

- Use with 1/4" Thick Material Insert and Shared Organizer

ENW-ATRI48TKD6	196.5	84.5	3.94	45	2	\$ 2,797
----------------	-------	------	------	----	---	----------

- Use with 1" Thick Material Insert and Shared Organizer

HOW TO ORDER

MODEL NUMBER

ENW-ATRI48TKA3



TFL PRIVACY PANEL STANDARD FEATURES

PRIVACY PANEL - TFL



model	w	d	h	wt	cu ft	list
ENW-PVPT-11.63/12.81	11.63	1	12.81	4	1	\$ 130
ENW-PVPT-17.63/12.81	17.63	1	12.81	6	1	\$ 145
ENW-PVPT-23.63/12.81	23.63	1	12.81	7	1	\$ 163
ENW-PVPT-29.63/12.81	29.63	1	12.81	9	1	\$ 187
ENW-PVPT-35.63/12.81	35.63	1	12.81	11	1	\$ 206
ENW-PVPT-41.63/12.81	41.63	1	12.81	13	1	\$ 216
ENW-PVPT-47.63/12.81	47.63	1	12.81	16	2	\$ 227
ENW-PVPT-59.63/12.81	59.63	1	12.81	19	2	\$ 254
ENW-PVPT-71.63/12.81	71.63	1	12.81	22	2	\$ 295
ENW-PVPT-11.63/18.81	11.63	1	18.81	5	1	\$ 141
ENW-PVPT-17.63/18.81	17.63	1	18.81	8	1	\$ 170
ENW-PVPT-23.63/18.81	23.63	1	18.81	11	1	\$ 204
ENW-PVPT-29.63/18.81	29.63	1	18.81	14	1	\$ 218
ENW-PVPT-35.63/18.81	35.63	1	18.81	17	2	\$ 235
ENW-PVPT-41.63/18.81	41.63	1	18.81	20	2	\$ 261
ENW-PVPT-47.63/18.81	47.63	1	18.81	24	2	\$ 284
ENW-PVPT-59.63/18.81	59.63	1	18.81	28	2	\$ 353
ENW-PVPT-71.63/18.81	71.63	1	18.81	34	3	\$ 407

OPTIONS

Finish

TFL Woodgrain Laminate

Quartered

CO2 DS2 NW2 ST2

KD2 PC2 EN2

Flat Cut

LM2 BE2 MH2 LC2 MC2 VM2 BU2

Textured

FN2 PK2 LO2 DR2

Studio Textured (10% upcharge)

SD2 CR2

TFL Solid Color Laminate

RW2 FW2 GR2 SG2 BL2

HOW TO ORDER

SPECIFY: Finish. See page H for finish details.

MODEL NUMBER

ENW-PVPT-11.63/12.81

Finish

CO2



FROSTED ACRYLIC PRIVACY PANEL STANDARD FEATURES

PRIVACY PANEL - FROSTED ACRYLIC



model	w	d	h	wt	cu ft	list
ENW-PVPA-11.63/12.81	11.63	0.25	12.81	2	1	\$ 156
ENW-PVPA-17.63/12.81	17.63	0.25	12.81	2	1	\$ 219
ENW-PVPA-23.63/12.81	23.63	0.25	12.81	3	1	\$ 271
ENW-PVPA-29.63/12.81	29.63	0.25	12.81	4	1	\$ 301
ENW-PVPA-35.63/12.81	35.63	0.25	12.81	5	1	\$ 390
ENW-PVPA-41.63/12.81	41.63	0.25	12.81	6	1	\$ 414
ENW-PVPA-47.63/12.81	47.63	0.25	12.81	7	2	\$ 439
ENW-PVPA-59.63/12.81	59.63	0.25	12.81	8	2	\$ 550
ENW-PVPA-71.63/12.81	71.63	0.25	12.81	10	2	\$ 649
ENW-PVPA-11.63/18.81	11.63	0.25	18.81	2	1	\$ 217
ENW-PVPA-17.63/18.81	17.63	0.25	18.81	4	1	\$ 302
ENW-PVPA-23.63/18.81	23.63	0.25	18.81	5	1	\$ 385
ENW-PVPA-29.63/18.81	29.63	0.25	18.81	6	1	\$ 431
ENW-PVPA-35.63/18.81	35.63	0.25	18.81	7	2	\$ 474
ENW-PVPA-41.63/18.81	41.63	0.25	18.81	9	2	\$ 533
ENW-PVPA-47.63/18.81	47.63	0.25	18.81	11	2	\$ 596
ENW-PVPA-59.63/18.81	59.63	0.25	18.81	12	2	\$ 727
ENW-PVPA-71.63/18.81	71.63	0.25	18.81	15	3	\$ 858

HOW TO ORDER

MODEL NUMBER

ENW-PVPA-11.63/12.81



VENEER, HPL, PAINT AND DRY ERASE LAMINATE PRIVACY PANEL STANDARD FEATURES

PRIVACY PANEL - VENEER, HPL, PAINT AND DRY ERASE



model	w	d	h	wt	cu ft	veneer/ HPL	paint	dry erase
ENW-PVPV-11.63/12.81	11.63	1.06	12.81	4	1	\$ 295	\$ 325	\$ 363
ENW-PVPV-17.63/12.81	17.63	1.06	12.81	6	1	\$ 336	\$ 371	\$ 408
ENW-PVPV-23.63/12.81	23.63	1.06	12.81	7	1	\$ 376	\$ 414	\$ 461
ENW-PVPV-29.63/12.81	29.63	1.06	12.81	9	1	\$ 418	\$ 458	\$ 512
ENW-PVPV-35.63/12.81	35.63	1.06	12.81	11	1	\$ 458	\$ 502	\$ 564
ENW-PVPV-41.63/12.81	41.63	1.06	12.81	13	1	\$ 497	\$ 551	\$ 569
ENW-PVPV-47.63/12.81	47.63	1.06	12.81	16	2	\$ 538	\$ 594	\$ 632
ENW-PVPV-59.63/12.81	59.63	1.06	12.81	19	2	\$ 632	\$ 695	\$ 805
ENW-PVPV-71.63/12.81	71.63	1.06	12.81	22	2	\$ 734	\$ 806	\$ 886
ENW-PVPV-11.63/18.81	11.63	1.06	18.81	5	1	\$ 333	\$ 364	\$ 408
ENW-PVPV-17.63/18.81	17.63	1.06	18.81	8	1	\$ 383	\$ 420	\$ 469
ENW-PVPV-23.63/18.81	23.63	1.06	18.81	11	1	\$ 424	\$ 469	\$ 520
ENW-PVPV-29.63/18.81	29.63	1.06	18.81	14	1	\$ 492	\$ 542	\$ 572
ENW-PVPV-35.63/18.81	35.63	1.06	18.81	17	2	\$ 562	\$ 618	\$ 632
ENW-PVPV-41.63/18.81	41.63	1.06	18.81	20	2	\$ 619	\$ 684	\$ 720
ENW-PVPV-47.63/18.81	47.63	1.06	18.81	24	2	\$ 681	\$ 745	\$ 816
ENW-PVPV-59.63/18.81	59.63	1.06	18.81	28	2	\$ 841	\$ 922	\$ 1,067
ENW-PVPV-71.63/18.81	71.63	1.06	18.81	34	3	\$ 978	\$ 1,078	\$ 1,165

OPTIONS

Finish

Veneer

Quartered

OSL MBM DST MNW MGW MGO EBY
MRO MHM PCO MLC MMC BUW

Flat Cut

MBM MHM MLC MMC BUW EBY

Studio Veneer Quartered (10% upcharge)

SVC

Studio Veneer Planked (10% upcharge)

SFO SFW

HPL Woodgrain Laminate

Quartered

COP KDP DSP PCP NWP MEP STP

Flat Cut

TMP BEP HNP CHP CMP MGP BUP

Textured

FNP PKP LOP DRP

Studio Textured (10% upcharge)

SDP CRP

HPL Solid Color Laminate

RWP FWP GRP SGP BLP

NOTE: Worksurfaces are available in Wilsonart matte texture standard pattern color laminates at standard list prices. Lead times may be extended depending on supplier's availability. See page I.

Paint

BLK IRN WHT

Dry Erase Laminate

X3 White

HOW TO ORDER

SPECIFY: Finish. See page H for finish details.

MODEL NUMBER

ENW-PVPV-11.63/12.81

Finish

OSL



GLASS PRIVACY PANEL STANDARD FEATURES

PRIVACY PANEL - GLASS



model	w	d	h	wt	cu ft	clear glass	single sided frosted glass	double sided frosted glass
ENW-PVPG-11.63/12.81	11.63	0.25	12.81	4	2	\$ 191	\$ 210	\$ 488
ENW-PVPG-17.63/12.81	17.63	0.25	12.81	6	2	\$ 211	\$ 289	\$ 599
ENW-PVPG-23.63/12.81	23.63	0.25	12.81	8	3	\$ 233	\$ 387	\$ 695
ENW-PVPG-29.63/12.81	29.63	0.25	12.81	10	3	\$ 266	\$ 474	\$ 789
ENW-PVPG-35.63/12.81	35.63	0.25	12.81	12	4	\$ 298	\$ 564	\$ 880
ENW-PVPG-41.63/12.81	41.63	0.25	12.81	13	5	\$ 306	\$ 637	\$ 924
ENW-PVPG-47.63/12.81	47.63	0.25	12.81	16	6	\$ 318	\$ 706	\$ 970
ENW-PVPG-59.63/12.81	59.63	0.25	12.81	19	6	\$ 378	\$ 864	\$ 1,195
ENW-PVPG-71.63/12.81	71.63	0.25	12.81	23	8	\$ 439	\$ 1,024	\$ 1,418
ENW-PVPG-11.63/18.81	11.63	0.25	18.81	6	2	\$ 206	\$ 287	\$ 591
ENW-PVPG-17.63/18.81	17.63	0.25	18.81	9	3	\$ 249	\$ 418	\$ 755
ENW-PVPG-23.63/18.81	23.63	0.25	18.81	11	4	\$ 294	\$ 555	\$ 859
ENW-PVPG-29.63/18.81	29.63	0.25	18.81	14	5	\$ 317	\$ 660	\$ 951
ENW-PVPG-35.63/18.81	35.63	0.25	18.81	17	6	\$ 338	\$ 622	\$ 1,044
ENW-PVPG-41.63/18.81	41.63	0.25	18.81	20	6	\$ 365	\$ 936	\$ 1,182
ENW-PVPG-47.63/18.81	47.63	0.25	18.81	24	7	\$ 393	\$ 951	\$ 1,321
ENW-PVPG-59.63/18.81	59.63	0.25	18.81	28	9	\$ 477	\$ 1,176	\$ 1,632
ENW-PVPG-71.63/18.81	71.63	0.25	18.81	34	11	\$ 557	\$ 1,389	\$ 1,943

OPTIONS

Finish

B2M Frosted Glass (single sided)
B8Y Frosted Glass (double sided)
B9Q Clear Glass

HOW TO ORDER

SPECIFY: Finish. See page H for finish details.

MODEL NUMBER

ENW-PVPG-11.63/12.81

Finish

B9Q

**3FORM AND LUMICOR PRIVACY PANEL STANDARD FEATURES****PRIVACY PANEL - 3FORM AND LUMICOR**

model	w	d	h	wt	cu ft	3form	lumicor
ENW-PVPP-11.63/12.81	11.63	0.25	12.81	2	1	\$ 524	\$ 725
ENW-PVPP-17.63/12.81	17.63	0.25	12.81	2	1	\$ 646	\$ 864
ENW-PVPP-23.63/12.81	23.63	0.25	12.81	3	1	\$ 724	\$ 961
ENW-PVPP-29.63/12.81	29.63	0.25	12.81	4	1	\$ 796	\$ 1,076
ENW-PVPP-35.63/12.81	35.63	0.25	12.81	5	1	\$ 870	\$ 1,187
ENW-PVPP-41.63/12.81	41.63	0.25	12.81	6	1	\$ 969	\$ 1,293
ENW-PVPP-47.63/12.81	47.63	0.25	12.81	7	1	\$ 1,066	\$ 1,394
ENW-PVPP-59.63/12.81	59.63	0.25	12.81	8	2	\$ 1,327	\$ 1,733
ENW-PVPP-71.63/12.81	71.63	0.25	12.81	10	2	\$ 1,583	\$ 2,071
ENW-PVPP-11.63/18.81	11.63	0.25	18.81	2	1	\$ 632	\$ 845
ENW-PVPP-17.63/18.81	17.63	0.25	18.81	4	1	\$ 748	\$ 1,012
ENW-PVPP-23.63/18.81	23.63	0.25	18.81	5	1	\$ 861	\$ 1,173
ENW-PVPP-29.63/18.81	29.63	0.25	18.81	6	1	\$ 1,021	\$ 1,356
ENW-PVPP-35.63/18.81	35.63	0.25	18.81	7	2	\$ 1,180	\$ 1,544
ENW-PVPP-41.63/18.81	41.63	0.25	18.81	9	2	\$ 1,331	\$ 1,762
ENW-PVPP-47.63/18.81	47.63	0.25	18.81	11	2	\$ 1,482	\$ 1,979
ENW-PVPP-59.63/18.81	59.63	0.25	18.81	12	2	\$ 1,852	\$ 2,431
ENW-PVPP-71.63/18.81	71.63	0.25	18.81	15	3	\$ 2,209	\$ 2,903

OPTIONS**Finish**

3form

AER Aero White**B2U** Paper Cut**MIC** Micro Cirque

Lumicor

SSP Silver Spun**YLN** Oyster Linen**HOW TO ORDER**

SPECIFY: Finish. See page H for finish details.

MODEL NUMBER

ENW-PVPP-11.63/12.81

Finish**AER**

FABRIC PRIVACY PANEL STANDARD FEATURES

PRIVACY PANEL - FABRIC

			model																	w		d		h		wt		cu ft	
			ENW-PVPF-11.63/12.81																	11.63		1		12.81		4		1	
			ENW-PVPF-17.63/12.81																	17.63		1		12.81		6		1	
			ENW-PVPF-23.63/12.81																	23.63		1		12.81		7		1	
			ENW-PVPF-29.63/12.81																	29.63		1		12.81		9		1	
			ENW-PVPF-35.63/12.81																	35.63		1		12.81		11		1	
			ENW-PVPF-41.63/12.81																	41.63		1		12.81		13		1	
			ENW-PVPF-47.63/12.81																	47.63		1		12.81		16		2	
			ENW-PVPF-59.63/12.81																	59.63		1		12.81		19		2	
			ENW-PVPF-71.63/12.81																	71.63		1		12.81		22		2	
			ENW-PVPF-11.63/18.81																	11.63		1		18.81		5		1	
			ENW-PVPF-17.63/18.81																	17.63		1		18.81		8		1	
			ENW-PVPF-23.63/18.81																	23.63		1		18.81		11		1	
			ENW-PVPF-29.63/18.81																	29.63		1		18.81		14		1	
			ENW-PVPF-35.63/18.81																	35.63		1		18.81		17		2	
			ENW-PVPF-41.63/18.81																	41.63		1		18.81		20		2	
			ENW-PVPF-47.63/18.81																	47.63		1		18.81		24		2	
			ENW-PVPF-59.63/18.81																	59.63		1		18.81		28		2	
			ENW-PVPF-71.63/18.81																	71.63		1		18.81		34		3	
model			yds com (54")	1	com 2		3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3							
ENW-PVPF-11.63/12.81			0.5	251	260	271	284	302	329	355	381	408	434	460	486	513	539	565	n/a	n/a	n/a								
ENW-PVPF-17.63/12.81			1	316	334	355	382	419	471	524	576	629	682	734	787	840	892	945	n/a	n/a	n/a								
ENW-PVPF-23.63/12.81			1	379	397	418	445	482	534	587	639	692	745	797	850	903	955	1,008	n/a	n/a	n/a								
ENW-PVPF-29.63/12.81			1	413	431	452	479	516	568	621	673	726	779	831	884	937	989	1,042	n/a	n/a	n/a								
ENW-PVPF-35.63/12.81			1.5	455	483	514	554	609	688	767	846	925	1,004	1,083	1,161	1,240	1,319	1,398	n/a	n/a	n/a								
ENW-PVPF-41.63/12.81			1.5	497	525	556	596	651	730	809	888	967	1,046	1,125	1,203	1,282	1,361	1,440	n/a	n/a	n/a								
ENW-PVPF-47.63/12.81			1.5	536	564	595	635	690	769	848	927	1,006	1,085	1,164	1,242	1,321	1,400	1,479	n/a	n/a	n/a								
ENW-PVPF-59.63/12.81			2	834	871	913	966	1,039	1,144	1,250	1,355	1,460	1,565	1,671	1,776	1,881	1,986	2,092	n/a	n/a	n/a								
ENW-PVPF-71.63/12.81			2.5	894	940	993	1,058	1,151	1,282	1,414	1,545	1,677	1,808	1,940	2,071	2,203	2,335	2,466	n/a	n/a	n/a								
ENW-PVPF-11.63/18.81			0.5	300	309	320	333	351	378	404	430	457	483	509	535	562	588	614	n/a	n/a	n/a								
ENW-PVPF-17.63/18.81			1	403	421	442	469	506	558	611	663	716	769	821	874	927	979	1,032	n/a	n/a	n/a								
ENW-PVPF-23.63/18.81			1	439	457	478	505	542	594	647	699	752	805	857	910	963	1,015	1,068	n/a	n/a	n/a								
ENW-PVPF-29.63/18.81			1	489	507	528	555	592	644	697	749	802	855	907	960	1,013	1,065	1,118	n/a	n/a	n/a								
ENW-PVPF-35.63/18.81			1.5	547	575	606	646	701	780	859	938	1,017	1,096	1,175	1,253	1,332	1,411	1,490	n/a	n/a	n/a								
ENW-PVPF-41.63/18.81			1.5	618	646	677	717	772	851	930	1,009	1,088	1,167	1,246	1,324	1,403	1,482	1,561	n/a	n/a	n/a								
ENW-PVPF-47.63/18.81			1.5	697	725	756	796	851	930	1,009	1,088	1,167	1,246	1,325	1,403	1,482	1,561	1,640	n/a	n/a	n/a								
ENW-PVPF-59.63/18.81			2	1,207	1,244	1,286	1,339	1,412	1,517	1,623	1,728	1,833	1,938	2,044	2,149	2,254	2,359	2,465	n/a	n/a	n/a								
ENW-PVPF-71.63/18.81			2.5	1,256	1,302	1,355	1,420	1,513	1,644	1,776	1,907	2,039	2,170	2,302	2,433	2,565	2,697	2,828	n/a	n/a	n/a								

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: Fabric must be tested and approved for tackboard use/compatibility

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER

ENW-PVPF-11.63/12.81


Fabric/Grade

Grade 3, Momentum, Hue, Smoke

ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

• NOTE: Requires Two Stanchions

36"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	veneer	paint
ENW-3614-2AX	36	14.5	13.88	45	6	\$ 961	\$ 1,442	\$ 1,604

• One Shared Organizer - One Opening on Right Each Side

48"W, 60"W AND 72"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	veneer	paint
ENW-4814-4AX	48	14.5	13.88	64	8	\$ 1,261	\$ 1,893	\$ 2,041
ENW-6014-4AX	60	14.5	13.88	74	10	\$ 1,313	\$ 1,971	\$ 2,126
ENW-7214-4AX	72	14.5	13.88	84	12	\$ 1,382	\$ 2,073	\$ 2,202

• One Shared Organizer - Two Alternate Openings Each Side

OPTIONS

Material	Organizer Finish	Back Finish
T TFL, Dry Erase, Acrylic, Glass, 3form, Lumicor	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 *NOTE: Includes insert with a matte aluminum frame See pricing below
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below

Back Finish Upcharge - NOTE: No Upcharge for Paint if Organizer Finish is Paint

model	TFL	veneer	paint	dry erase	frosted acrylic	backed glass	3form	lumicor
ENW-3614-2AX	\$ 0	\$ 0	\$ 43	\$ 190	\$ 316	\$ 741	\$ 1,037	\$ 1,456
ENW-4814-4AX	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4AX	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4AX	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish. See page H for finish details.

MODEL NUMBER

ENW-3614-2AX

Material	Organizer Finish	Back Finish
T	CO2	CO2



ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

- One Shared Organizer - Two Openings on Each Side
- **NOTE:** Requires Two Stanchions

48"W, 60"W AND 72"W



Top View



Front View

model		w	d	h	wt	cu ft	TFL	veneer	paint
ENW-4814-4CL	LEFT	48	14.5	13.88	64	8	\$ 1,261	\$ 1,893	\$ 2,041
ENW-6014-4CL	LEFT	60	14.5	13.88	74	10	\$ 1,313	\$ 1,971	\$ 2,126
ENW-7214-4CL	LEFT	72	14.5	13.88	84	12	\$ 1,382	\$ 2,073	\$ 2,202
ENW-4814-4CR	RIGHT	48	14.5	13.88	64	8	\$ 1,261	\$ 1,893	\$ 2,041
ENW-6014-4CR	RIGHT	60	14.5	13.88	74	10	\$ 1,313	\$ 1,971	\$ 2,126
ENW-7214-4CR	RIGHT	72	14.5	13.88	84	12	\$ 1,382	\$ 2,073	\$ 2,202

OPTIONS

Material	Organizer Finish	Back Finish		
T TFL, Dry Erase, Acrylic, Glass, 3form, Lumicor	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 BE2 MH2 LC2 MC2 VM2 BU2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 *NOTE: Includes insert with a matte aluminum frame See pricing below	Dry Erase Laminate X3 White *Acrylic A5Z Frosted *Glass A9B White Backed D1L White Backed with Anodized Backer	*3form AER Aero White B2U Paper Cut MIC Micro Cirque *Lumicor SSP Silver Spun YLN Oyster Linen
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below	Dry Erase Laminate X3 White *Acrylic A5Z Frosted *Glass A9B White Backed D1L White Backed with Anodized Backer	*3form AER Aero White B2U Paper Cut MIC Micro Cirque *Lumicor SSP Silver Spun YLN Oyster Linen

Back Finish Upcharge - NOTE: No Upcharge for Paint if Organizer Finish is Paint

model	TFL	veneer	paint	dry erase	frosted acrylic	backed glass	3form	lumicor
ENW-4814-4CL	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4CL	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4CL	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438
ENW-4814-4CR	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4CR	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4CR	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish. See page H for finish details.

MODEL NUMBER

ENW-4814-4CL


Material	Organizer Finish	Back Finish
T	CO2	CO2



ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

• NOTE: Requires Two Stanchions

36"W



Top View




Front View

model	w	d	h	wt	cu ft	TFL	veneer	paint
ENW-3614-2DA	36	14.5	13.88	55	6	\$ 1,041	\$ 1,523	\$ 1,688

- One Shared Organizer - One Hinged Door on Right Each Side

48"W, 60"W AND 72"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	veneer	paint
ENW-4814-4DA	48	14.5	13.88	80	8	\$ 1,411	\$ 2,068	\$ 2,262
ENW-6014-4DA	60	14.5	13.88	92	10	\$ 1,471	\$ 2,138	\$ 2,290
ENW-7214-4DA	72	14.5	13.88	105	12	\$ 1,696	\$ 2,236	\$ 2,382

- One Shared Organizer - Two Alternate Hinged Doors Each Side

OPTIONS

Material	Organizer Finish	Back Finish	Door Finish	Lock
T TFL, Dry Erase, Acrylic, Glass, 3form, Lumicor	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2 *NOTE: Includes insert with a matte aluminum frame See pricing below	Dry Erase Laminate X3 White *3form AER Aero White B2U Paper Cut MIC Micro Cirque *Acrylic ASZ Frosted *Lumicor SSP Silver Spun YLN Oyster Linen *Glass A9B White Backed D1L White Backed with Anodized Backer TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2 *NOTE: Includes insert with a matte aluminum frame See pricing below	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page K LCK2 Requires 2 Lock Cores ENW-3614-2DA \$176 LCK4 Requires 4 Lock Cores ENW-4814-4DA \$352 ENW-6014-4DA \$352 ENW-7214-4DA \$352
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below	

Back and Door Finish Upcharge - NOTE: No Upcharge for Paint if Organizer Finish is Paint

model	TFL	veneer	paint	dry erase	frosted acrylic	backed glass	3form	lumicor
ENW-3614-2DA	\$ 0	\$ 0	\$ 43	\$ 190	\$ 316	\$ 741	\$ 1,037	\$ 1,456
ENW-4814-4DA	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4DA	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4DA	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish | door finish | lock. See page H for finish details.

MODEL NUMBER

ENW-3614-2DA


Material	Organizer Finish	Back Finish	Door Finish	Lock
T	CO2	CO2	CO2	NL



ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

- One Shared Organizer - Two Hinged Doors on Each Side
- **NOTE:** Requires Two Stanchions

48"W, 60"W AND 72"W



Top View



Front View

model		w	d	h	wt	cu ft	TFL	veneer	paint
ENW-4814-4DL	LEFT HINGED	48	14.5	13.88	80	8	\$ 1,411	\$ 2,068	\$ 2,262
ENW-6014-4DL	LEFT HINGED	60	14.5	13.88	92	10	\$ 1,471	\$ 2,138	\$ 2,290
ENW-7214-4DL	LEFT HINGED	72	14.5	13.88	105	12	\$ 1,696	\$ 2,236	\$ 2,382
ENW-4814-4DR	RIGHT HINGED	48	14.5	13.88	80	8	\$ 1,411	\$ 2,068	\$ 2,262
ENW-6014-4DR	RIGHT HINGED	60	14.5	13.88	92	10	\$ 1,471	\$ 2,138	\$ 2,290
ENW-7214-4DR	RIGHT HINGED	72	14.5	13.88	105	12	\$ 1,696	\$ 2,236	\$ 2,382

OPTIONS

Material	Organizer Finish	Back Finish	Door Finish	Lock
T TFL, Dry Erase, Acrylic, Glass, 3form, Lumicor	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2 *NOTE: Includes insert with a matte aluminum frame See pricing below	Dry Erase Laminate X3 White *3form AER Aero White B2U Paper Cut MIC Micro Cirque *Acrylic ASZ Frosted *Lumicor SSP Silver Spun YLN Oyster Linen *Glass A9B White Backed D1L White Backed with Anodized Backer *NOTE: Includes insert with a matte aluminum frame See pricing below	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2 *NOTE: Includes insert with a matte aluminum frame See pricing below
V Veneer or Paint	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> (10% upcharge) SVC <i>Studio Veneer Planked</i> (10% upcharge) SFO SFW Paint BLK IRN WHT	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below	Dry Erase Laminate X3 White *3form AER Aero White B2U Paper Cut MIC Micro Cirque *Acrylic ASZ Frosted *Lumicor SSP Silver Spun YLN Oyster Linen *Glass A9B White Backed D1L White Backed with Anodized Backer *NOTE: Includes insert with a matte aluminum frame See pricing below	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY <i>Studio Veneer Quartered</i> SVC <i>Studio Veneer Planked</i> SFO SFW Paint BLK IRN WHT *NOTE: Includes insert with a matte aluminum frame See pricing below

Back and Door Finish Upcharge - NOTE: No Upcharge for Paint if Organizer Finish is Paint

model	TFL	veneer	paint	dry erase	frosted acrylic	backed glass	3form	lumicor
ENW-4814-4DL	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4DL	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4DL	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438
ENW-4814-4DR	\$ 0	\$ 0	\$ 60	\$ 278	\$ 464	\$ 978	\$ 1,481	\$ 2,412
ENW-6014-4DR	\$ 0	\$ 0	\$ 72	\$ 314	\$ 507	\$ 1,172	\$ 1,515	\$ 2,426
ENW-7214-4DR	\$ 0	\$ 0	\$ 90	\$ 378	\$ 551	\$ 1,397	\$ 1,549	\$ 2,438

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish | door finish | lock. See page H for finish details.

MODEL NUMBER

ENW-4814-4DL

Material	Organizer Finish	Back Finish	Door Finish	Lock
T	CO2	CO2	CO2	NL



STANCHION BRACKET STANDARD FEATURES

- **NOTE:** Used to Support Shared Organizer Two per Package
-



model	w	d	h	wt	cu ft	list
ENW-SSS	5.88	2	5.88	6	1	\$ 186

HOW TO ORDER**MODEL NUMBER**

ENW-SSS

MOBILE PEDESTAL STANDARD FEATURES

- One Box Drawer
- One File Drawer for Letter or Legal Filing
- Casters for Mobility



model	w	d	h	wt	cu ft	TFL	veneer
ENW-1619MPC	15.63	19.25	20.44	115	6	\$ 936	\$ 1,412

- **NOTE:** Must use with Cushion ENW-1619SC on page 123
- Option for Felt is not Available on this Unit



model	w	d	h	wt	cu ft	TFL	veneer
ENW-1619MP	15.63	19.25	21.38	117	6	\$ 965	\$ 1,476

- Finished Top
- **NOTE:** No Cushion

OPTIONS

Material	Finish	Drawer Finish	Top Drawer	Felt (ENW-1619MP only)	Lock
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	X9 No Felt - Standard Felt \$127 ANS Anthracite CRS Curry EBS EcoBrown JNS Jeans LBS LightBlue LMS Lime MKS Mokka ORS Orange OWS OffWhite PKS Pink RDS Red SGS StoneGrey	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page K LCK1 Requires 1 Lock Core \$88
V Veneer	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY Studio Veneer Quartered (10% upcharge) SVC Studio Veneer Planked (10% upcharge) SFO SFW	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY Studio Veneer Quartered SVC Studio Veneer Planked SFO SFW	X9 No Contrasting Paint - Standard Paint BLK IRN WHT		

HOW TO ORDER

SPECIFY: Material | finish | drawer finish | top drawer | felt | lock. See page H for finish details.

MODEL NUMBER

ENW-1619MPC

Material	Finish	Drawer Finish	Top Drawer	Felt (ENW-1619MP only)	Lock
T	CO2	CO2	CO2	X9	NL



MOBILE PEDESTAL SEAT CUSHION STANDARD FEATURES

- Must be Field Installed
- Use with Mobile Pedestal ENW-1619MPC



					model		w		d		h		wt		cu ft				
					ENW-1619SC		15.63		19.25		1.5		7		1				
yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	20	142	160	181	208	245	297	350	402	455	508	560	613	666	718	771	392	445	497

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER

ENW-1619SC


Fabric/Grade

Grade 3, Momentum, Hue, Smoke

FLOOR STORAGE STANDARD FEATURES

- One Box Drawer
- One Adjustable Shelf
- **NOTE:** Optional Cushion sold on pages 125-126
- One Lateral File Drawer for Letter or Legal Filing
- Finished Top


36"W



model		w	d	h	wt	cu ft	TFL	veneer
ENW-3619FSL	LEFT	36	19	20.5	130	11	\$ 2,248	\$ 5,383
ENW-3619FSR	RIGHT	36	19	20.5	130	11	\$ 2,248	\$ 5,383

- Floor Storage - 15.625"W File Drawer

48"W AND 60"W



model		w	d	h	wt	cu ft	TFL	veneer
ENW-4819FSL	LEFT	48	19	20.5	171	14	\$ 2,364	\$ 5,673

- Floor Storage - 24"W Lateral File Drawer

ENW-6019FSL	LEFT	60	19	20.5	183	17	\$ 2,629	\$ 6,307
-------------	------	----	----	------	-----	----	----------	----------

- Floor Storage - 30"W Lateral File Drawer

ENW-4819FSR	RIGHT	48	19	20.5	171	14	\$ 2,364	\$ 5,673
-------------	-------	----	----	------	-----	----	----------	----------

- Floor Storage - 24"W Lateral File Drawer

ENW-6019FSR		60	19	20.5	183	17	\$ 2,629	\$ 6,307
-------------	--	----	----	------	-----	----	----------	----------

- Floor Storage - 30"W Lateral File Drawer

OPTIONS

Material	Finish	Drawer Finish	Top Drawer	Felt	Lock
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 PC2 EN2 KD2 NW2 ST2 DS2 <i>Flat Cut</i> LM2 LC2 VM2 BE2 MC2 BU2 MH2 <i>Textured</i> FN2 PK2 LO2 DR2 Studio Textured SD2 CR2 TFL Solid Color Laminate RW2 GR2 BL2 FW2 SG2	X9 No Felt - Standard Felt ANS Anthracite CRS Curry EBS EcoBrown JNS Jeans LBS LightBlue LMS Lime MKS Mokka ORS Orange OWS OffWhite PKS Pink RDS Red SGS StoneGrey For ENW-3619FSL or ENW-3619FSR \$355 For ENW-4819FSL or ENW-4819FSR \$402 For ENW-6019FSL or ENW-6019FSR \$504	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page K LCK1 Requires 1 Lock Core \$88
V Veneer	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY Studio Veneer Quartered (10% upcharge) SVC Studio Veneer Planked (10% upcharge) SFO SFW	Veneer <i>Quartered</i> OSL DST MGW MRO PCO MMC MBM MNW MGO MHM MLC BUW EBY Studio Veneer Quartered SVC Studio Veneer Planked SFO SFW	X9 No Contrasting Paint - Standard Paint BLK IRN WHT		

HOW TO ORDER

SPECIFY: Material | finish | drawer finish | top drawer | felt | lock. See page H for finish details.

MODEL NUMBER

ENW-3619FSL

Material	Finish	Drawer Finish	Top Drawer	Felt	Lock
T	CO2	CO2	X9	X9	NL

36" AND 48"W FLOOR STORAGE SEAT CUSHION STANDARD FEATURES

- Must be Field Installed

36"W




model	w	d	h	wt	cu ft
ENW-1519SC	15.63	19	1.5	7	1

- Use with 36"W Floor Storage, Position over File

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	20	142	160	181	208	245	297	350	402	455	508	560	613	666	718	771	392	445	497

36"W



model	w	d	h	wt	cu ft
ENW-3619SC	36	19	1.5	9	1

- Use with 36"W Floor Storage, Position over Entire Unit

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	30	538	566	597	637	692	771	850	929	1,008	1,087	1,166	1,244	1,323	1,402	1,481	897	976	1,054

48"W



model	w	d	h	wt	cu ft
ENW-2419SC	24	19	1.5	7	1

- Use with 48"W Floor Storage, Position over Lateral File

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	20	437	455	476	503	540	592	645	697	750	803	855	908	961	1,013	1,066	687	740	792

48"W



model	w	d	h	wt	cu ft
ENW-4819SC	48	19	1.5	10	2

- Use with 48"W Floor Storage, Position over Entire Unit

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	35	714	746	783	829	894	986	1,078	1,170	1,262	1,354	1,446	1,538	1,630	1,722	1,814	1,127	1,220	1,311

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER


ENW-1519SC

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

60"W FLOOR STORAGE SEAT CUSHION STANDARD FEATURES


- Must be Field Installed



model	w	d	h	wt	cu ft
ENW-3019SC	30	19	1.5	8	1

- Use with 60"W Floor Storage, Position over Lateral File

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.25	25	440	463	489	522	568	634	700	766	831	897	963	1,029	1,094	1,160	1,226	744	810	875



model	w	d	h	wt	cu ft
ENW-6019SC	60	19	1.5	11	2

- Use with 60"W Floor Storage, Position over Entire Unit

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	40	875	912	954	1,007	1,080	1,185	1,291	1,396	1,501	1,606	1,712	1,817	1,922	2,027	2,133	1,343	1,449	1,553

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for fabric partners.

MODEL NUMBER


ENW-3019SC

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

ECONOMY POWER KIT STANDARD FEATURES

- Three Circuit System
- UL Listed Electrical Components



- Two Double Block Systems
- One Power Jumper
- Four Toolrail Brackets
- **NOTE:** Four Users, Four Outlets Each User Requires In-Feeds and Eight Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-96PK3E4-4	60	2	3	10	1	\$ 265

- One 36"W Power Jumper Included, use with 96"W Table

PS-120PK3E4-4	72	2	3	12	1	\$ 278
---------------	----	---	---	----	---	--------


- One 48"W Power Jumper Included, use with 120"W Table

PS-144PK3E4-4	84	2	3	14	1	\$ 286
---------------	----	---	---	----	---	--------

- One 60"W Power Jumper Included, use with 144"W Table

PS-168PK3E4-4	96	2	3	16	1	\$ 299
---------------	----	---	---	----	---	--------

- One 72"W Power Jumper Included, use with 168"W Table



- Three Double Block Systems
- Two Power Jumpers
- Six Toolrail Brackets
- **NOTE:** Six Users, Four Outlets Each User Requires In-Feeds and Twelve Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-144PK3E6-4	108	2	3	15	1	\$ 432

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-180PK3E6-4	132	2	3	19	1	\$ 454
---------------	-----	---	---	----	---	--------


- Two 48"W Power Jumpers Included, use with 180"W Table

PS-216PK3E6-4	156	2	3	23	1	\$ 474
---------------	-----	---	---	----	---	--------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-252PK3E6-4	180	2	3	27	1	\$ 497
---------------	-----	---	---	----	---	--------

- Two 72"W Power Jumpers Included, use with 252"W Table



- Four Double Block Systems
- Three Power Jumpers
- Eight Toolrail Brackets
- **NOTE:** Eight Users, Four Outlets Each User Requires In-Feeds and Sixteen Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-192PK3E8-4	156	2	3	20	2	\$ 598

- Three 36"W Power Jumpers Included, use with 192"W Table

PS-240PK3E8-4	192	2	3	26	2	\$ 632
---------------	-----	---	---	----	---	--------

- Three 48"W Power Jumpers Included, use with 240"W Table

PS-288PK3E8-4	228	2	3	32	2	\$ 660
---------------	-----	---	---	----	---	--------

- Three 60"W Power Jumpers Included, use with 288"W Table

PS-336PK3E8-4	264	2	3	38	2	\$ 697
---------------	-----	---	---	----	---	--------

- Three 72"W Power Jumpers Included, use with 336"W Table

HOW TO ORDER

MODEL NUMBER

PS-96PK3E4-4



ECONOMY POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES


• Three Circuit System

• UL Listed Electrical Components



model	w	d	h	wt	cu ft	list
PS-TRPK3E3-8	70	37	3	12	1	\$ 466

- Three Double Block Systems
- Two 42"W Power Jumpers
- Six Toolrail Brackets
- One Y Connector
- **NOTE:** Three Users, Eight Outlets Each User
Requires In-Feeds and Twelve Duplex Receptacles sold on page 133



model	w	d	h	wt	cu ft	list
PS-TRPK3E6-8	212	37	3	27	1	\$ 1,053

- Six Double Block Systems
- Four 42"W and One 84"W Power Jumpers
- Twelve Toolrail Brackets
- Two Y Connector
- **NOTE:** Six Users, Eight Outlets Each User
Requires In-Feeds and Twenty Four Duplex Receptacles sold on page 133

HOW TO ORDER

MODEL NUMBER


PS-TRPK3E3-8



PREMIUM POWER KIT STANDARD FEATURES

- Three Circuit System

- UL Listed Electrical Components



- Two Double Block Assemblies with Face Plates
- One Power Jumper
- **NOTE:** Four Users, Four Outlets Each User Requires In-Feeds and Eight Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-96PK3A4-4	69	2.25	7	10	1	\$ 1,235

- One 36"W Power Jumper Included, use with 96"W Table

PS-120PK3A4-4	81	2.25	7	12	1	\$ 1,246
---------------	----	------	---	----	---	----------


- One 48"W Power Jumper Included, use with 120"W Table

PS-144PK3A4-4	93	2.25	7	14	1	\$ 1,256
---------------	----	------	---	----	---	----------

- One 60"W Power Jumper Included, use with 144"W Table

PS-168PK3A4-4	105	2.25	7	16	1	\$ 1,268
---------------	-----	------	---	----	---	----------

- One 72"W Power Jumper Included, use with 168"W Table



- Three Double Block Assemblies with Face Plates
- Two Power Jumpers
- **NOTE:** Six Users, Four Outlets Each User Requires In-Feeds and Twelve Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-144PK3A6-4	117	2.25	7	15	1	\$ 1,886

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-180PK3A6-4	141	2.25	7	19	1	\$ 1,908
---------------	-----	------	---	----	---	----------


- Two 48"W Power Jumpers Included, use with 180"W Table

PS-216PK3A6-4	165	2.25	7	23	1	\$ 1,928
---------------	-----	------	---	----	---	----------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-252PK3A6-4	189	2.25	7	27	1	\$ 1,953
---------------	-----	------	---	----	---	----------

- Two 72"W Power Jumpers Included, use with 252"W Table



- Four Double Block Assemblies with Face Plates
- Three Power Jumpers
- **NOTE:** Eight Users, Four Outlets Each User Requires In-Feeds and Sixteen Duplex Receptacles sold on page 133

model	w	d	h	wt	cu ft	list
PS-192PK3A8-4	165	2.25	7	20	2	\$ 2,537

- Three 36"W Power Jumpers Included, use with 192"W Table

PS-240PK3A8-4	201	2.25	7	26	2	\$ 2,569
---------------	-----	------	---	----	---	----------

- Three 48"W Power Jumpers Included, use with 240"W Table

PS-288PK3A8-4	237	2.25	7	32	2	\$ 2,599
---------------	-----	------	---	----	---	----------

- Three 60"W Power Jumpers Included, use with 288"W Table

PS-336PK3A8-4	273	2.25	7	38	2	\$ 2,637
---------------	-----	------	---	----	---	----------

- Three 72"W Power Jumpers Included, use with 336"W Table


HOW TO ORDER

MODEL NUMBER

PS-96PK3A4-4


PREMIUM POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES

- Three Circuit System
- UL Listed Electrical Components



model	w	d	h	wt	cu ft	list
PS-TRPK3A3-8	78	37	7	12	1	\$ 1,898

- Three Double Block Assemblies with Face Plates
- Two 42"W Power Jumpers
- **NOTE:** Three Users, Eight Outlets Each User
Requires In-Feeds and Twelve Duplex Receptacles sold on page 133



model	w	d	h	wt	cu ft	list
PS-TRPK3A6-8	78	37	7	35	1	\$ 3,917

- Six Double Block Assemblies with Face Plates
- Four 42"W and One 84"W Power Jumpers
- **NOTE:** Six Users, Eight Outlets Each User
Requires In-Feeds and Twenty Four Duplex Receptacles sold on page 133

POWER BLOCK ASSEMBLY (PREMIUM POWER) STANDARD FEATURES

- Power Block Assembly with Face Plates
 - Three Circuit System
- NOTES:**
- Four Outlets Each User



model	w	d	h	wt	cu ft	list
PBS5A-4	21	2.25	7	6	1	\$ 584


HOW TO ORDER

MODEL NUMBER

PS-TRPK3A3-8


**POWER IN-FEED STANDARD FEATURES**

- Hardwire
- UL Listed

LIQUID TIGHT CONDUIT


model	w	d	h	wt	cu ft	list
PWF5L120	10'	0.75	2	8	1	\$ 164

- 10' Cord

METAL CONDUIT


model	w	d	h	wt	cu ft	list
PWF5M120	10'	2	1	14	1	\$ 182

- 10' Cord

METAL CONDUIT

model	w	d	h	wt	cu ft	list
PWF5NYC	6'	2	1.5	17	1	\$ 370

- 6' Cord
- Complies with New York City Code

POWER IN-FEED

model	w	d	h	wt	cu ft	list
PWF5M20AMP	6'	n/a	n/a	4	1	\$ 242

- Limits System to One Circuit (Must Use all Circuit I Outlets)
- 20 Amp Plug
- Usage Requires 20 Amp Wall Outlet
- Straight Plug
- 6' Cord
- UL Recognized

Y CONNCETOR BLOCK STANDARD FEATURES

- Used to Connect Power In-Feed to any Jumper Junction and Power Block



model	w	d	h	wt	cu ft	list
YCB5	2.19	1.5	2	1	0.1	\$ 23

HOW TO ORDER**MODEL NUMBER**

PWF5L120

**POWER BLOCK BRACKET STANDARD FEATURES**

- Used to Attach Power Block to Toolrail



model	w	d	h	wt	cu ft	list
PBBKTA2	3.5	1.6875	1.375	1	1	\$ 23

POWER BLOCK FOR RECEPTACLES STANDARD FEATURES

- UL Listed


NOTES:

- For Five Wire Three Circuit System

SINGLE

model	w	d	h	wt	cu ft	list
PB5S1	6	1.5	2.38	1	0.5	\$ 35

- Single Block
- Receives Two Duplex Receptacles (Double Sided)


DOUBLE

model	w	d	h	wt	cu ft	list
PB5D1	12	1.5	2.38	1	0.5	\$ 57

- Double Block
- Receives Four Duplex Receptacles (Double Sided)

DOUBLE BLOCK FOR FIVE WIRE THREE CIRCUIT SYSTEM STANDARD FEATURES

- Receives Four Duplex Receptacles (Double Sided)
- UL Listed



model	w	d	h	wt	cu ft	list
DPB5S18	18	1.5	2.38	3	1	\$ 70
DPB5S24	24	1.5	2.38	3	1	\$ 72
DPB5S30	30	1.5	2.38	3	1	\$ 77

HOW TO ORDER**MODEL NUMBER**

PBBKTA2



DUPLEX RECEPTACLES STANDARD FEATURES

• 20 Amp Circuit

• UL Listed

• For Use with Five Wire Three Circuit System




model	w	d	h	wt	cu ft	list
DPX5W1	3.5	1.5	1.3	1	0.1	\$ 22
• Circuit I						
DPX5W2	3.5	1.5	1.3	1	0.1	\$ 22
• Circuit II						
DPX5W3	3.5	1.5	1.3	1	0.1	\$ 22
• Circuit III						

POWER CIRCUIT JUMPER STANDARD FEATURES

• Multi Circuit Jumper for Five Wire Three Circuit System, Metal Conduit

• UL Listed



model	w	d	h	wt	cu ft	list
MCJ5W8M	8	0.75	2	2	0.1	\$ 42
MCJ5W20M	20	0.75	2	2	0.1	\$ 53
MCJ5W32M	32	0.75	2	2	0.1	\$ 64
MCJ5W36M	36	0.75	2	2	0.1	\$ 66
MCJ5W44M	44	0.75	2	2	0.1	\$ 74
MCJ5W54M	54	0.75	2	2	0.1	\$ 84
MCJ5W60M	60	0.75	2	2	0.1	\$ 88
MCJ5W66M	66	0.75	2	2	0.1	\$ 93
MCJ5W78M	78	0.75	2	2	0.1	\$ 116
MCJ5W84M	84	0.75	2	2	0.1	\$ 120

HOW TO ORDER

MODEL NUMBER

DPX5W1

ECONOMY POWER KIT STANDARD FEATURES

• Four Circuit System

• 3 + 1 Wire Configuration

• UL Listed Electrical Components



- Two Double Block Systems
- One Power Jumper
- Four Toolrail Brackets
- **NOTE:** Four Users, Four Outlets Each User Requires In-Feeds and Eight Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-96PK4E4-4	60	2	3	10	1	\$ 436

- One 36"W Power Jumper Included, use with 96"W Table

PS-120PK4E4-4	72	2	3	12	1	\$ 456
---------------	----	---	---	----	---	--------


- One 48"W Power Jumper Included, use with 120"W Table

PS-144PK4E4-4	84	2	3	14	1	\$ 472
---------------	----	---	---	----	---	--------

- One 60"W Power Jumper Included, use with 144"W Table

PS-168PK4E4-4	96	2	3	16	1	\$ 496
---------------	----	---	---	----	---	--------

- One 72"W Power Jumper Included, use with 168"W Table



- Three Double Block Systems
- Two Power Jumpers
- Six Toolrail Brackets
- **NOTE:** Six Users, Four Outlets Each User Requires In-Feeds and Twelve Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-144PK4E6-4	108	2	3	15	1	\$ 713

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-180PK4E6-4	132	2	3	19	1	\$ 754
---------------	-----	---	---	----	---	--------


- Two 48"W Power Jumpers Included, use with 180"W Table

PS-216PK4E6-4	156	2	3	23	1	\$ 784
---------------	-----	---	---	----	---	--------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-252PK4E6-4	180	2	3	27	1	\$ 835
---------------	-----	---	---	----	---	--------

- Two 72"W Power Jumpers Included, use with 252"W Table



- Four Double Block Systems
- Three Power Jumpers
- Eight Toolrail Brackets
- **NOTE:** Eight Users, Four Outlets Each User Requires In-Feeds and Sixteen Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-192PK4E8-4	156	2	3	20	2	\$ 988

- Three 36"W Power Jumpers Included, use with 192"W Table

PS-240PK4E8-4	192	2	3	26	2	\$ 1,052
---------------	-----	---	---	----	---	----------

- Three 48"W Power Jumpers Included, use with 240"W Table

PS-288PK4E8-4	228	2	3	32	2	\$ 1,095
---------------	-----	---	---	----	---	----------

- Three 60"W Power Jumpers Included, use with 288"W Table

PS-336PK4E8-4	264	2	3	38	2	\$ 1,174
---------------	-----	---	---	----	---	----------

- Three 72"W Power Jumpers Included, use with 336"W Table

HOW TO ORDER

MODEL NUMBER

PS-96PK4E4-4


ECONOMY POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES

- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components



model	w	d	h	wt	cu ft	list
PS-TRPKE3-8	70	37	3.5	12	1	\$ 738

- Three Double Block Systems
- Two 42"W Power Jumpers
- Six Toolrail Brackets
- **NOTE:** Three Users, Eight Outlets Each User
Requires In-Feeds and Twelve Duplex Receptacles sold on page 140



model	w	d	h	wt	cu ft	list
PS-TRPKE6-8	212	37	3.5	27	2	\$ 1,962

- Six Double Block Systems
- Four 42"W and One 84"W Power Jumpers
- Twelve Toolrail Brackets
- **NOTE:** Six Users, Eight Outlets Each User
Requires In-Feeds and Twenty Four Duplex Receptacles sold on page 140


HOW TO ORDER

MODEL NUMBER

PS-TRPKE3-8

PREMIUM POWER KIT STANDARD FEATURES

- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components



- Two Double Block Assemblies with Face Plates
- One Power Jumper
- **NOTE:** Four Users, Four Outlets Each User Requires In-Feeds and Eight Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-96PK4A4-4	69	2.25	7	10	1	\$ 1,415

- One 36"W Power Jumper Included, use with 96"W Table

PS-120PK4A4-4	81	2.25	7	12	1	\$ 1,436
---------------	----	------	---	----	---	----------


- One 48"W Power Jumper Included, use with 120"W Table

PS-144PK4A4-4	93	2.25	7	14	1	\$ 1,451
---------------	----	------	---	----	---	----------

- One 60"W Power Jumper Included, use with 144"W Table

PS-168PK4A4-4	105	2.25	7	16	1	\$ 1,476
---------------	-----	------	---	----	---	----------

- One 72"W Power Jumper Included, use with 168"W Table



- Three Double Block Assemblies with Face Plates
- Two Power Jumpers
- **NOTE:** Six Users, Four Outlets Each User Requires In-Feeds and Twelve Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-144PK4A6-4	117	2.25	7	15	1	\$ 2,180

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-180PK4A6-4	141	2.25	7	19	1	\$ 2,222
---------------	-----	------	---	----	---	----------


- Two 48"W Power Jumpers Included, use with 180"W Table

PS-216PK4A6-4	165	2.25	7	23	1	\$ 2,253
---------------	-----	------	---	----	---	----------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-252PK4A6-4	189	2.25	7	27	1	\$ 2,304
---------------	-----	------	---	----	---	----------

- Two 72"W Power Jumpers Included, use with 252"W Table



- Four Power Block Assemblies with Face Plates
- Three Power Jumpers
- **NOTE:** Eight Users, Four Outlets Each User Requires In-Feeds and Sixteen Duplex Receptacles sold on page 140

model	w	d	h	wt	cu ft	list
PS-192PK4A8-4	165	2.25	7	20	2	\$ 2,949

- Three 36"W Power Jumpers Included, use with 192"W Table

PS-240PK4A8-4	201	2.25	7	26	2	\$ 3,010
---------------	-----	------	---	----	---	----------

- Three 48"W Power Jumpers Included, use with 240"W Table

PS-288PK4A8-4	237	2.25	7	32	2	\$ 3,055
---------------	-----	------	---	----	---	----------

- Three 60"W Power Jumpers Included, use with 288"W Table

PS-336PK4A8-4	273	2.25	7	38	2	\$ 3,132
---------------	-----	------	---	----	---	----------

- Three 72"W Power Jumpers Included, use with 336"W Table


HOW TO ORDER

MODEL NUMBER

PS-96PK4A4-4


PREMIUM POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES

- Four Circuit System
- 3 + 1 Wiring Configuration
- UL Listed Electrical Components



model	w	d	h	wt	cu ft	list
PS-TRPK4A3-8	78	37	7	12	1	\$ 2,194

- Three Double Block Assemblies with Face Plates
- Two 42"W Power Jumpers
- **NOTE:** Three Users, Eight Outlets Each User
Requires In-Feeds and Twelve Duplex Receptacles sold on page 140



model	w	d	h	wt	cu ft	list
PS-TRPK4A6-8	240	37	7	35	1	\$ 4,583

- Six Double Block Assemblies with Face Plates
- Four 42"W and One 84"W Power Jumpers
- **NOTE:** Six Users, Eight Outlets Each User
Requires In-Feeds and Twenty Four Duplex Receptacles sold on page 140

POWER BLOCK ASSEMBLY (PREMIUM POWER) STANDARD FEATURES

- Power Block Assembly with Face Plates
- Four Circuit System
- 3 + 1 Wire Configuration
- NOTES:**
 - Four Outlets Each User



model	w	d	h	wt	cu ft	list
PBS8A-4	21	2.25	7	6	1	\$ 649

HOW TO ORDER


MODEL NUMBER

PS-TRPK4A3-8

POWER IN-FEED STANDARD FEATURES

- Hardwire
- UL Listed


LIQUID TIGHT CONDUIT



model	w	d	h	wt	cu ft	list
PWF3L120	10'	2	1	14	1	\$ 303

- 10' Cord


METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF3M120	10'	2	1	14	1	\$ 247

- 10' Cord


METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF3NYC	6'	2	1.5	17	1	\$ 277

- 6' Cord
- Complies with New York City Code

POWER IN-FEED



model	w	d	h	wt	cu ft	list
PWF3M20AMP	6'	n/a	n/a	4	1	\$ 217

- Limits System to One Circuit (Must Use all Circuit I Outlets)
- 20 Amp Plug
- Usage Requires 20 Amp Wall Outlet
- Straight Plug
- 6' Cord
- UL Recognized

HOW TO ORDER

MODEL NUMBER

PWF3L120

**POWER BLOCK BRACKET STANDARD FEATURES**

- Used to Attach Power Block to Toolrail




model	w	d	h	wt	cu ft	list
PBBKTA2	3.5	1.6875	1.375	1	1	\$ 23

POWER BLOCK FOR RECEPTACLES STANDARD FEATURES

- UL Listed


NOTES:

- For Five Wire Three Circuit System

SINGLE

model	w	d	h	wt	cu ft	list
PBS1	5.25	2	2	1	1	\$ 86

- Single Block
- Receives Two Duplex Receptacles (Double Sided)


DOUBLE

model	w	d	h	wt	cu ft	list
PBD1	10.5	2	2	2	1	\$ 120

- Double Block
- Receives Four Duplex Receptacles (Double Sided)

DOUBLE BLOCK SYSTEM 28"W STANDARD FEATURES

- Receives Four Duplex Receptacles (Double Sided)
- UL Listed



model	w	d	h	wt	cu ft	list
DPBS28	28	4	3	4	1	\$ 175

HOW TO ORDER**MODEL NUMBER**

PBBKTA2

DUPLEX RECEPTACLES STANDARD FEATURES


- 15 Amp Circuit
- UL Listed



model		w	d	h	wt	cu ft	list
DPX8W1	Circuit I	3.5	1.75	.875	1	0.1	\$ 27
DPX8W2	Circuit II	3.5	1.75	.875	1	0.1	\$ 27
DPX8W3	Circuit III	3.5	1.75	.875	1	0.1	\$ 27
DPX8W4	Circuit IV (Isolated and Dedicated)	3.5	1.75	.875	1	0.1	\$ 27

POWER CIRCUIT JUMPER STANDARD FEATURES

- Multi Circuit Jumper for Eight Wire Metal Conduit
- UL Listed




model		w	d	h	wt	cu ft	list
MCJ8W8M		8	2	1	2	0.1	\$ 99
MCJ8W20M		20	2	1	5	0.1	\$ 107
MCJ8W32M		32	2	1	8	0.1	\$ 117
MCJ8W36M		36	2	1	8	0.1	\$ 121
MCJ8W44M		44	2	1	11	0.1	\$ 139
MCJ8W54M		54	2	1	13	0.1	\$ 152
MCJ8W56M		56	2	1	14	0.1	\$ 153
MCJ8W66M		66	2	1	15	0.1	\$ 172
MCJ8W78M		78	2	1	19	0.1	\$ 190
MCJ8W84M		84	2	1	20	0.1	\$ 201

POWER IN-FEED STANDARD FEATURES

- Hardwire
- UL Listed

METAL CONDUIT



model		w	d	h	wt	cu ft	list
PWF4M120N		10'	2	1	17	1	\$ 2,296

- Circuitrac In-Feed
- 10' Power Cord
- Complies with ASHRAE Title 24 Requirements

SENSOR STANDARD FEATURES

- Circuitrac Sensor for use with PWF4M120N



model		w	d	h	wt	cu ft	list
SEN1		3	3	3	1	0.5	\$ 739

DUPLEX RECEPTACLES STANDARD FEATURES

- 15 Amp Circuit
- Printed with Controlled Circuit Label
- For Use with PWF4M120N
- UL Listed



model		w	d	h	wt	cu ft	list
DPX8WCT1	Circuit I	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT2	Circuit II	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT3	Circuit III	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT4	Circuit IV (isolated and dedicated)	3.5	1.75	.875	1	0.1	\$ 30


HOW TO ORDER

MODEL NUMBER

MCJ8W8M


CHICAGO CODE POWER HOUSING STANDARD FEATURES

• **NOTE:** Does Not Include Electrical Components




model	w	d	h	wt	cu ft	list
PS-PKCC4-4	69-105	2.25	7	8	1	\$ 1,312

- Two Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Four Users, Four Outlets Each User



model	w	d	h	wt	cu ft	list
PS-PKCC6-4	117-189	2.25	7	12	1	\$ 1,966

- Three Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Six Users, Four Outlets Each User



model	w	d	h	wt	cu ft	list
PS-PKCC8-4	165-273	2.25	7	16	2	\$ 2,622


- Four Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Eight Users, Four Outlets Each User

HOW TO ORDER

MODEL NUMBER


PS-PKCC4-4

CHICAGO CODE POWER HOUSING - TRI CLUSTER TABLE STANDARD FEATURES



model	w	d	h	wt	cu ft	list
PS-TRPKCC3-8	84	78	7	14	1	\$ 1,966

- Three Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Three Users, Eight Outlets Each User
Does not include Electrical Components




model	w	d	h	wt	cu ft	list
PS-TRPKCC6-8	240	78	7	28	2	\$ 3,935

- Six Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Six Users, Eight Outlets Each User
Does not include Electrical Components

CHICAGO CODE SINGLE J-BOX STANDARD FEATURES

- Includes T-Nuts and Bolts to Install on Toolrail



model	w	d	h	wt	cu ft	list
PS-JBC1	7.125	2	2.5	0.5	0.1	\$ 31

POWER BLOCK ASSEMBLY (CHICAGO CODE POWER) STANDARD FEATURES

- Power Block Assembly with Outlet Boxes and Face Plates
- NOTES:**
 - Four Outlets Each User
 - Does Not Include Electrical Components



model	w	d	h	wt	cu ft	list
PBSCC-4	21	2.25	7	4	1	\$ 655


HOW TO ORDER

MODEL NUMBER

PS-TRPKCC3-8

**WIRE BASKET KIT STANDARD FEATURES**

- Wire Basket Kit Attaches to Toolrail




model		w	d	h	wt	cu ft	list
WM-48CBKT-1	Single Basket, use on Double Sided Table with Two 48"W Tops	32	10	9	4	2	\$ 299
WM-60CBKT-1	Single Basket, use on Double Sided Table with Two 60"W Tops	44	10	9	5	2	\$ 353
WM-72CBKT-1	Single Basket, use on Double Sided Table with Two 72"W Tops	56	10	9	6	2	\$ 398
WM-96CBKT-2	Two Baskets, use on Double Sided Table with Four 48"W Tops	80	10	9	8	2	\$ 598
WM-120CBKT-2	Two Baskets, use on Double Sided Table with Four 60"W Tops	104	10	9	10	2	\$ 706
WM-144CBKT-2	Two Baskets, use on Double Sided Table with Four 72"W Topst	128	10	9	12	2	\$ 795
WM-144CBKT-3	Three Baskets, use on Double Sided Table with Six 48"W Tops	128	10	9	12	5	\$ 897
WM-180CBKT-3	Three Baskets, use on Double Sided Table with Six 60"W Tops	164	10	9	15	6	\$ 1,060
WM-216CBKT-3	Three Baskets, use on Double Sided Table with Six 72"W Tops	200	10	9	18	6	\$ 1,191
WM-192CBKT-4	Four Baskets, use on Double Sided Table with Eight 48"W Tops	176	10	9	16	8	\$ 1,196
WM-240CBKT-4	Four Baskets, use on Double Sided Table with Eight 60"W Tops	224	10	9	20	9	\$ 1,412
WM-288CBKT-4	Four Baskets, use on Double Sided Table with Eight 72"W Tops	272	10	9	24	9	\$ 1,588

HOW TO ORDER**MODEL NUMBER**

WM-32CBKT-1


WIRE BASKET KIT - TRI CLUSTER TABLE STANDARD FEATURES

- Wire Basket Kit Attaches to Toolrail



model	w	d	h	wt	cu ft	list
WM-TRCBKT-3	86	86	9	4	2	\$ 897

- Three Baskets, use on Tri Cluster Table



model	w	d	h	wt	cu ft	list
WM-TRCBKT-7	86	86	9	9	4	\$ 2,094


- Seven Baskets, use on Six User Tri Cluster Table

HOW TO ORDER

MODEL NUMBER

WM-TRCBKT-3

POWER SUPPLY STANDARD FEATURES




model	w	d	h	wt	cu ft	list
PS-55 BLACK	5.44	3.38	2.13	1	1	\$ 216
PS-55W WHITE	5.44	3.38	2.13	1	1	\$ 216

- Mounts below Worksurface
- Mounting Bracket Included
- Two 12 Amp Power Outlets (Front)
- Two 2.1 Amp USB Charging Ports
- One Power Outlet (Back)
- 10' Power Cord



model	w	d	h	wt	cu ft	list
PS-60W	3.88	3.88	2	2	0.25	\$ 375


- White Power Supply
- Mobile Table Top Unit
- NOTE: Includes Green Accent Top Cap
- Two 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- 6' Power Cord
- UL Listed



model	w	d	h	wt	cu ft	list
PS-62W	5.5	3.25	6.5	3	0.25	\$ 400

- White Power Supply
- Clamps to Rim of Worksurface
- Two 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- 10' Power Cord
- UL Listed


NOTE: Clamp on Accessories will not work on Knife Edge Profile



model	w	d	h	wt	cu ft	list
PS-63W	8	4	6.88	4	0.25	\$ 476


- White Power Supply
- Clamps to Rim of Worksurface
- Three 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- One Open Data Port
- 10' Long Cord
- UL Listed

NOTE: Clamp on Accessories will not work on Knife Edge Profile



model	w	d	h	wt	cu ft	list
PS-64W	6.5	3	1.88	2	0.25	\$ 367

- White Power Supply
- Mounts below Worksurface
- Two 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- 10' Long Cord
- UL Listed




model	w	d	h	wt	cu ft	list
PS-65W	8	4	1.88	3	0.25	\$ 445

- White Power Supply
- Mounts below Worksurface
- Three 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- One Open Data Port
- 10' Long Cord
- UL Listed

POWER SUPPLY INSERTS


model		list
DGBV15F	VGA Gender Charger	\$ 38
HDFF	HDMI Gender Charger	\$ 54
TDG1026A-8C	RJ45 Panel Mount Coupler	\$ 33

- Use with PS-63W and PS-65W



model	w	d	h	wt	cu ft	list
PS-77	12.5	2.25	1.75	3	0.25	\$ 188

- Black Power Supply
- Mounts below Worksurface
- Six 12 Amp Outlets
- Overload Switch
- Surge Protection
- Aluminum Housing
- 10' Power Cord
- UL Listed



model	w	d	h	wt	cu ft	list
WC-2 BLACK	4.5	4.5	1.375	0.1	0.5	\$ 427






- Field Installed Wireless Charging Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed
- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 5' Cord

HOW TO ORDER

MODEL NUMBER

PS-55

POWER SUPPLY STANDARD FEATURES



model		w	d	h	wt	cu ft	list
PS-87W	WHITE	8	3.25	3.75	4	0.5	\$ 827
PS-87B	BLACK	8	3.25	3.75	4	0.5	\$ 827

- Mobile Table Top Unit
- One Power Outlet
- One USB Charging Port
- Bluetooth Speaker
- 10' Power Cord
- UL Listed

model		w	d	h	wt	cu ft	list
PS-88W	WHITE	8	3	2.5	3	0.5	\$ 827
PS-88B	BLACK	8	3	2.5	3	0.5	\$ 827

- Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information
- One Power Outlet
- One USB Charging Port
- Bluetooth Speaker
- 10' Power Cord
- UL Listed

model		w	d	h	wt	cu ft	list
PS-92W	WHITE	4	4	3.25	3	0.5	\$ 289
PS-92B	BLACK	4	4	3.25	3	0.5	\$ 289

- Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information
- One Power Outlet
- One USB-A Charging Port
- One USB-C Charging Port
- 10' Power Cord
- UL Listed

model		w	d	h	wt	cu ft	list
PS-93W	WHITE	7.38	7	4.38	3	0.5	\$ 579
PS-93B	BLACK	7.38	7	4.38	3	0.5	\$ 579

- Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information
- One Power Outlet
- Two USB-A Charging Ports
- Two Wireless Charging Mats
- 10' Power Cord
- UL Listed

model		w	d	h	wt	cu ft	list
PS-100BE		3.6	3.9	2.1	2	0.25	\$ 382

- Beech Shell with Clear Finish
- Dusk Braided Cord


PS-100BK		3.6	3.9	2.1	2	0.25	\$ 382
----------	--	-----	-----	-----	---	------	--------

- Beech Shell with Black Finish
- Black with White Pinstripe Braided Cord

PS-100WL		3.6	3.9	2.1	2	0.25	\$ 382
----------	--	-----	-----	-----	---	------	--------

- Walnut Shell with Clear Finish
- Black with White Pinstripe Braided Cord
- One Power Outlet
- One USB-A Charging Port
- One USB-C Charging Port
- 9' Braided Power Cord
- UL Listed

WIRELESS CHARGING MULTI UNIT



model		w	d	h	wt	cu ft	list
WC-MU	BLACK	4.5	4.5	1.375	2	0.25	\$ 589

- Field Installed Wireless Charging Multi Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed
- UL Listed
- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 15' Multi Unit Cord (can use up to 4 Pucks)
- 4' From Hub to Plug, 11' From Hub to Each Puck

OPTIONS

Number of Pucks (WC-MU only)

- One Standard
- Two \$350
- Three \$701
- Four \$1,050

HOW TO ORDER

SPECIFY: Number of Pucks

MODEL NUMBER

WC-MU

Number of Pucks (WC-MU only)

One


POWER AND DATA STANDARD FEATURES

POWER SUPPLY WITH BRAIDED CORD




model		w	d	h	wt	cu ft	list
PS-60W-BC	WHITE	3.88	3.88	2	2	0.25	\$ 478
• Mobile Table Top Unit • Two 15 Amp Outlets • Two 2.1 Amp USB Charging Ports		• 6' Braided Power Cord • NOTE: Includes Interchangeable Green Top Cap					

POWER SUPPLY WITH BRAIDED CORD



model		w	d	h	wt	cu ft	list
PS-87W-BC	WHITE	8	3.25	3.75	4	0.5	\$ 1,088
PS-87B-BC	BLACK	8	3.25	3.75	4	0.5	\$ 1,088
• Mobile Table Top Unit • One Power Outlet • One USB Charging Port		• Bluetooth Speaker • 10' Braided Power Cord • UL Listed					

POWER SUPPLY WITH BRAIDED CORD




model		w	d	h	wt	cu ft	list
PS-88W-BC	WHITE	8	3	2.5	3	0.5	\$ 1,088
PS-88B-BC	BLACK	8	3	2.5	3	0.5	\$ 1,088
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • One USB Charging Port • Bluetooth Speaker		• 10' Braided Power Cord • UL Listed					

POWER SUPPLY WITH BRAIDED CORD



model		w	d	h	wt	cu ft	list
PS-92W-BC	WHITE	4	4	3.25	3	0.5	\$ 374
PS-92B-BC	BLACK	4	4	3.25	3	0.5	\$ 374
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • One USB-A Charging Port • One USB-C Charging Port		• 10' Braided Power Cord • UL Listed					

POWER SUPPLY WITH BRAIDED CORD



model		w	d	h	wt	cu ft	list
PS-93W-BC	WHITE	7.38	7	4.38	3	0.5	\$ 731
PS-93B-BC	BLACK	7.38	7	4.38	3	0.5	\$ 731
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • Two USB-A Charging Ports • Two Wireless Charging Mats		• 10' Braided Power Cord • UL Listed					

OPTIONS

Cord

- BC1 Dusk
- BC4 Brass
- BC15 Zig Zag Fog/Storm
- BC17 Zig Zag Berry/Poppy

HOW TO ORDER

SPECIFY: Cord

MODEL NUMBER

PS-87W-BC


Cord

BC1



POWER SUPPLY STANDARD FEATURES


ISLE POWER STATION



model		w	d	h	wt	cu ft	list
PS-96S	SILVER	18	18	25.5	25	8	\$ 2,388

- Twelve Power Outlets
- Three USB Charging Ports
- Three USB-C Charging Ports
- 9' Power Cord
- UL Listed

SCEPTER POWER STATION



model		w	d	h	wt	cu ft	list
PS-98B	BLACK	11.28	11.28	31.18	15	4	\$ 2,401
PS-98W	WHITE	11.28	11.28	31.18	15	4	\$ 2,401

- Three Wireless Charging Sleeves (One Each Side)
- Three Power Outlets (One Each Side)
- One Duplex USB-A Charging Port (Two Sides)
- One USB-C 60 Watt Charging Port (One Side)
- 10' Power Cord
- UL Listed

HOW TO ORDER

MODEL NUMBER

PS-96S


POWER SUPPLY (VESTA) STANDARD FEATURES



Body Finish Shown in Shaded Area

model	body finish	w	d	h	wt	cu ft	list
PS-90B	BLACK	12	12	28.25	14	4	\$ 1,476
PS-90F	FOG	12	12	28.25	14	4	\$ 1,476
PS-90S	STORM	12	12	28.25	14	4	\$ 1,476
PS-90W	WHITE	12	12	28.25	14	4	\$ 1,476

- UL Listed



Accent Finish Shown in Shaded Area

OPTIONS

Power	Accent Finish	Cord
X9 No Lower Power Outlet - Standard 10' Cord Top: One 15 Amp Outlet Two 2.1 Amp USB Charging Ports One 18 WATT USB-C Charging Port	When PS-90B is specified:	
	H8P Black	X9 No Cord (H7S only) H7U Standard Black Cord No Braid BC8 Black Braid \$68 BC14 Pinstripe Black-White Braid \$68
	H8N Fog	X9 No Cord (H7S only) H7U Standard Black Cord No Braid BC8 Black Braid \$68 BC6 Fog Braid \$68
	H8Q Storm	X9 No Cord (H7S only) H7U Standard Black Cord No Braid BC8 Black Braid \$68 BC4 Brass Braid \$68
H7Q Two Lower Power Outlets \$18 10' Cord Top: One 15 Amp Outlet Two 2.1 Amp USB Charging Ports One 18 WATT USB-C Charging Port	When PS-90F is specified:	
	H8R Berry	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC4 Brass Braid \$68 BC6 Fog Braid \$68 BC7 Berry Braid \$68
	H8P Black	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC6 Fog Braid \$68 BC14 Pinstripe Black-White Braid \$68 BC15 Zig Zag Fog-Storm Braid \$68
	H8X Honey	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC4 Brass Braid \$68 BC6 Fog Braid \$68 BC2 Poppy Braid \$68
H7R Three Lower Power Outlets \$48 10' Cord Top: One 15 Amp Outlet Two 2.1 Amp USB Charging Ports One 18 WATT USB-C Charging Port	H8W Peacock	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC6 Fog Braid \$68
	H8U Poppy	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC6 Fog Braid \$68 BC10 Storm Braid \$68 BC19 Chevron Poppy-Fog Braid \$68
	H8Q Storm	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC1 Dusk Braid \$68 BC10 Storm Braid \$68 BC15 Zig Zag Fog-Storm Braid \$68
	H8V White	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC14 Pinstripe Black-White Braid \$68 BC19 Chevron Poppy-Fog Braid \$68
H7S Battery Operated \$1,256 Removable Charging Cord Top: Three 2.1 Amp USB Charging Ports One 18 WATT USB-C Charging Port	When PS-90S is specified:	
	H8P Black	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC8 Black Braid \$68 BC10 Storm Braid \$68
	H8N Fog	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC6 Fog Braid \$68 BC10 Storm Braid \$68 BC15 Zig Zag Fog-Storm Braid \$68
	When PS-90W is specified:	
	H8R Berry	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC7 Berry Braid \$68 BC4 Brass Braid \$68 BC2 Poppy Braid \$68
	H8S Dusk	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC4 Brass Braid \$68 BC1 Dusk Braid \$68 BC10 Storm Braid \$68
	H8N Fog	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC7 Berry Braid \$68 BC6 Fog Braid \$68 BC15 Zig Zag Fog-Storm Braid \$68
	H8T Navy	X9 No Cord (H7S only) BC4 Brass Braid \$68 BC2 Poppy Braid \$68
	H8Q Storm	X9 No Cord (H7S only) H7T Standard White Cord No Braid BC1 Dusk Braid \$68 BC10 Storm Braid \$68

HOW TO ORDER

SPECIFY: Power | accent finish | cord.

MODEL NUMBER

PS-90B

Power	Accent Finish	Cord
X9	H8P	H7U

POWER AND DATA STANDARD FEATURES


WIRE MANAGER



model	h	wt	cu ft	list
WM-HA6	48	1	0.1	\$ 102


- Fabric Wire Manager Closed by Velcro
- Easily Cut to Different Lengths if Needed
- Can Access Wires Anywhere in the Length
- Use when Power Infeed is Routed Outside of Legs

LEG WIRE MANAGER



model	w	d	h	wt	cu ft	list
EN-LWM1	22	2	2	4	1	\$ 288


SPACE TOOL KIT



model	w	d	h	wt	cu ft	list
TOOL-4	5	1.5	0.5	1	1	\$ 24

- Set of Six
- **NOTE:** Required for Installation
Must be included in Every Order

COLUMN WIRE MANAGER



model	w	d	h	wt	cu ft	list
VCWM5	5.13	3.38	28	4	1	\$ 485

- For Heavy Duty Cabling
- Includes Hardware that Attaches to the Toolrail or Underside of Worksurface
- Luster Grey Finish


PET WIRE MANAGER



model	w	d	h	wt	cu ft	list
WM-P32	33.13	8	2.5	2	0.6	\$ 193
WM-P44	45.13	8	2.5	2	0.6	\$ 239
WM-P56	57.13	8	2.5	3	0.6	\$ 250
WM-P68	69.13	8	2.5	3	0.6	\$ 261

- Mounts to Underside of Worksurface

SIT/STAND WORKSTATION



model	w	d	h	wt	cu ft	list
SSW-1W WHITE	35.4	24	6.2-20	40	5.5	\$ 861

- Sit/Stand Workstation
- 13.8" Height Adjustment
- 20 Degree Keyboard Tilt Range
- Space for Two Monitors
- 35 lbs. Total Weight Capacity
- Ships Fully Assembled

OPTIONS

Finish (WM-HA6 Only)	Finish (VCWM5 only)	Finish (EN-LWM1 Only)
BLK8 Black GRY8 Grey WHT8 White	MSL Luster Grey BKO Onyx POLR Polar	AAL Anodized Aluminum POLR Polar BKO Onyx

HOW TO ORDER


SPECIFY: Finish.

MODEL NUMBER

WM-HA6

Finish (WM-HA6 Only)	Finish (VCWM5 only)	Finish (EN-LWM1 Only)
BLK8	MSL	AAL

VERTICAL WIRE MANAGER STANDARD FEATURES



model	w	d	h	wt	cu ft	list
VCWM3	5	3.5	27.75	8	1	\$ 423
• Attaches to Underside of Worksurface • For Light Duty Cabling • Accepts Wires 3/8" Diameter or Less • Will Not Accept Conduit						



model	w	d	h	wt	cu ft	list
VCWM4	3.94	2	27.63	8	1	\$ 471
• Attaches to Underside of Worksurface • For Medium Duty Cabling • Accepts Multiple Wire Sizes • Will Accept Flexible Conduit						

OPTIONS

Finish (VCWM3 Only)	Frame Finish (VCWM4 Only)	Felt Fabric (VCWM4 Only)
Veneer OSL DST MGW EBY MRO PCO MMC MBM MNW MGO MHM MLC BUW	Standard Powder Coats BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey H1P Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze STON Stone H1F Warm Grey Super Matte Powder Coats ION Ion Studio Powder Coats (10% upcharge) HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric H1FA Warm Grey	Camira (Blazer Felts) CPH Camphill GLM Glenalmond HCR Handcross NPR Napier SLC Silcoates SLR Silverdale

HOW TO ORDER


SPECIFY: Finish (if applicable) | frame finish (if applicable) | felt (if applicable). See page H for the designator finish name.

MODEL NUMBER

VCWM3


Finish (VCWM3 Only)	Frame Finish (VCWM4 Only)	Felt (VCWM4 Only)
OSL		

STANDARD FEATURES



model	w	d	h	wt	cu ft	list
MA-1	n/a	n/a	n/a	10	.75	\$ 832


- Monitor Arm
- Angled Mini Arm
- Satin Chrome
- Accommodates 5-15 Lb. Monitors
- 250N Gas Cylinder
- Through Desk Mount; to pass Cables through Grommet Cutout, Cutout cannot be Smaller than 1.875". If Cables are run through another Access Point, a 0.375" Cutout is required for the Mount Bolt.



model	w	d	h	wt	cu ft	list
MA-1D	n/a	n/a	n/a	10	1	\$ 1,236

- Angled Mini Arm
- Satin Chrome
- Accommodates 5-15 lb. Monitors Each Arm
- 250N Gas Cylinder
- Workedge Mount Only


SIT/STAND MONITOR-KEYBOARD ARM



model	w	d	h	wt	cu ft	list
MKA-1SB STAIN BLACK	28	24	19.875	20	5	\$ 1,129
MKA-1SS SILVER	28	24	19.875	20	5	\$ 1,129

- Single Monitor Arm
- 18.5" Height Adjustment
- 28" x 18" Worksurface Platform
- Integrated Cable Management
- 6.3" Monitor Height Adjustment
- 180 Degree Independent Monitor Swivel
- Monitor Tilts, Rotates and Pans
- Grommet and Clamp Mount Provided
- 6.5-24.5 lbs. Total Weight Capacity

SIT/STAND MONITOR-KEYBOARD ARM



model	w	d	h	wt	cu ft	list
MKA-1DB STAIN BLACK	28	24	19.875	25	5	\$ 1,297
MKA-1DS SILVER	28	24	19.875	25	5	\$ 1,297

- Dual Monitor Arm
- 18.5" Height Adjustment
- 28" x 18" Worksurface Platform
- Integrated Cable Management
- 6.3" Monitor Height Adjustment
- 180 Degree Independent Monitor Swivel
- Monitor Tilts, Rotates and Pans
- Grommet and Clamp Mount Provided
- 1.5-19.5 lbs. Total Weight Capacity

HOW TO ORDER


MODEL NUMBER

MA-1



TASK LIGHT STANDARD FEATURES

- UL Listed



model	w	d	h	wt	cu ft	list
TL-20	7.7	6	15	2	1	\$ 679

- Energy Efficient LED 3500K Bulbs
- Silver Frame
- 6' Power Cord
- On/Off Touch Switch with Continuous Dimming
- Clamps to Rim of Worksurface - Cannot be used on Units with Back Panel

HOW TO ORDER

MODEL NUMBER

TL-20


TAMBIENT LIGHT STANDARD FEATURES

- Task Light: 19 Watts at Full Output, 3500K
- Ambient Uplight: 37 Watts at Full Output, 3500K
- ON/OFF Pushbutton with Push-and-Hold Dimming for Task Light
- 6' RJ11 Cable for Remote Switching and Dimming of Uplight
- 6' LV Power Cable (Plugs into Power Supply Enclosure)
- HPF Power Supply and Enclosure with 6' Power Cord and (4) Parallel RJ11 Control Cable Ports
- Includes: Two Screws for Stanchion Attachment
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Order Mounting Stanchion and Base Separately
- Not for Use with Round and Square Mast Support
- Must Connect to TAM-WCH for Uplight Control. Order TAM-WCH Wireless Control Hub Separately


SINGLE SIDED



model		w	d	h	wt	cu ft	list
TAM-SSC-B (Black)	Single Sided Center Arm (shown)	24.375	11.75	1	12	1	\$ 1,582
TAM-SSC-P (Platinum)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSC-W (White)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSL-B (Black)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSL-P (Platinum)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSL-W (White)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSR-B (Black)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSR-P (Platinum)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSR-W (White)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 1,582

- Single-Sided Light for Stanchion Mounting
- Auto-OFF Feature Turns Task Light OFF when Uplight Turns OFF

SINGLE SIDED WITH MOTION SENSOR



model		w	d	h	wt	cu ft	list
TAM-SSC-MS-B (Black)	Single Sided Center Arm (shown) w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSC-MS-P (Platinum)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSC-MS-W (White)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSL-MS-B (Black)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSL-MS-P (Platinum)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSL-MS-W (White)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSR-MS-B (Black)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSR-MS-P (Platinum)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSR-MS-W (White)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897

- Single-Sided Light with Motion Sensor for Stanchion Mounting
- PIR Workstation Motion Sensor for Auto-OFF Task Light Control
- 9' RJ45-RJ11 Sensor Cable (Plugs into PIR Motion Sensor)

HOW TO ORDER

MODEL NUMBER

TAM-SSC-B


TAMBIENT G305 DISINFECTION LIGHT STANDARD FEATURES

- Task Light: 19 Watts at Full Output, 3500K
- Ambient Uplight: 37 Watts at Full Output, 3500K
- Worksurface Disinfection: 23 Input Watts, 275 nm peak
- ON/OFF Pushbutton with Push-and-Hold Dimming for Task Light
- 6' RJ11 Cable for Remote Switching and Dimming of Uplight
- 6' LV Power Cable (Plugs into Power Supply Enclosure)
- HPF Power Supply and Enclosure with 6' Power Cord and (4) Parallel RJ11 Control Cable Ports
- Includes: Two Screws for Stanchion Attachment
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Order Mounting Stanchion and Base Separately
- Not for Use with Round and Square Mast Support
- Must Connect to TAM-WCH for Uplight Control. Order TAM-WCH Wireless Control Hub Separately
- Must Link to TAM-ACT for Wireless Disinfection Control. Order TAM-ACT Active Circuit Transmitter Separately


SINGLE SIDED



model		w	d	h	wt	cu ft	list
TAM-UVC-SSC-B (Black)	Single Sided Center Arm (shown)	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSC-P (Platinum)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSC-W (White)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSL-B (Black)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSL-P (Platinum)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSL-W (White)	Single Sided Left Offset Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSR-B (Black)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSR-P (Platinum)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSR-W (White)	Single Sided Right Offset Arm	24.375	11.75	1	12	1	\$ 3,959

- Single-Sided Light with Disinfection for Stanchion Mounting
- Auto-OFF Feature Turns Task Light OFF when Uplight Turns OFF

SINGLE SIDED WITH MOTION SENSOR



model		w	d	h	wt	cu ft	list
TAM-UVC-SSC-MS-B (Black)	Single Sided Center Arm (shown) w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSC-MS-P (Platinum)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSC-MS-W (White)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSL-MS-B (Black)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSL-MS-P (Platinum)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSL-MS-W (White)	Single Sided Left Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSR-MS-B (Black)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSR-MS-P (Platinum)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSR-MS-W (White)	Single Sided Right Offset Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338

- Single-Sided Light with Disinfection and Motion Sensor for Stanchion Mounting
- PIR Workstation Motion Sensor for Auto-OFF Task Light Control
- 9' RJ45-RJ11 Sensor Cable (Plugs into PIR Motion Sensor)

HOW TO ORDER

MODEL NUMBER

TAM-UVC-SSC-P


TAMBIENT LIGHT STANDARD FEATURES

- Task Lights: (2) 19 Watts at Full Output, 3500K
- Ambient Uplights: (2) 19 Watts at Full Output, 3500K
- Two ON/OFF Pushbuttons with Push-and-Hold Dimming for Task Lights
- 6' RJ11 Cable for Remote Switching and Dimming of Uplights
- 6' Low-Voltage Power Cable (Plugs into Power Supply Enclosure)
- HPF Power Supply and Enclosure with 6' Power Cord and (4) Parallel RJ11 Control Cable Ports
- 76 Watts Total (at Full Output)
- Includes: Two Screws for Stanchion Attachment
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Order Mounting Stanchion and Base Separately
- Not for Use with Round and Square Mast Support
- Must Connect to TAM-WCH for Uplight Control. Order TAM-WCH Wireless Control Hub Separately


DUAL SIDED



model		w	d	h	wt	cu ft	list
TAM-DSC-B (Black)	Dual Sided Center Bridge (shown)	24.375	20.5	1	17	1	\$ 2,768
TAM-DSC-P (Platinum)	Dual Sided Center Bridge	24.375	20.5	1	17	1	\$ 2,768
TAM-DSC-W (White)	Dual Sided Center Bridge	24.375	20.5	1	17	1	\$ 2,768
TAM-DSO-B (Black)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 2,768
TAM-DSO-P (Platinum)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 2,768
TAM-DSO-W (White)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 2,768

- Dual Sided Light for Stanchion Mounting
- Uplights Operate in Unison
- Auto-OFF Feature Turns Task Lights OFF when Uplights Turn OFF

DUAL SIDED WITH MOTION SENSOR



model		w	d	h	wt	cu ft	list
TAM-DSC-MS-B (Black)	Dual Sided Center Bridge (shown)	24.375	20.5	1	17	1	\$ 3,360
TAM-DSC-MS-P (Platinum)	Dual Sided Center Bridge	24.375	20.5	1	17	1	\$ 3,360
TAM-DSC-MS-W (White)	Dual Sided Center Bridge	24.375	20.5	1	17	1	\$ 3,360
TAM-DSO-MS-B (Black)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 3,360
TAM-DSO-MS-P (Platinum)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 3,360
TAM-DSO-MS-W (White)	Dual Sided Offset Bridge	24.375	20.5	1	17	1	\$ 3,360

- Dual Sided Light with (2) Motion Sensors for Stanchion Mounting
- Uplights Operate in Unison
- (2) PIR Workstation Motion Sensors for Auto-OFF Task Light Control
- (2) 9' RJ45-RJ11 Sensor Cables (Plugs into PIR Motion Sensors)

HOW TO ORDER

MODEL NUMBER

TAM-DSC-B

TAMBIENT MOUNTING STANCHION STANDARD FEATURES

- Mounting Stanchion for Tambient Light
 - Tambient Light and Mounting Base Not Included
 - Semigloss Platinum, Semigloss White or Matte Black Finish
- NOTES:**
- Order Tambient Light and Mounting Base Separately
 - Not for Use with TAM-SSM Lights




model		w	d	h	wt	cu ft	list
TAM-MS11-B (Black)	Use with TAM-PCM for 48"H Wall Panels	3	1	10.5	2	0.1	\$ 53
TAM-MS11-P (Platinum)	Use with TAM-PCM for 48"H Wall Panels	3	1	10.5	2	0.1	\$ 53
TAM-MS11-W (White)	Use with TAM-PCM for 48"H Wall Panels	3	1	10.5	2	0.1	\$ 53
TAM-MS17-B (Black)	Use with TAM-PCM for 42"H Wall Panels	3	1	16.5	2	0.1	\$ 61
TAM-MS17-P (Platinum)	Use with TAM-PCM for 42"H Wall Panels	3	1	16.5	2	0.1	\$ 61
TAM-MS17-W (White)	Use with TAM-PCM for 42"H Wall Panels	3	1	16.5	2	0.1	\$ 61
TAM-MS26-B (Black)	Use with TAM-PCM for 33"H Wall Panels	3	1	25.5	3	0.2	\$ 75
TAM-MS26-P (Platinum)	Use with TAM-PCM for 33"H Wall Panels	3	1	25.5	3	0.2	\$ 75
TAM-MS26-W (White)	Use with TAM-PCM for 33"H Wall Panels	3	1	25.5	3	0.2	\$ 75
TAM-MS27-B (Black)	Use with TAM-TRMB	3	1	26.625	3	0.2	\$ 84
TAM-MS27-P (Platinum)	Use with TAM-TRMB	3	1	26.625	3	0.2	\$ 84
TAM-MS27-W (White)	Use with TAM-TRMB	3	1	26.625	3	0.2	\$ 84
TAM-MS30-B (Black)	Use with TAM-ECM	3	1	29.75	4	0.2	\$ 92
TAM-MS30-P (Platinum)	Use with TAM-ECM	3	1	29.75	4	0.2	\$ 92
TAM-MS30-W (White)	Use with TAM-ECM	3	1	29.75	4	0.2	\$ 92

STANDARD FEATURES


- Base for Tambient Mounting Stanchion
 - Includes: Two Screws for Stanchion Attachment
 - Tambient Light and Mounting Stanchion Not Included
 - Semigloss Platinum, Semigloss White or Matte Black Finish
- NOTES:**
- Order Tambient Light and Mounting Base Separately

TAMBIENT MOUNTING BASE



model		w	d	h	wt	cu ft	list
TAM-TRMB-B (Black)	Toolrail Mounting Base	6	3	3.5	2	0.1	\$ 330
TAM-TRMB-P (Platinum)	Toolrail Mounting Base	6	3	3.5	2	0.1	\$ 330
TAM-TRMB-W (White)	Toolrail Mounting Base	6	3	3.5	2	0.1	\$ 330
TAM-PCM-B (Black)	1" Thick Panel Clamp Mount	6	3	3.5	2	0.1	\$ 542
TAM-PCM-P (Platinum)	1" Thick Panel Clamp Mount	6	3	3.5	2	0.1	\$ 542
TAM-PCM-W (White)	1" Thick Panel Clamp Mount	6	3	3.5	2	0.1	\$ 542

TAMBIENT EDGE CLAMP MOUNT



model		w	d	h	wt	cu ft	list
TAM-ECM-B (Black)		5	3	3	2	0.1	\$ 198
TAM-ECM-P (Platinum)		5	3	3	2	0.1	\$ 198
TAM-ECM-W (White)		5	3	3	2	0.1	\$ 198

- Clamp Mount for Edge of Worksurface
- Not For Use With TAM-DSC and TAM-DSO Lights
- NOTE: Tambient Edge Clamp Mount will not work on Knife Edge Profile

HOW TO ORDER

MODEL NUMBER

TAM-MS11-B


TAMBIENT LIGHT FOR MAST MOUNTING STANDARD FEATURES

- Task Light: 19 Watts at Full Output, 3500K
- Ambient Uplight: 37 Watts at Full Output, 3500K
- ON/OFF Pushbutton with Push-and-Hold Dimming for Task Light
- 6' RJ11 Cable for Remote Switching and Dimming of Uplight
- 6' LV Power Cable (Plugs into Power Supply Enclosure)
- HPF Power Supply and Enclosure with 6' Power Cord and (4) Parallel RJ11 Control Cable Ports
- Includes: Two Screws for Stanchion Attachment
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Must Connect to TAM-WCH for Uplight Control. Order TAM-WCH Wireless Control Hub Separately
- Order TAM-RMS or TAM-SMB Mast Support Separately


SINGLE SIDED FOR MAST MOUNTING



model		w	d	h	wt	cu ft	list
TAM-SSM-B (Black)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSM-P (Platinum)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 1,582
TAM-SSM-W (White)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 1,582

- Single-Sided Light for Mast Mounting
- Auto-OFF Feature Turns Task Light OFF when Uplight Turns OFF

SINGLE SIDED WITH MOTION SENSOR FOR MAST MOUNTING



model		w	d	h	wt	cu ft	list
TAM-SSM-MS-B (Black)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSM-MS-P (Platinum)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897
TAM-SSM-MS-W (White)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 1,897

- Single-Sided Light with Motion Sensor for Mast Mounting
- PIR Workstation Motion Sensor for Auto-OFF Task Light Control
- 9' RJ45-RJ11 Sensor Cable (Plugs into PIR Motion Sensor)

HOW TO ORDER

MODEL NUMBER

TAM-SSM-P

TAMBIENT G305 DISINFECTION LIGHT FOR MAST MOUNTING STANDARD FEATURES


- Task Light: 19 Watts at Full Output, 3500K
- Ambient Uplight: 37 Watts at Full Output, 3500K
- Worksurface Disinfection: 23 Input Watts, 275 nm peak
- ON/OFF Pushbutton with Push-and-Hold Dimming for Task Light
- 6' RJ11 Cable for Remote Switching and Dimming of Uplight

- 6' LV Power Cable (Plugs into Power Supply Enclosure)
- HPF Power Supply and Enclosure with 6' Power Cord and (4) Parallel RJ11 Control Cable Ports
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Must Connect to TAM-WCH for Uplight Control. Order TAM-WCH Wireless Control Hub Separately
- Must Link to TAM-ACT for Wireless Disinfection Control. Order TAM-ACT Active Circuit Transmitter Separately
- Order TAM-RMS or TAM-SMB Mast Support Separately.


SINGLE SIDED FOR MAST MOUNTING



model		w	d	h	wt	cu ft	list
TAM-UVC-SSM-B (Black)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSM-P (Platinum)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 3,959
TAM-UVC-SSM-W (White)	Single Sided Center Arm	24.375	11.75	1	12	1	\$ 3,959

- Single-Sided Light with Disinfection for Mast Mounting
- Auto-OFF Feature Turns Task Light OFF when Uplight Turns OFF

SINGLE SIDED WITH MOTION SENSOR FOR MAST MOUNTING



model		w	d	h	wt	cu ft	list
TAM-UVC-SSM-MS-B (Black)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSM-MS-P (Platinum)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338
TAM-UVC-SSM-MS-W (White)	Single Sided Center Arm w/Sensor	24.375	11.75	1	12	1	\$ 4,338

- Single-Sided Light with Disinfection and Motion Sensor for Mast Mounting
- PIR Workstation Motion Sensor for Auto-OFF Task Light Control
- 9' RJ45-RJ11 Sensor Cable (Plugs into PIR Motion Sensor)

HOW TO ORDER

MODEL NUMBER

TAM-UVC-SSM-P

TAMBIENT MAST SUPPORT STANDARD FEATURES

- Monitor Support System with Round Mast for TAM-SSM and TAM-UVC-SSM Lights
- Integral Desk Edge Mounting Clamp
- Includes: Mounting Coupler and Attachment Hardware for Light and Black Vertical Cable Management Clip for VDT Cables
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Order TAM-SSM or TAM-UVC-SSM Light Separately
- Tambient Round Mast Support will not work on Knife Edge Profile

ROUND MAST SUPPORT WITH PIVOT BRACKET FOR VDT



model	w	d	h	wt	cu ft	list
TAM-RMS10-B (Black)	n/a	n/a	n/a	17	4	\$ 651
TAM-RMS10-P (Platinum)	n/a	n/a	n/a	17	4	\$ 651
TAM-RMS10-W (White)	n/a	n/a	n/a	17	4	\$ 651

- Stackable Pivot Bracket for VDT up to 50" and 30 lbs.
- Pivot Bracket Locks to Mast at 1" Vertical Increments

ROUND MAST SUPPORT WITH USB HUB AND PIVOT BRACKET FOR VDT



model	w	d	h	wt	cu ft	list
TAM-RMS10-USB-B (Black)	n/a	n/a	n/a	18	4	\$ 771
TAM-RMS10-USB-P (Platinum)	n/a	n/a	n/a	18	4	\$ 771
TAM-RMS10-USB-W (White)	n/a	n/a	n/a	18	4	\$ 771

- Four Port USB Hub in Base
- Stackable Pivot Bracket for VDT up to 50" and 30 lbs.
- Pivot Bracket Locks to Mast at 1" Vertical Increments

ROUND MAST SUPPORT WITH 14" DUAL-LINK ARM FOR VDT



model	w	d	h	wt	cu ft	list
TAM-RMS1W-B (Black)	n/a	n/a	n/a	19	4	\$ 915
TAM-RMS1W-P (Platinum)	n/a	n/a	n/a	19	4	\$ 915
TAM-RMS1W-W (White)	n/a	n/a	n/a	19	4	\$ 915

- 14" Dual-Link Arm for VDT up to 30" and 20 lbs.
- Stackable Arm Bracket Locks to Mast at 1" Vertical Increments


ROUND MAST SUPPORT WITH USB HUB AND 14" DUAL-LINK ARM FOR VDT



model	w	d	h	wt	cu ft	list
TAM-RMS1W-USB-B (Black))	n/a	n/a	n/a	20	4	\$ 1,034
TAM-RMS1W-USB-P (Platinum)	n/a	n/a	n/a	20	4	\$ 1,034
TAM-RMS1W-USB-W (White)	n/a	n/a	n/a	20	4	\$ 1,034

- Four Port USB Hub in Base
- 14" Dual-Link Arm for VDT up to 30" and 20 lbs.
- Stackable Arm Bracket Locks to Mast at 1" Vertical Increments


ROUND MAST SUPPORT WITH (2) 14" DUAL-LINK ARMS FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS2W-B (Black))	n/a	n/a	n/a	23	4	\$ 1,354
TAM-RMS2W-P (Platinum)	n/a	n/a	n/a	23	4	\$ 1,354
TAM-RMS2W-W (White)	n/a	n/a	n/a	23	4	\$ 1,354

- (2) 14" Dual-Link Arms for VDT'S up to 30" and 20 lbs. Each
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments

ROUND MAST SUPPORT WITH USB HUB AND (2) 14" DUAL-LINK ARMS FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS2W-USB-B (Black)	n/a	n/a	n/a	24	4	\$ 1,472
TAM-RMS2W-USB-P (Platinum)	n/a	n/a	n/a	24	4	\$ 1,472
TAM-RMS2W-USB-W (White)	n/a	n/a	n/a	24	4	\$ 1,472

- Four Port USB Hub in Base
- (2) 14" Dual-Link Arms for VDT'S up to 30" and 20 lbs. Each
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments

HOW TO ORDER

MODEL NUMBER

TAM-RMS10-B


TAMBIENT MAST SUPPORT STANDARD FEATURES

- Monitor Support System with Round Mast for TAM-SSM and TAM-UVC-SSM Lights
- Integral Desk Edge Mounting Clamp
- Stackable Arm/Pivot Brackets Lock to Mast at 1" Vertical Increments
- Includes: Mounting Coupler and Attachment Hardware for Light and Black Vertical Cable Management Clip for VDT Cables
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:

- Order TAM-SSM or TAM-UVC-SSM Light Separately
- Tambient Round Mast Support will not work on Knife Edge Profile


ROUND MAST SUPPORT WITH (2) 19 1/2" DUAL-LINK ARMS AND (1) CENTER PIVOT FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS3S-B (Black)	n/a	n/a	n/a	29	4	\$ 1,468
TAM-RMS3S-P (Platinum)	n/a	n/a	n/a	29	4	\$ 1,468
TAM-RMS3S-W (White)	n/a	n/a	n/a	29	4	\$ 1,468

- (2) 19 1/2" Dual-Link Arms with VESA Height Adjusters for VDTs up to 24" and 15 lbs. Each
- (1) Center Pivot/Tilter for VDT up to 24" and 15 lbs.
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments


ROUND MAST SUPPORT WITH USB HUB, (2) 19 1/2" DUAL-LINK ARMS AND (1) CENTER PIVOT FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS3S-USB-B (Black)	n/a	n/a	n/a	30	4	\$ 1,586
TAM-RMS3S-USB-P (Platinum)	n/a	n/a	n/a	30	4	\$ 1,586
TAM-RMS3S-USB-W (White)	n/a	n/a	n/a	30	4	\$ 1,586

- Four Port USB Hub in Base
- (2) 19 1/2" Dual-Link Arms with VESA Height Adjusters for VDTs up to 24" and 15 lbs. Each
- (1) Center Pivot/Tilter for VDT up to 24" and 15 lbs.
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments


ROUND MAST SUPPORT WITH (2) 25" DUAL-LINK ARMS AND (1) CENTER PIVOT FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS3W-B (Black)	n/a	n/a	n/a	30	4	\$ 1,555
TAM-RMS3W-P (Platinum)	n/a	n/a	n/a	30	4	\$ 1,555
TAM-RMS3W-W (White)	n/a	n/a	n/a	30	4	\$ 1,555

- (2) 25" Dual-Link Arms with VESA Height Adjusters for VDTs up to 30" and 15 lbs. Each
- (1) Center Pivot/Tilter for VDT up to 24" and 15 lbs.
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments

ROUND MAST SUPPORT WITH USB HUB, (2) 25" DUAL-LINK ARMS AND (1) CENTER PIVOT FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-RMS3W-USB-B (Black)	n/a	n/a	n/a	31	4	\$ 1,674
TAM-RMS3W-USB-P (Platinum)	n/a	n/a	n/a	31	4	\$ 1,674
TAM-RMS3W-USB-W (White)	n/a	n/a	n/a	31	4	\$ 1,674

- Four Port USB Hub in Base
- (2) 25" Dual-Link Arms with VESA Height Adjusters for VDTs up to 30" and 15 lbs. Each
- (1) Center Pivot/Tilter for VDT up to 24" and 15 lbs.
- Stackable Arm Brackets Lock to Mast at 1" Vertical Increments

HOW TO ORDER

MODEL NUMBER

TAM-RMS3S-P


TAMBIENT MAST SUPPORT STANDARD FEATURES

- Monitor Support System with Square Mast for TAM-SSM and TAM-UVC-SSM Lights
- Two Dynamic Arms for VDTs 5 to 25 lbs Each
- Includes Attachment Hardware for Light
- Semigloss Platinum, Semigloss White or Matte Black Finish

NOTES:


- Order TAM-SSM or TAM-UVC-SSM Light Separately
- Tambient Square Mast Support will not work on Knife Edge Profile

SQUARE MAST SUPPORT WITH TWO DYNAMIC ARMS FOR VDT'S



model	w	d	h	wt	cu ft	list
TAM-SMB-B (Black)	n/a	n/a	n/a	22	4	\$ 1,555
TAM-SMB-P (Platinum)	n/a	n/a	n/a	22	4	\$ 1,555
TAM-SMB-W (White)	n/a	n/a	n/a	22	4	\$ 1,555

SQUARE MAST SUPPORT WITH USB HUB AND TWO DYNAMIC ARMS FOR VDT'S




model	w	d	h	wt	cu ft	list
TAM-SMB-USB-B (Black)	n/a	n/a	n/a	29	4	\$ 1,674
TAM-SMB-USB-P (Platinum)	n/a	n/a	n/a	29	4	\$ 1,674
TAM-SMB-USB-W (White)	n/a	n/a	n/a	29	4	\$ 1,674

- Four Port USB Hub in Base

TAMBIENT LIGHTING CONTROL ACCESSORIES


WIRELESS CONTROL HUB



model	w	d	h	wt	cu ft	list
TAM-WCH	n/a	n/a	n/a	2	0.3	\$ 913

- Plug-And-Play Control Hub for Wireless Remote Uplight Control
- RJ11 SW/DIM Port for Uplight ON/OFF and Dimming Control
- Connect Up to 12 Tambient LED Lights (see Note below)
- Link Up to 20 Wireless Switches and Sensors Via Pushbuttons
- Detachable 6' Power Cord with Integral 6W 120/24V Power Supply
- Mounting Hardware Not Included
- **NOTE:** Includes (1) 10' TAM-CC Control Cable. Connect to Control Port on Tambient Lights. Order Wireless Switches, Wireless Sensors, and Additional Control Cables Separately.

SELF-POWERED WIRELESS SWITCH



model	w	d	h	wt	cu ft	list
TAM-WS	n/a	n/a	n/a	1	0.1	\$ 300

- Battery Powered Wireless Switch for Remote Uplight Control
- Provides Manual Switching and Dimming of Tambient Uplights
- Links Wirelessly to Any Number of TAM-WCH Control Hubs in Range
- Transmission Range 75 Feet
- Mount to any Surface with Double Sided Tape or Screws (Not Included)
- Mount to Electrical Wall Box (Not Included) with Screws (Not Included)
- Includes Replaceable 10-Year Battery
- White Finish
- **NOTE:** Order TAM-WCH Wireless Control Hub(s) Separately


HOW TO ORDER

MODEL NUMBER

TAM-SMB-P

TAMBIENT LIGHTING CONTROL ACCESSORIES


SELF-POWERED VACANCY SENSOR



model	w	d	h	wt	cu ft	list
TAM-VS	n/a	n/a	n/a	1	0.1	\$ 525

- Self-Powered Battery-Less Sensor for Auto-OFF Uplight Control
- Links Wirelessly to any Number of TAM-WCH Control Hubs in Range
- Transmission Range 75 Feet
- Ceiling Mount at 8-10 Feet
- Coverage Area 500-800 Square Feet
- Integral Magnets for Mounting to Exposed T-Bar Ceilings
- Mount to Soft Ceiling Tiles with Concealed Wire Straps (Provided)
- Mount to Any Surface with Double-Sided Tape or Screws (Not Included)
- White Finish
- **NOTE:** Order TAM-WCH Wireless Control Hub(s) Separately


ACTIVE CIRCUIT TRANSMITTER



model	w	d	h	wt	cu ft	list
TAM-ACT	n/a	n/a	n/a	1	0.1	\$ 454

- Wireless Transmitter for Auto-OFF Uplight Control or ON/OFF Disinfection Control
- Use in Place of Vacancy Sensors for Uplight Control
- Uplight Control: Links Wirelessly to Any Number of TAM-WCH Control Hubs in Range
- Disinfection Control: Links Wirelessly to any Number of TAM-UVC Fixtures in Range
- Transmission Range 75 Feet
- Requires Electrical Connection, 120-277VAC
- Mount in Code Compliant Plastic Electrical Junction Box (Not Included)
- White Finish
- **NOTE:** Order TAM-WCH Wireless Control Hub(s) or TAM-UVC Fixture(s) Separately. Connect to Occupancy Controlled Lighting Circuit (Not Included) for Uplight Control. Connect to Compliant UVC Safety Control System (Not Included) for Disinfection Control.


SELF-POWERED DAYLIGHT SENSOR



model	w	d	h	wt	cu ft	list
TAM-DS	n/a	n/a	n/a	1	0.1	\$ 494

- Self-Powered Battery-Less Sensor for Daylight Dimming Control
- Links Wirelessly to Any Number of TAM-WCH Control Hubs in Range for Uplight Control
- Transmission Range 75 Feet
- Integral Magnets for Mounting to Exposed T-Bar Ceilings
- Mount to Soft Ceiling Tiles with Concealed Wire Straps (Provided)
- Mount to Any Surface with Double-Sided Tape or Screws (Not Included)
- White Finish
- **NOTE:** Order TAM-WCH Wireless Control Hub(s) Separately

CONTROL CABLE



model	w	d	h	wt	cu ft	list
TAM-CC10 10' Cable	n/a	n/a	n/a	1	0.1	\$ 46
TAM-CC15 15' Cable	n/a	n/a	n/a	1	0.1	\$ 53
TAM-CC25 25' Cable	n/a	n/a	n/a	2	0.1	\$ 63

- Black RJ11 Straight-Through Control Cable
- Plugs into Tambient Light Power Supply Control Ports
- Connect Between Tambient Light Power Supply Enclosures to Extend TAM-WCH Uplight Control to Multiple Tambient Lights
- **NOTE:** Order Tambient Light(s) and TAM-WCH Wireless Control Hub(s) Separately

HOW TO ORDER

MODEL NUMBER

TAM-VS