



carolina
an OFS company

May 2022 Update

Effective May 16, 2022, OFS and Carolina will implement a 9% increase on list prices.
The 9% is not reflected in the January 2022 price list.

For the most accurate pricing (options, grades, etc.) please reference your eTools
(CET Designer, ProjectMatrix, 2020, etc)



carolina
an OFS company

Surcharge

Effective April 4, 2022, a 3% surcharge on net prices will be applied.

FIELD INSTALLED CORES & KEYS

Field Installed Cores & Keys

Select the "LOCK" option when ordering product with a lock. The product will initially ship with a plastic plug, which will be removed in the field and the lock core installed.

Cores & Keys will ship in a separate package. Multiple cores and keys may be shipped together in one package.

You do not need a Core Change to install the original lock core. Once installed, a Core Change is required for removal. A Core Change may be ordered for **\$36** list.

USING LOCK OPTION

When using "LOCK" option your cores and keys must be ordered separately by ordering **LOCK-SET(s)** (see below for ordering instructions) to satisfy the number of locking mechanisms required for product on your PO.

Five lock core models are available to pick from to be field installed. They are:

LOCK-SET- 1

This includes 1 core & 1 key



LOCK-SET- 2

This includes 2 cores & 2 keys



LOCK-SET- 3

This includes 3 cores & 3 keys



LOCK-SET- 4

This includes 4 cores & 4 keys



LOCK-SET- 5

This includes 5 cores & 5 keys



The options available on these models are:

OPTION 1: Color (Black, Nickel or Brass)

OPTION 2: Type (Alike, Random or Consecutive)

OPTION 3: Starting Key # (This applies to the Alike and Consecutive types only)

OPTION 4: Number of Sets

KEYING TYPES

Three keying options are available to pick from to be field installed. (Keyed Alike, Keyed Random & Keyed Consecutive)

Keyed Alike all cores and keys on that line will match the starting key number selected.



100



100



100

Keyed Random all cores and keys on that line will be randomly selected. You do not have to pick a key number with this option.

Note: you could end up with two of the same number when ordering large quantities.



101



128



143

Keyed Consecutive all keys included in the quantity will be numbered in consecutive order starting with the starting key number you select. This will make sure no two numbers are the same. You must pick a starting key number.



100



101



102

Standard Key # numbers range between 100-200 when using the Nickel color and 100-150 when using Black or Brass. Additional numbers 151-999 are available when using Black or Nickel Cores. There is no additional charge for key numbers 151-999 but they could potentially add additional lead time.


EXAMPLES

Example of using Keyed Alike

If you have one office that requires multiple cores & keys which all need to be the same lock number you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-2	Black	Alike	100	1

In this scenarios you would receive (2) cores and keys with the key number of 100.




Example of using Keyed Random

If you had 8 workstations that required one unique core & key per user you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-1	Black	Random	n/a	8

In this scenario you would receive (8) cores and keys consisting of 8 different numbers chosen randomly.




Example of using Keyed Consecutive

If you had multiple offices that required (2) cores & keys per office where each office requires matching keys you could order

Model	Color	Type	Starting #	Number of Sets
LOCK-SET-2	Black	Consecutive	100	6

In this scenario you would receive (6) sets of cores and keys consisting of key numbers that would start from 100. You would have (2) 100's, (2) 101's, (2) 102's... (2) 105's.



MATERIALS

Note: See page J for STAKS® finish grid to be used in finish material coordination.

To view materials online visit: www.ofs.com

Wood Veneer and 2mm Wood Finishes Veneer Quartered

Matching 2mm wood edge only

OSL Oslo
MRO Linen
MBM Blonde
MHM Honey
DST Desert
PCO Pecan
MNW Root
MLC Sienna
MGW Toffee
MMC Mocha
MGO Steel
BUW Burnished
EBY Ebony
SVC Silver Grey
(10% upcharge)
SFO Salvaged Linen
(10% upcharge)
SFW Salvaged Root
(10% upcharge)

HPL & 2mm Wood Finishes

OFS woodgrain HPL
Matching 2mm wood edge only

Quartered
COP Linen
DSP Desert
PCP Pecan
NWP Root
MEP Toffee
STP Steel

Flat Grain

BEP Blonde
HNP Honey
CHP Sienna
CMP Mocha
BUP Burnished

TFL Woodgrain Finishes and Solid Colors

2mm PP woodgrain or solid
color edge

Woodgrain Laminate Quartered

CO2 Linen
KD2 Kodiak
DS2 Desert
PC2 Pecan
NW2 Root
EN2 Toffee
ST2 Steel

Woodgrain Laminate Flat Grain

LM2 Ochre
BE2 Blonde
MH2 Honey
LC2 Sienna
MC2 Mocha
VM2 Cognac
BU2 Burnished

Textured Woodgrain Laminate Quartered

FN2 Finn
PK2 Peak
LO2 Loft
DR2 Drift

Studio Textured Woodgrain Laminate Quartered

(10% upcharge)
SD2 Saddle
CR2 Char

Solid Colors

RW2 Pure White
FW2 Frosty White
GR2 Grey
SG2 Slate Grey
BL2 Black

HPL and 2mm PP Solid Colors

Wilsonart HPL, OFS solid color HPL
and OFS woodgrain HPL have a solid
color 2mm PP edge only.

Woodgrain Laminate Quartered

COP Linen
KDP Kodiak
DSP Desert
PCP Pecan
NWP Root
MEP Toffee
STP Steel

Woodgrain Laminate Flat Grain

TMP Ochre
BEP Blonde
HNP Honey
CHP Sienna
CMP Mocha
MGP Cognac
BUP Burnished

Textured Woodgrain Laminate Quartered

FNP Finn
PKP Peak
LOP Loft
DRP Drift

Studio Textured Woodgrain Laminate Quartered

(10% upcharge)
SDP Saddle
CRP Char

Solid Color Laminate

RWP Pure White
FWP Frosty White
GRP Grey
SGP Slate Grey
BLP Black

Standard Wilsonart HPL

see page I

Acrylic

Available on privacy panel,
modesty, organizer door*
and shared organizer back*
*Includes a matte aluminum frame
A5Z Frosted Acrylic

Glass

Available on privacy panel only
B9Q Clear
C8C Bronze Tint
C8D Black Tint

Single Sided Frosted

Available on privacy panel only
B2M Frosted

Double Sided Frosted

Available on privacy panel only
B8Y Frosted

White Backed Glass with Matte Aluminum Frame

Available on door and shared
organizer back
A9B White Backed Glass
D1L White Backed Glass
with Anodized Backer
(see Page 313 for magnets)

Frosted Glass with Vinyl Wrapped Frame

Available on wallmount and
highback organizers
JC Frosted Glass

Full Glass

C5J White

Dry Erase Laminate

X3 White Laminate

Base and Exposed Bracket Colors

Standard Powder Coat

BWT Bone White
CHLK Chalk
SGLD Gold
GRPH Graphite
MSL Luster Grey
HIP Oiled Bronze
BKO Onyx
POLR Polar
SBRZ Soft Bronze
STON Stone
HIF Warm Grey

Super Matte Powder Coat

ION Ion


Studio Powder Coat

(10% upcharge)
PAL Polished Aluminum
HERN Heron
LATT Latte
MOSS Moss
RUST Rust
TURM Turmeric
HIFA Warm Grey with Antimicrobial


Fabric Partners

ARC-COM
www.arc-com.com
ARCHITEX
www.architex-ljh.com
CAMIRA
www.camirafabrics.com
CARNEGIE
www.carnegiefabrics.com
C.F. STINSON
www.cfstinson.com
DESIGNTEX
www.designtex.com
GREEN HIDES
www.greenhides.com
HELVETIA LEATHER
www.helvetialeather.com
KVADRAT
www.kvadrat.dk
LUNA
www.lunatextiles.com
MAHARAM
www.maharam.com
MAYER FABRICS
www.mayerfabrics.com
MOMENTUM
www.themomgroup.com
SPRADLING INTERNATIONAL, INC.
www.spradlingvinyl.com
ULTRAFABRICS
www.ultrafabricsllc.com


DOOR TYPES



Wood Veneer,
TFL Woodgrain,
TFL Solid Colors



Acrylic and White
Backed Glass with
Matte Aluminum
Frame



Frosted Glass
with Vinyl
Wrapped Frame



Full Glass

PULL TYPES




Parallel



Bow

BASIC OVERVIEW: WORKSURFACES, SUPPORTS AND ADD-ONS

- Rectangular benching worksurfaces available in 54", 60", 66" and 72"W sizes.
- Center cross rail mounted privacy panels available in tackboard only.
- Worksurfaces available in TFL, HPL or wood veneer. Refer to page 215 of this pricer for a complete listing.
- STAKS® height adjustable bases support worksurfaces and facilitates the flexibility to stand and change positions.
- Metal base components are available in three powder coat colors.
- Worksurface edge modesty creates division between users within same workstation and is available in TFL, veneer, acrylic, or tackboards.
- Floor storage units provide additional storage and space division, as well as provide seating for impromptu meetings.
- Electrical components are easily attached to the underside of center cross rail for easy electrical access for each user.
- Wire or PET baskets allow for easy management of electrical wiring and data cabling.



WORKSURFACE AND EDGE MATERIAL AVAILABILITY

Thermally-Fused Laminate with 2mm PP Edge - Solid Color and Woodgrain




SURFACE Thermally-fused laminate in solid colors and Woodgrains
ALL 4 EDGES 2mm PP in solid colors and Woodgrains



EY Square 2mm Edge

HPL with 2mm Solid Color PP Edge



SURFACE Wilsonart HPL and OFS Woodgrain HPL*
ALL 4 EDGES 2mm flat PP in solid colors
* MEP, NWP and STP also available with matching Woodgrain 2mm PP edge



EY Square 2mm Edge

HPL with 2mm Wood Edge




SURFACE OFS Woodgrain HPL
ALL 4 EDGES 2mm matching finished wood



DN Square 2mm Edge

Wood Veneer with 2mm Wood Edge



SURFACE Wood Veneer
ALL 4 EDGES 2mm matching finished wood



DN Square 2mm Edge


HEIGHT ADJUSTABLE WORKSURFACE STANDARD FEATURES

- For Height Adjustable Applications
- Long Grain

NOTES:

- Square Edge Standard
- Includes Height Adjustable Control, Switch and Cables

- Optional Top Material, Edge Finish Combinations (see page 217)



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-5430HAWS	54	30	1	50	3	\$ 1,083	\$ 1,962
6-6030HAWS	60	30	1	56	4	\$ 1,136	\$ 2,056
6-6630HAWS	66	30	1	62	4	\$ 1,183	\$ 2,139
6-7230HAWS	72	30	1	67	4	\$ 1,229	\$ 2,223

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish	Control Panel
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FNP PKP LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 DS2 MC2 FW2 CO2 PC2 VM2 GR2 BE2 NW2 ST2 SG2 MH2 LC2 BU2 BL2 KD2 EN2 RW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	K4S Standard Switch
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge	
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge MRO DST MLC MGO MBM PCO MGW BUW MHM MNW MMC	

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish | control panel. See page H for the designator finish name.


MODEL NUMBER

6-5430HAWS

Material	Top Finish	Edge Shape	Edge Finish	Control Panel
T	EN2	EY	EN2	K4S


HEIGHT ADJUSTABLE WORK GROUP PANEL BASE AND CABINET STANDARD FEATURES

- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- Removable Access Panel
- Must be ordered with worksurface models: 6-5430HAWWS, 6-6030HAWWS, 6-6630HAWWS, or 6-7230HAWWS
- With Worksurface Unit Adjusts from 29" to 47.875"
- Finished Back



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4207HAWC1-3	42	7	27.75	107	10	\$ 2,202	\$ 3,532

- Dual User (Two Lifting Columns)
- Includes Cutout for Mounting Cross Rail



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4218HAWC2-3	42	18	27.75	140	21	\$ 3,432	\$ 5,350

- Low Height Cabinet with Lifting Columns Both Sides
- Double Sided Dual User (Four Lifting Columns)
- Includes Cutout for Mounting Cross Rail Both Sides

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-4207HAWC1-3

Material	Top Finish	Edge Finish	Chassis Finish	Base Color
T	EN2	EN2	EN2	H7B

HEIGHT ADJUSTABLE WORK GROUP PANEL BASE AND CABINET STANDARD FEATURES

- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- With Worksurface Unit Adjusts from 29" to 47.875"
- Removable Access Panel
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4218HAWC3-3	42	18	27.75	116	18	\$ 2,319	\$ 4,137

- Low Height Cabinet with Lifting Columns
- Dual User (Two Lifting Columns)
- Includes Cutout for Mounting Cross Rail

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Back Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	LXT Finished	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	LW Unfinished LXT TFL Finished LXV Veneer Finished (10% upcharge)	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | back finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-4218HAWC3-3

Material	Top Finish	Edge Finish	Chassis Finish	Back Finish	Base Color
T	EN2	EN2	EN2	LXT	H7B


HEIGHT ADJUSTABLE WORK GROUP PANEL BASE STORAGE AND CABINET STORAGE STANDARD FEATURES

- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- Removable Access Panel
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS
- With Worksurface Unit Adjusts from 29" to 47.875"
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-3207HAWCL1-3	LEFT	32	7	27.75	57	8	\$ 1,623	\$ 3,653
6-3207HAWCR1-3	RIGHT	32	7	27.75	57	8	\$ 1,623	\$ 3,653

- Single User (One Lifting Column)
- Includes Cutout for Mounting Cross Rail



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-3218HAWCL2-3	LEFT	32	18	27.75	97	17	\$ 2,311	\$ 5,731
6-3218HAWCR2-3	RIGHT	32	18	27.75	97	17	\$ 2,311	\$ 5,731

- Low Height Cabinet with Lifting Columns Both Sides
- Single Sided for Single User (Two Lifting Columns)
- Includes Cutout for Mounting Cross Rail Both Sides

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered (10% upcharge)</i> SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-3207HAWCL1-3

Material	Top Finish	Edge Finish	Chassis Finish	Base Color
T	EN2	EN2	EN2	H7B

HEIGHT ADJUSTABLE WORK GROUP PANEL BASE STORAGE AND CABINET STORAGE STANDARD FEATURES

- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- Removable Access Panel
- Must be ordered with worksurface models: 6-5430HAWs, 6-6030HAWs, 6-6630HAWs, or 6-7230HAWs
- With Worksurface Unit Adjusts from 29" to 47.875"



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-3218HAWCL3-3 LEFT	32	18	27.75	83	14	\$ 1,780	\$ 4,156
6-3218HAWCR3-3 RIGHT	32	18	27.75	83	14	\$ 1,780	\$ 4,156

- Low Height Cabinet with Lifting Columns One Side
- Single Sided for Single User (One Lifting Column)
- Includes Cutout for Mounting Cross Rail

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Back Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	LXT TFL Finished	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	LW Unfinished LXT TFL Finished LXV Veneer Finished (10% upcharge)	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | back finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-3218HAWCL3-3

Material	Top Finish	Edge Finish	Chassis Finish	Back Finish	Base Color
T	EN2	EN2	EN2	LXT	H7B

HEIGHT ADJUSTABLE WORK GROUP MIDDLE COMBO CABINET STANDARD FEATURES

- Low Height Cabinet with Lifting Columns Both Sides
- One Box Drawer
- One File Drawer for Letter or Legal Filing
- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- With Worksurface Unit Adjusts from 29" to 47.875"
- Removable Access Panel
- Single Sided for Single User (Two Lifting Columns)
- Includes Cutout for Mounting Cross Rail Both Sides
- One Adjustable Shelf
- Finished Back
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-6218HAFSL1M-3	LEFT	62	18	27.75	202	31	\$ 3,648	\$ 8,425
6-6818HAFSL1M-3	LEFT	68	18	27.75	207	32	\$ 3,867	\$ 8,917
6-6218HAFSR1M-3	RIGHT	62	18	27.75	202	31	\$ 3,648	\$ 8,425
6-6818HAFSR1M-3	RIGHT	68	18	27.75	207	32	\$ 3,867	\$ 8,917

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish	Base Color
T TFL	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 FW2 SG2 BL2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 FW2 SG2 BL2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 FW2 SG2 BL2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 FW2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey Super Matte Powder Coat ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> (10% upcharge) SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> (10% upcharge) SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC					

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | lock | pull | pull finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-6218HAFSL1M-3

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish	Base Color
T	EN2	EN2	EN2	EN2	EN2	NL	Parallel	BWT	H7B

HEIGHT ADJUSTABLE WORK GROUP MIDDLE COMBO CABINET STANDARD FEATURES

- Low Height Cabinet with Lifting Columns Both Sides
- One Box Drawer
- One Lateral File Drawer for Letter or Legal Filing
- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- With Worksurface Unit Adjusts from 29" to 47.875"
- Removable Access Panel
- Single Sided for Single User (Two Lifting Columns)
- Includes Cutout for Mounting Cross Rail Both Sides
- One Adjustable Shelf
- Finished Back
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-7418HAFSL4M-3	LEFT	74	18	27.75	212	34	\$ 3,967	\$ 9,138
6-7418HAFSR4M-3	RIGHT	74	18	27.75	212	34	\$ 3,967	\$ 9,138

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey Super Matte Powder Coat ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC					

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | lock | pull | pull finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-7418HAFSL4M-3

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish	Base Color
T	EN2	EN2	EN2	EN2	EN2	NL	Parallel	BWT	H7B

HEIGHT ADJUSTABLE WORK GROUP END COMBO CABINET STANDARD FEATURES

- Low Height Cabinet with Lifting Columns One Side
- One Box Drawer
- One File Drawer for Letter or Legal Filing
- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- With Worksurface Unit Adjusts from 29" to 47.875"
- Removable Access Panel
- Single Sided for Single User (One Lifting Column)
- Includes Cutout for Mounting Cross Rail
- One Adjustable Shelf
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-6218HAFSL1E-3	LEFT	62	18	27.75	188	22	\$ 2,891	\$ 6,622
6-6818HAFSL1E-3	LEFT	68	18	27.75	193	24	\$ 3,110	\$ 7,114
6-6218HAFSR1E-3	RIGHT	62	18	27.75	188	22	\$ 2,891	\$ 6,622
6-6818HAFSR1E-3	RIGHT	68	18	27.75	193	24	\$ 3,110	\$ 7,114

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Back Finish	Lock	Pull	Pull Finish	Base Color
T TFL	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> (10% upcharge) SD2 CR2 TFL Solid Color RW2 GR2 BL2 FW2 SG2	2mm PP Edge Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color RW2 GR2 BL2 FW2 SG2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color RW2 GR2 BL2 FW2 SG2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color RW2 GR2 BL2 FW2 SG2	TFL Woodgrain <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured</i> FN2 LO2 PK2 DR2 <i>Studio Textured</i> SD2 CR2 TFL Solid Color RW2 GR2 BL2 FW2 SG2	LXT TFL Finished	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey H1P Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey <i>Super Matte Powder Coat</i> ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC		LW Unfinished LXT TFL Finished LXV Veneer Finished (10% upcharge)				

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | back finish | lock | pull | pull finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-6218HAFSL1E-3

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Back Finish	Lock	Pull	Pull Finish	Base Color
T	EN2	EN2	EN2	EN2	EN2	LXT	NL	Parallel	BWT	H7B

HEIGHT ADJUSTABLE WORK GROUP END COMBO CABINET STANDARD FEATURES

- Low Height Cabinet with Lifting Columns One Side
- One Box Drawer
- One Lateral File Drawer for Letter or Legal Filing
- Height Adjustable Control, Switch and Cables Specified with Height Adjustable Worksurface
- With Worksurface Unit Adjusts from 29" to 47.875"
- Removable Access Panel
- Single Sided for Single User (One Lifting Column)
- Includes Cutout for Mounting Cross Rail
- One Adjustable Shelf
- Must be ordered with worksurface models: 6-5430HAWS, 6-6030HAWS, 6-6630HAWS, or 6-7230HAWS



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-7418HAFSL4E-3	LEFT	74	18	27.75	198	26	\$ 3,207	\$ 7,336
6-7418HAFSR4E-3	RIGHT	74	18	27.75	198	26	\$ 3,207	\$ 7,336

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Back Finish	Lock	Pull	Pull Finish	Base Color
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	LXT TFL Finished	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey Super Matte Powder Coat ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey	H7B Black H7G Grey H7W White
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer</i> <i>Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer</i> <i>Quartered</i> SVC		LW Unfinished LXT TFL Finished LXV Veneer Finished (10% upcharge)				

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | back finish | lock | pull | pull finish | base color. See page H for the designator finish name.


MODEL NUMBER

6-7418HAFSL4E-3

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Back Finish	Lock	Pull	Pull Finish	Base Color
T	EN2	EN2	EN2	EN2	EN2	LXT	NL	Parallel	BWT	H7B

CROSS RAIL BACK STANDARD FEATURES

- Use with Single Sided Height Adjustable Cabinets/Panel Bases
- Covers Electrical Components on Approach Side



model	w	d	h	wt	cu ft	TFL	quartered veneer	
6-54PRB-BACK	40	0.75	5.75	5	1	\$ 89	\$	354
• Use with 54" Worksurfaces								
6-60PRB-BACK	46	0.75	5.75	5	1	\$ 93	\$	376
• Use with 60" Worksurfaces								
6-66PRB-BACK	52	0.75	5.75	5	1	\$ 98	\$	388
• Use with 66" Worksurfaces								
6-72PRB-BACK	58	0.75	5.75	6	1	\$ 106	\$	421
• Use with 72" Worksurfaces								

OPTIONS

Material	Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC

HOW TO ORDER

SPECIFY: Material | finish. See page H for the designator finish name.

MODEL NUMBER


6-54PRB-BACK

Material	Finish
T	EN2

CROSS RAIL STANDARD FEATURES


- Use with Single Sided Height Adjustable Cabinets/Panel Bases
- Supports Privacy Screens and Cable Baskets
- 3 + 1 Wire Configuration
- UL Listed Electrical Components
- Does not Include Duplex Receptacles, Jumpers or In-Feeds (see pages 248-250)
- Four Outlets Each User
- One Power Block Assembly
- Premium Power Includes Face Plates in Silver Powder Coat

BASIC POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRSSB-4	48	6	5.25	15	1	\$ 947	\$ 1,891
• Use with 54" Worksurfaces							
6-60PRSSB-4	54	6	5.25	16	1	\$ 1,009	\$ 2,017
• Use with 60" Worksurfaces							
6-66PRSSB-4	60	6	5.25	17	1	\$ 1,077	\$ 2,154
• Use with 66" Worksurfaces							
6-72PRSSB-4	66	6	5.25	18	2	\$ 1,143	\$ 2,285
• Use with 72" Worksurfaces							

PREMIUM POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRSSA-4	48	6	5.25	16	1	\$ 1,391	\$ 2,779
• Use with 54" Worksurfaces							
6-60PRSSA-4	54	6	5.25	17	1	\$ 1,468	\$ 2,936
• Use with 60" Worksurfaces							
6-66PRSSA-4	60	6	5.25	18	1	\$ 1,533	\$ 3,064
• Use with 66" Worksurfaces							
6-72PRSSA-4	66	6	5.25	19	2	\$ 1,612	\$ 3,222
• Use with 72" Worksurfaces							

OPTIONS

Material	Top Finish	Edge Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Matching Veneer Edge

HOW TO ORDER

SPECIFY: Material | top finish | edge finish. See page H for the designator finish name.

MODEL NUMBER


6-54PRSSB-4

Material	Top Finish	Edge Finish
T	EN2	EN2

CROSS RAIL STANDARD FEATURES

- Use with Single Sided Height Adjustable Cabinets/Panel Bases
- Supports Privacy Screens and Cable Baskets
- Four Outlets Each User
- One Power Block Assembly with Outlet Boxes and Face Plates
- UL Listed Electrical Components
- Receptacles not included
- Hard Wired on Site

CHICAGO POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRSSC-4	48	6	5.25	16	1	\$ 926	\$ 1,167
• Use with 54" Worksurfaces							
6-60PRSSC-4	54	6	5.25	17	1	\$ 1,061	\$ 1,294
• Use with 60" Worksurfaces							
6-66PRSSC-4	60	6	5.25	18	1	\$ 1,116	\$ 1,346
• Use with 66" Worksurfaces							
6-72PRSSC-4	66	6	5.25	19	2	\$ 1,184	\$ 1,429
• Use with 72" Worksurfaces							

OPTIONS

Material	Top Finish	Edge Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Matching Veneer Edge

HOW TO ORDER

SPECIFY: Material | top finish | edge finish. See page H for the designator finish name.


MODEL NUMBER

6-54PRSSC-4

Material	Top Finish	Edge Finish
T	EN2	EN2

CROSS RAIL STANDARD FEATURES

- Use with Single and Double Sided Height Adjustable Cabinets/Panel Bases
- Supports Privacy Screens and Cable Baskets
- Does Not Support Power
- Option to Pre-bore Holes for Installing Surface Mount Privacy Panels



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRB	48	6	2.125	13	1	\$ 617	\$ 1,391
• Use with 54" Worksurfaces							
6-60PRB	54	6	2.125	14	1	\$ 678	\$ 1,524
• Use with 60" Worksurfaces							
6-66PRB	60	6	2.125	15	1	\$ 746	\$ 1,677
• Use with 66" Worksurfaces							
6-72PRB	66	6	2.125	16	2	\$ 816	\$ 1,834
• Use with 72" Worksurfaces							

OPTIONS

Material	Top Finish	Edge Finish	Privacy Screen
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	X9 None H3X Pre-bored for Privacy Screen
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Matching Veneer Edge	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | privacy screen. See page H for the designator finish name.

MODEL NUMBER


6-54PRB

Material	Top Finish	Edge Finish	Privacy Screen
T	EN2	EN2	X9

CROSS RAIL STANDARD FEATURES


- Use with Double Sided Height Adjustable Cabinets/Panel Bases
- Supports Privacy Screens and Cable Baskets
- 3 + 1 Wire Configuration
- UL Listed Electrical Components
- Does not Include Duplex Receptacles, Jumpers or In-Feeds (see pages 248-250)
- Four Outlets Each User
- One Power Block Assembly
- Premium Power Includes Face Plates in Silver Powder Coat
- Option to Pre-bore Holes for Installing Surface Mount Privacy Panels

BASIC POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRB-4	48	6	5.25	14	1	\$ 856	\$ 2,055
• Use with 54" Worksurfaces							
6-60PRB-4	54	6	5.25	15	1	\$ 953	\$ 2,301
• Use with 60" Worksurfaces							
6-66PRB-4	60	6	5.25	16	1	\$ 1,047	\$ 2,514
• Use with 66" Worksurfaces							
6-72PRB-4	66	6	5.25	17	2	\$ 1,143	\$ 2,743
• Use with 72" Worksurfaces							

PREMIUM POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRA-4	48	6	5.25	17	1	\$ 1,391	\$ 3,338
• Use with 54" Worksurfaces							
6-60PRA-4	54	6	5.25	18	1	\$ 1,468	\$ 3,522
• Use with 60" Worksurfaces							
6-66PRA-4	60	6	5.25	19	1	\$ 1,533	\$ 3,676
• Use with 66" Worksurfaces							
6-72PRA-4	66	6	5.25	20	2	\$ 1,600	\$ 3,840
• Use with 72" Worksurfaces							

OPTIONS

Material	Top Finish	Edge Finish	Privacy Screen
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	X9 None H3X Pre-bored for Privacy Screen
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Matching Veneer Edge	

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish | privacy screen. See page H for the designator finish name.

MODEL NUMBER


6-54PRB-4

Material	Top Finish	Edge Finish	Privacy Screen
T	EN2	EN2	X9

CROSS RAIL STANDARD FEATURES

- Use with Double Sided Height Adjustable Cabinets/Panel Bases
- Supports Privacy Screens and Cable Baskets
- Four Outlets Each User
- One Power Block Assembly with Outlet Boxes and Face Plates
- UL Listed Electrical Components
- Receptacles not included
- Hard Wired on Site
- Option to Pre-bore Holes for Installing Surface Mount Privacy Panels

CHICAGO POWER



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-54PRC-4	48	6	5.25	17	1	\$ 1,141	\$ 1,399
• Use with 54" Worksurfaces							
6-60PRC-4	54	6	5.25	18	1	\$ 1,293	\$ 1,539
• Use with 60" Worksurfaces							
6-66PRC-4	60	6	5.25	19	1	\$ 1,345	\$ 1,603
• Use with 66" Worksurfaces							
6-72PRC-4	66	6	5.25	20	2	\$ 1,408	\$ 1,675
• Use with 72" Worksurfaces							

OPTIONS

Material	Top Finish	Edge Finish	Privacy Screen
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	X9 None H3X Pre-bored for Privacy Screen
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Matching Veneer Edge	

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | privacy screen. See page H for the designator finish name.

MODEL NUMBER

6-54PRC-4


Material	Top Finish	Edge Finish	Privacy Screen
T	EN2	EN2	X9

TFL WOODGRAIN AND TFL SOLID COLORS WORKSURFACE EDGE MODESTY STANDARD FEATURES

- Provides Privacy in the Open Plan or Private Office Environment and Promotes Division of Space

NOTES:

- Must be Ordered with Worksurface Edge Modesty Bracket (WEBKT-2) on page 506
- Requires Four Brackets
- Leaves a 1.5"W Gap between Modesty and Worksurface Edge for Wire Management



model	w	d	h	wt	cu ft	list
6-WEMKH-52/16.5	52	0.75	16.5	16	1	\$ 250

- Use with 54" Worksurfaces

6-WEMKH-58/16.5	58	0.75	16.5	18	1	\$ 257
-----------------	----	------	------	----	---	--------


- Use with 60" Worksurfaces

6-WEMKH-64/16.5	64	0.75	16.5	20	1	\$ 265
-----------------	----	------	------	----	---	--------

- Use with 66" Worksurfaces

6-WEMKH-70/16.5	70	0.75	16.5	22	1	\$ 276
-----------------	----	------	------	----	---	--------

- Use with 72" Worksurfaces



model	w	d	h	wt	cu ft	list
6-WEMKH-40/23.75	40	0.75	23.75	19	1	\$ 251

- Use with 54" Worksurfaces

6-WEMKH-46/23.75	46	0.75	23.75	21	1	\$ 263
------------------	----	------	-------	----	---	--------

- Use with 60" Worksurfaces

6-WEMKH-52/23.75	52	0.75	23.75	24	1	\$ 277
------------------	----	------	-------	----	---	--------

- Use with 66" Worksurfaces

6-WEMKH-58/23.75	58	0.75	23.75	27	1	\$ 289
------------------	----	------	-------	----	---	--------

- Use with 72" Worksurfaces

OPTIONS

Finish

TFL Woodgrain Laminate

Quartered

CO2 DS2 NW2 ST2

KD2 PC2 EN2

Flat Cut

LM2 MH2 MC2 BU2

BE2 LC2 VM2

Textured Laminate

FN2 PK2 LO2 DR2

Studio Textured Laminate (10% upcharge)

SD2 CR2

TFL Solid Color Laminate

RW2 FW2 GR2 SG2 BL2

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER

6-WEMKH-52/16.5

Finish


EN2

WOOD VENEER WORKSURFACE EDGE MODESTY STANDARD FEATURES

- Provides Privacy in the Open Plan or Private Office Environment and Promotes Division of Space

NOTES:

- Must be Ordered with Worksurface Edge Modesty Bracket (WEBKT-2) on page 506
- Leaves a 1.5"W Gap between Modesty and Worksurface Edge for Wire Management
- Requires Four Brackets



model	w	d	h	wt	cu ft	list
6-WEMWH-52/16.5	52	0.75	16.5	16	1	\$ 724

- Use with 54" Worksurfaces

6-WEMWH-58/16.5	58	0.75	16.5	18	1	\$ 780
-----------------	----	------	------	----	---	--------


- Use with 60" Worksurfaces

6-WEMWH-64/16.5	64	0.75	16.5	20	1	\$ 836
-----------------	----	------	------	----	---	--------

- Use with 66" Worksurfaces

6-WEMWH-70/16.5	70	0.75	16.5	22	1	\$ 890
-----------------	----	------	------	----	---	--------

- Use with 72" Worksurfaces



model	w	d	h	wt	cu ft	list
6-WEMWH-40/23.75	40	0.75	23.75	19	1	\$ 750

- Use with 54" Worksurfaces

6-WEMWH-46/23.75	46	0.75	23.75	21	1	\$ 819
------------------	----	------	-------	----	---	--------

- Use with 60" Worksurfaces

6-WEMWH-52/23.75	52	0.75	23.75	24	1	\$ 888
------------------	----	------	-------	----	---	--------

- Use with 66" Worksurfaces

6-WEMWH-58/23.75	58	0.75	23.75	27	1	\$ 959
------------------	----	------	-------	----	---	--------

- Use with 72" Worksurfaces

OPTIONS

Finish

Veneer Quartered

OSL MHM MNW MMC BUW

MRO DST MLC MGO EBY

MBM PCO MGW

Studio Veneer Quartered (10% upcharge)

SVC

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER

6-WEMWH-52/16.5

Finish


BUW

FROSTED ACRYLIC WORKSURFACE EDGE MODESTY STANDARD FEATURES

- Provides Privacy in the Open Plan or Private Office Environment and Promotes Division of Space

NOTES:

- Due to its Inherent Material Content, Acrylic Privacy Panels have a Tendency to Warp under Various Conditions. OFS will not assume Responsibility for Replacement if this Happens. See page 253 to order Worksurface Edge Modesty Trim.
- Must be Ordered with Worksurface Edge Modesty Bracket (WEBKT-1) on page 506
- Requires Four Brackets
- Leaves a 1.5"W Gap between Modesty and Worksurface Edge for Wire Management



model	w	d	h	wt	cu ft	list
6-WEMAH-52/16.5	52	0.25	16.5	13	1	\$ 769

- Use with 54" Worksurfaces

6-WEMAH-58/16.5	58	0.25	16.5	14	1	\$ 830
-----------------	----	------	------	----	---	--------


- Use with 60" Worksurfaces

6-WEMAH-64/16.5	64	0.25	16.5	15	1	\$ 890
-----------------	----	------	------	----	---	--------

- Use with 66" Worksurfaces

6-WEMAH-70/16.5	70	0.25	16.5	16	1	\$ 955
-----------------	----	------	------	----	---	--------

- Use with 72" Worksurfaces



model	w	d	h	wt	cu ft	list
6-WEMAH-40/23.75	40	0.25	23.75	10	1	\$ 776

- Use with 54" Worksurfaces

6-WEMAH-46/23.75	46	0.25	23.75	12	1	\$ 853
------------------	----	------	-------	----	---	--------

- Use with 60" Worksurfaces

6-WEMAH-52/23.75	52	0.25	23.75	13	1	\$ 933
------------------	----	------	-------	----	---	--------

- Use with 66" Worksurfaces

6-WEMAH-58/23.75	58	0.25	23.75	15	1	\$ 1,010
------------------	----	------	-------	----	---	----------

- Use with 72" Worksurfaces

HOW TO ORDER

MODEL NUMBER


6-WEMAH-52/16.5

FABRIC WORKSURFACE EDGE MODESTY STANDARD FEATURES

- Provides Privacy in the Open Plan or Private Office Environment and Promotes Division of Space

NOTES:

- Must be Ordered with Worksurface Edge Modesty Bracket (WEBKT-3) on page 506
- Requires Four Brackets
- Leaves a 1.5"W Gap between Modesty and Worksurface Edge for Wire Management



					model					w		d		h		wt		cu ft	
					6-WEMFH-52/16.5					52		1		16.5		15		1	
					• Use with 54" Worksurfaces														
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	638	670	707	753	818	910	1,002	1,094	1,186	1,278	1,370	1,462	1,554	1,646	1,738	n/a	n/a	n/a
					model					w		d		h		wt		cu ft	
					6-WEMFH-58/16.5					58		1		16.5		18		1	
					• Use with 60" Worksurfaces														
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	706	738	775	821	886	978	1,070	1,162	1,254	1,346	1,438	1,530	1,622	1,714	1,806	n/a	n/a	n/a
					model					w		d		h		wt		cu ft	
					6-WEMFH-64/16.5					64		1		16.5		20		1	
					• Use with 66" Worksurfaces														
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	779	816	858	911	984	1,089	1,195	1,300	1,405	1,510	1,616	1,721	1,826	1,931	2,037	n/a	n/a	n/a
					model					w		d		h		wt		cu ft	
					6-WEMFH-70/16.5					70		1		16.5		24		1	
					• Use with 72" Worksurfaces														
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2.25	n/a	854	895	943	1,002	1,085	1,203	1,322	1,440	1,558	1,677	1,795	1,914	2,032	2,150	2,269	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-WEMFH-52/16.5

Fabric/Grade


Grade 3, Momentum, Hue, Smoke

FABRIC WORKSURFACE EDGE MODESTY STANDARD FEATURES

- Provides Privacy in the Open Plan or Private Office Environment and Promotes Division of Space

NOTES:

- Must be Ordered with Worksurface Edge Modesty Bracket (WEBKT-3) on page 506
- Requires Four Brackets
- Leaves a 1.5"W Gap between Modesty and Worksurface Edge for Wire Management



model	w	d	h	wt	cu ft
6-WEMFH-40/23.75	40	1	23.75	18	1

- Use with 54" Worksurfaces

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.25	n/a	403	426	452	485	531	597	663	729	794	860	926	992	1,057	1,123	1,189	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-WEMFH-46/23.75	46	1	23.75	21	1

- Use with 60" Worksurfaces

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	463	491	522	562	617	696	775	854	933	1,012	1,091	1,169	1,248	1,327	1,406	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-WEMFH-52/23.75	52	1	23.75	23	1

- Use with 66" Worksurfaces

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	525	557	594	640	705	797	889	981	1,073	1,165	1,257	1,349	1,441	1,533	1,625	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-WEMFH-58/23.75	58	1	23.75	27	1

- Use with 72" Worksurfaces

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	582	614	651	697	762	854	946	1,038	1,130	1,222	1,314	1,406	1,498	1,590	1,682	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-WEMFH-40/23.75


Fabric/Grade

Grade 3, Momentum, Hue, Smoke

WORKSURFACE EDGE MODESTY BRACKET STANDARD FEATURES

- Clamps on Front Edge of Worksurface to Support Modesty Panel above and below the Worksurface, Providing Personal Privacy in a Collaborative Environment


FOR ACRYLIC PANELS



model	w	d	h	wt	cu ft	list
WEBKT-1	1	3.6875	2.5	1	0.04	\$ 34

- Two Piece Attachment


FOR WOOD AND TFL PANEL



model	w	d	h	wt	cu ft	list
WEBKT-2	1	3.25	2.5	1	0.04	\$ 24

- NOTE: When Wood and TFL Panels are used, the Brackets are Not Visible from the Approach Side

FOR FABRIC PANEL



model	w	d	h	wt	cu ft	list
WEBKT-3	1	3.6875	2.5	1	0.04	\$ 31

- Two Piece Attachment

OPTIONS

Finish

Standard Powder Coat

BWT Bone White

CHLK Chalk

SGLD Gold

GRPH Graphite

MSL Luster Grey

HIP Oiled Bronze

BKO Onyx

POLR Polar

SBRZ Soft Bronze

STON Stone

HIF Warm Grey

Super Matte Powder Coat

ION Ion

Studio Powder Coat

PAL Polished Aluminum

HERN Heron

LATT Latte

MOSS Moss

RUST Rust

TURM Turmeric

HIFA Warm Grey

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER

WEBKT-1

Finish

BWT



FABRIC PRIVACY PANEL STANDARD FEATURES

• Tackable Fabric Covered Panel

• Includes Post Brackets

• Field Installed



model	w	d	h	wt	cu ft
6-5225PP	52	1.4375	25	44	3
• Use with 54" Worksurfaces					

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	771	803	840	886	951	1,043	1,135	1,227	1,319	1,411	1,503	1,595	1,687	1,779	1,871	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-5825PP	58	1.4375	25	48	4
• Use with 60" Worksurfaces					

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	812	844	881	927	992	1,084	1,176	1,268	1,360	1,452	1,544	1,636	1,728	1,820	1,912	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-6425PP	64	1.4375	25	52	4
• Use with 66" Worksurfaces					

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	894	931	973	1,026	1,099	1,204	1,310	1,415	1,520	1,625	1,731	1,836	1,941	2,046	2,152	n/a	n/a	n/a

model	w	d	h	wt	cu ft
6-7025PP	70	1.4375	25	56	4
• Use with 72" Worksurfaces					

yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2.25	n/a	938	979	1,027	1,086	1,169	1,287	1,406	1,524	1,642	1,761	1,879	1,998	2,116	2,234	2,353	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER


6-5225PP

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

BOX/FILE/OPEN SHELVES FLOOR STORAGE STANDARD FEATURES

- One Box Drawer
- One Adjustable Shelf
- One File Drawer for Letter or Legal Filing
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-3018FSL1	LEFT	30	18	23	105	10	\$ 1,118	\$ 2,796
6-3618FSL1	LEFT	36	18	23	110	11	\$ 1,342	\$ 3,357
6-3018FSR1	RIGHT	30	18	23	105	10	\$ 1,118	\$ 2,796
6-3618FSR1	RIGHT	36	18	23	110	11	\$ 1,342	\$ 3,357

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey <i>Super Matte Powder Coat</i> ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNV <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC				

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | lock | pull | pull finish. See page H for the designator finish name.


MODEL NUMBER

6-3018FSL1

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	EN2	NL	Parallel	BWT

OPEN SHELF/FILE/OPEN SHELVES FLOOR STORAGE STANDARD FEATURES

- One Open Shelf Above Drawer
- One Adjustable Shelf
- One File Drawer for Letter or Legal Filing
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-3018FSL2	LEFT	30	18	23	105	10	\$ 1,083	\$ 2,710
6-3618FSL2	LEFT	36	18	23	110	11	\$ 1,302	\$ 3,252
6-3018FSR2	RIGHT	30	18	23	105	10	\$ 1,083	\$ 2,710
6-3618FSR2	RIGHT	36	18	23	110	11	\$ 1,302	\$ 3,252

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Drawer Finish	Lock	Pull	Pull Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey <i>Super Matte</i> <i>Powder Coat</i> ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	Drawer Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC			

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | drawer finish | lock | pull | pull finish. See page H for the designator finish name.


MODEL NUMBER

6-3018FSL2

Material	Top Finish	Edge Finish	Chassis Finish	Drawer Finish	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	NL	Parallel	BWT

BOX/FILE/OPEN SHELVES FLOOR STORAGE STANDARD FEATURES

- One Box Drawer
- One 30"W Lateral File Drawer for Letter or Legal Filing
- One Adjustable Shelf
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-4218FSL3	LEFT	42	18	23	115	13	\$ 1,446	\$ 3,588
6-4818FSL3	LEFT	48	18	23	120	14	\$ 1,647	\$ 4,119
6-4218FSR3	RIGHT	42	18	23	115	13	\$ 1,446	\$ 3,588
6-4818FSR3	RIGHT	48	18	23	120	14	\$ 1,647	\$ 4,119

- 42"W = 30"W Lateral and 12"W Open
- 48"W = 30"W Lateral and 18"W Open

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey <i>Super Matte Powder Coat</i> ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC				

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | top drawer finish | bottom drawer finish | lock | pull | pull finish. See page H for the designator finish name.


MODEL NUMBER

6-4218FSL3

Material	Top Finish	Edge Finish	Chassis Finish	Top Drawer Finish	Bottom Drawer Finish	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	EN2	NL	Parallel	BWT

OPEN SHELF/FILE/OPEN SHELVES FLOOR STORAGE STANDARD FEATURES

- One Open Shelf Above Drawer
- One 30"W Lateral File Drawer for Letter or Legal Filing
- One Adjustable Shelf
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-4218FSL4	LEFT	42	18	23	115	13	\$ 1,375	\$ 3,440
6-4818FSL4	LEFT	48	18	23	120	14	\$ 1,572	\$ 3,930
6-4218FSR4	RIGHT	42	18	23	115	13	\$ 1,375	\$ 3,440
6-4818FSR4	RIGHT	48	18	23	120	14	\$ 1,572	\$ 3,930

- 42"W = 30"W Lateral and 12"W Open
- 48"W = 30"W Lateral and 18"W Open

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish	Drawer Finish	Lock	Pull	Pull Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SBRZ Soft Bronze SNCK Satin Nickel STON Stone HIF Warm Grey Super Matte Powder Coat ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC			

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish | drawer finish | lock | pull | pull finish. See page H for the designator finish name.


MODEL NUMBER

6-4218FSL4

Material	Top Finish	Edge Finish	Chassis Finish	Drawer Finish	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	NL	Parallel	BWT

OPEN SHELF FLOOR STORAGE STANDARD FEATURES

- One Adjustable Shelf Each Section
- Finished Back



model		w	d	h	wt	cu ft	TFL	quartered veneer
6-4218FSL5	LEFT	42	18	23	115	13	\$ 1,328	\$ 3,320
6-4818FSL5	LEFT	48	18	23	120	14	\$ 1,517	\$ 3,794
6-4218FSR5	RIGHT	42	18	23	115	13	\$ 1,328	\$ 3,320
6-4818FSR5	RIGHT	48	18	23	120	14	\$ 1,517	\$ 3,794

- 42"W = 30"W Open and 12"W Open
- 48"W = 30"W Open and 18"W Open

OPTIONS

Material	Top Finish	Edge Finish	Chassis Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> (10% upcharge) SVC	2mm Matching Edge Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC	Veneer <i>Quartered</i> OSL DST MLC MGO MRO PCO MGW BUW MBM MNW MMC EBY MHM <i>Studio Veneer Quartered</i> SVC

HOW TO ORDER

SPECIFY: Material | top finish | edge finish | chassis finish. See page H for the designator finish name.


MODEL NUMBER

6-4218FSL5

Material	Top Finish	Edge Finish	Chassis Finish
T	EN2	EN2	EN2

CUSHION FOR HEIGHT ADJUSTABLE STORAGE CABINETS STANDARD FEATURES

- Must be Field Installed



model	w	d	h	wt	cu ft
6-3018SC	30	18	1.5	9	1

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	20	258	276	297	324	361	413	466	518	571	624	676	729	782	834	887	508	561	613

model	w	d	h	wt	cu ft
6-3618SC	36	18	1.5	10	1

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.25	25	312	335	361	394	440	506	572	638	703	769	835	901	966	1,032	1,098	616	682	747

model	w	d	h	wt	cu ft
6-4218SC	42	18	1.5	11	1

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.25	25	359	382	408	441	487	553	619	685	750	816	882	948	1,013	1,079	1,145	663	729	794

model	w	d	h	wt	cu ft
6-4818SC	48	18	1.5	12	2

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	30	411	439	470	510	565	644	723	802	881	960	1,039	1,117	1,196	1,275	1,354	770	849	927

ROUND CUSHION STANDARD FEATURES

- Round Cushion Provides Flexibility in Positioning on any Height Adjustable Storage Cabinet. Not Permanently Installed, this Cushion Simply Rests on the Surface. Anti-Slip Material on Underneath Side Keeps Cushion Securely in Place.



model	w	d	h	wt	cu ft
6-16RSC	16	16	1.5	7	1

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1	20	275	293	314	341	378	430	483	535	588	641	693	746	799	851	904	525	578	630

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER


6-3018SC

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

PET WIRE MANAGER STANDARD FEATURES

- Mounts to Underside of Cross Rail
- Includes Mounting Hardware



model	w	d	h	wt	cu ft	list
WM-P32CR	32	6	5	1	0.6	\$ 240
• Use with 54" Worksurface						
WM-P44CR	44	6	5	2	0.6	\$ 261
• Use with 60" and 66" Worksurfaces						
WM-P56CR	56	6	5	2	0.6	\$ 334
• Use with 72" Worksurface						

PET HIGH BACK WIRE MANAGER STANDARD FEATURES


- Mounts to Underside of Cross Rail
- Includes Mounting Hardware



model	w	d	h	wt	cu ft	list
WM-P32CRB	32	6	5	2	0.6	\$ 281
• Use with Single Sided 54" Worksurface						
WM-P44CRB	44	6	5	2	0.6	\$ 295
• Use with Single Sided 60" and 66" Worksurfaces						
WM-P56CRB	56	6	5	2	0.6	\$ 311
• Use with Single Sided 72" Worksurface						

CABLE BASKET KIT STANDARD FEATURES


- Attaches to Cross Rail



model	w	d	h	wt	cu ft	list
WM-32CBKCR-1	32	12	5	2	2	\$ 529
• Use with 54" Worksurface						
WM-44CBKCR-1	44	12	5	2	2	\$ 549
• Use with 60" and 66" Worksurfaces						
WM-56CBKCR-1	56	12	5	2	2	\$ 573
• Use with 72" Worksurface						

PET WIRE MANAGER STANDARD FEATURES

- Mounts to Underside of Worksurface



model	w	d	h	wt	cu ft	list
WM-P32	32	8	2.5	2	0.6	\$ 193
WM-P44	44	8	2.5	2	0.6	\$ 239
WM-P56	56	8	2.5	3	0.6	\$ 250
WM-P68	68	8	2.5	3	0.6	\$ 261


HOW TO ORDER

MODEL NUMBER

WM-P32CR

WIRE MANAGER BASKET STANDARD FEATURES


- Silver Powder Coat Finish
- Channel for Heavy Cabling



model	w	d	h	wt	cu ft	list
WBT45H	45.125	2.25	4.25	7	0.4	\$ 84
WBT57H	57.125	2.25	4.25	8	0.5	\$ 104

WIRE MANAGER STANDARD FEATURES

ADJUSTABLE HEIGHT



model	w	d	h	wt	cu ft	list
WM-HA	4.5	4.5	50	4	0.25	\$ 230

- Black and Silver Combination
- Attaches to Underside of Worksurface and Cross Rail
- Weighted Base for Placement Stability
- Magnetic Section to Secure to Table Base Column

TABLE TO TABLE CONNECTION



model	w	d	h	wt	cu ft	list
WM-HA2 Black/Silver Combination	27	4.5	4.5	2	0.25	\$ 154

- Attaches to Underside of Height Adjustable Worksurface to Underside of 29" High Fixed Height Worksurface


model	w	d	h	wt	cu ft	list
WM-HA3 Silver/Silver Combination	42.25	2.25	2.25	3	.25	\$ 181
WM-HA4 Black/Black Combination	42.25	2.25	2.25	3	.25	\$ 181
WM-HA5 White/White Combination	42.25	2.25	2.25	3	.25	\$ 181

- Attaches to Underside of Worksurface and Cable Carrier


HOW TO ORDER

MODEL NUMBER


WBT45H

POWER IN-FEED EIGHT-WIRE ELECTRICAL SYSTEM STANDARD FEATURES
LIQUID TIGHT CONDUIT



model	w	d	h	wt	cu ft	list
PWF3L120	10'	2	1	14	1	\$ 303
• 10' Cord • Hardwire • UL Listed						

METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF3M120	10'	2	1	14	1	\$ 247
• 10' Cord • Hardwire • UL Listed						

METAL CONDUIT


model	w	d	h	wt	cu ft	list
PWF3NYC	6'	2	1.5	17	1	\$ 277
• 6' Cord • Complies with New York City Code • UL Listed						

POWER IN-FEED


model	w	d	h	wt	cu ft	list
PWF3M20AMP	6'	n/a	n/a	4	1	\$ 217
• Limits System to One Circuit (Must Use all Circuit I Outlets) • 20 Amp Plug • Usage Requires 20 Amp Wall Outlet • Straight Plug • 6' Cord • UL Recognized						

ROTATING POWER


model	w	d	h	wt	cu ft	list
PWF3QD	6.5	4.75	1	2	1	\$ 126
• Quick Disconnect Wall Outlet • Allows Cords to be Removed from Wall when Hardwiring • UL Listed						

CONNECTOR STANDARD FEATURES

- UL Listed

H BLOCK


model	w	d	h	wt	cu ft	list
HCB2	0.25	2	2	1	0.1	\$ 41
• Enables Power Connection to Start at any Point in the Chain of Tables • Allows Junction of up to Four Jumpers						

JUMPER


model	w	d	h	wt	cu ft	list
JC-2	0.25	0.75	2	1	0.1	\$ 29
• Allows Connection of Two Jumpers						

HOW TO ORDER
MODEL NUMBER


PWF3L120



POWER BLOCK FOR RECEPTACLE STANDARD FEATURES

- UL Listed


SINGLE



model	w	d	h	wt	cu ft	list
PBS1	5.25	2	2	1	.01	\$ 86

- Single Block
- Receives Two Duplex Receptacles (Double Sided)

DOUBLE



model	w	d	h	wt	cu ft	list
PBD1	10.5	2	2	2	.03	\$ 120

- Double Block
- Receives Four Duplex Receptacles (Double Sided)


SINGLE HALF



model	w	d	h	wt	cu ft	list
PHBS1	5.25	2	1	1	.01	\$ 83

- Single Half Block
- Receives One Duplex Receptacles (Single Sided)

DOUBLE HALF



model	w	d	h	wt	cu ft	list
PHBD1	10.5	2	1	1	.01	\$ 116

- Double Half Block
- Receives Two Duplex Receptacle (Single Sided)

POWER BLOCK BRACKET STANDARD FEATURES

- Used to Mount Power Blocks Under Worksurfaces



model	w	d	h	wt	cu ft	list
PBBKT1	3.5	1.6875	0.9375	1	.01	\$ 12

DUPLEX RECEPTACLE STANDARD FEATURES

- 15 Amp Circuit
- UL Listed



model		w	d	h	wt	cu ft	list
DPX8W1	Circuit I	3.5	1.75	.875	1	0.1	\$ 27
DPX8W2	Circuit II	3.5	1.75	.875	1	0.1	\$ 27
DPX8W3	Circuit III	3.5	1.75	.875	1	0.1	\$ 27
DPX8W4	Circuit IV (Isolated and Dedicated)	3.5	1.75	.875	1	0.1	\$ 27

HOW TO ORDER


MODEL NUMBER

PBS1



POWER JUMPER STANDARD FEATURES

- Multi Circuit Jumper for Eight-Wire Metal Conduit
- UL Listed




model	w	d	h	wt	cu ft	list
MCJ8W8M	8	2	1	2	0.1	\$ 99
MCJ8W12M	12	2	1	3	0.1	\$ 100
MCJ8W14M	14	2	1	3	0.1	\$ 102
MCJ8W16M	16	2	1	4	0.1	\$ 104
MCJ8W18M	18	2	1	5	0.1	\$ 107
MCJ8W20M	20	2	1	5	0.1	\$ 107
MCJ8W24M	24	2	1	6	0.1	\$ 108
MCJ8W26M	26	2	1	6	0.1	\$ 110
MCJ8W28M	28	2	1	6	0.1	\$ 111
MCJ8W30M	30	2	1	7	0.1	\$ 114
MCJ8W32M	32	2	1	8	0.1	\$ 117
MCJ8W36M	36	2	1	8	0.1	\$ 121
MCJ8W38M	38	2	1	9	0.1	\$ 124
MCJ8W40M	40	2	1	10	0.1	\$ 126
MCJ8W42M	42	2	1	10	0.1	\$ 127
MCJ8W44M	44	2	1	11	0.1	\$ 139
MCJ8W46M	46	2	1	12	0.1	\$ 141
MCJ8W48M	48	2	1	12	0.1	\$ 143
MCJ8W50M	50	2	1	13	0.1	\$ 145
MCJ8W54M	54	2	1	13	0.1	\$ 152
MCJ8W56M	56	2	1	14	0.1	\$ 153
MCJ8W60M	60	2	1	14	0.1	\$ 158
MCJ8W66M	66	2	1	15	0.1	\$ 172
MCJ8W72M	72	2	1	18	0.1	\$ 182
MCJ8W78M	78	2	1	19	0.1	\$ 190
MCJ8W84M	84	2	1	20	0.1	\$ 201

POWER IN-FEED STANDARD FEATURES

- Hardwire
- UL Listed

METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF4M120N	10'	2	1	17	1	\$ 2,296

- Circuitrac In-Feed
- 10' Power Cord
- Complies with ASHRAE Title 24 Requirements

SENSOR STANDARD FEATURES

- Circuitrac Sensor for use with PWF4M120N



model	w	d	h	wt	cu ft	list
SEN1	3	3	3	1	0.5	\$ 739

DUPLEX RECEPTACLES STANDARD FEATURES

- 15 Amp Circuit
- Printed with Controlled Circuit Label
- For Use with PWF4M120N
- UL Listed



model		w	d	h	wt	cu ft	list
DPX8WCT1	Circuit I	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT2	Circuit II	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT3	Circuit III	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT4	Circuit IV (isolated and dedicated)	3.5	1.75	.875	1	0.1	\$ 30


HOW TO ORDER

MODEL NUMBER

SEN1

BASIC OVERVIEW: WORKSURFACES, SUPPORTS AND ADD-ONS

- Rectangular benching configurations available in 96", 120", 144", 180", 192", 216", 240" and 288"W sizes.
- Tri and quad cluster configurations available.
- Worksurfaces available in TFL, HPL or wood veneer. Refer to page 215 of this pricer for a complete listing.
- STAKS® metal leg supports worksurfaces and facilitates the creation of a lighter scale furniture design.
- Metal base components are available in eight powder coat colors.
- Worksurface privacy panel creates division between users within same workstation and is available in TFL, veneer, acrylic, glass, dry erase laminates or tackboards.
- Floor storage units provide additional storage and space division, as well as provide seating for impromptu meetings.
- Above surface storage units provide additional storage space while also creating a visual barrier between users.
- Electrical components are easily attached to the underside of toolrails for easy electrical access for each user.
- Wire baskets allow for easy management of electrical wiring and data cabling.



RECTANGULAR WORKSURFACE STANDARD FEATURES


- For Worksurface Height only
- Use with 48"W Metal H Leg Support

NOTES:

- Square Edge Standard
- Optional Top Material, Edge Finish Combinations (see page 217)
- Optional Grommets

- Optional Power Cutout Location Selections
- Worksurface Straightener Should be Specified to use when Span of Unsupported Worksurface is Greater than 48"W (see page 313)

22"D



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-MCT-48/22	48	22	1	33	3	\$ 370	\$ 553
6-MCT-54/22	54	22	1	37	4	\$ 418	\$ 624
6-MCT-60/22	60	22	1	41	4	\$ 455	\$ 682
6-MCT-66/22	66	22	1	45	4	\$ 460	\$ 687
6-MCT-72/22	72	22	1	49	4	\$ 472	\$ 706
6-MCT-78/22	78	22	1	53	4	\$ 509	\$ 764
6-MCT-84/22	84	22	1	57	4	\$ 543	\$ 817

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FNP PKP LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	G1 No Grommet G2 Right \$91 G3 Center \$91 G4 Left \$91 G5 Right and Left \$182 G6 Right and Center \$182 G7 Left and Center \$182 G8 Right, Left and Center \$273	G1 No Grommet LJ Black LK Silver	A9F No Cutout A9G Right A9H Center A9J Left A9K Right and Left A9L Right and Center A9M Left and Center A9N Right, Left and Center NOTE: Power Supply must be ordered separately (see pages 314-319)
	V Veneer NOTE: Veneer and HPL have a matching veneer edge					
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW	 DN Square (2mm Wood Edge)	Matching Veneer Edge			
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP					

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish | grommet location | grommet color | power cutout. See page H for the designator finish name.

MODEL NUMBER

6-MCT-48/22

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T	EN2	EY	EN2	G1	G1	A9F

RECTANGULAR WORKSURFACE STANDARD FEATURES


- For Worksurface Height only
- Use with 48"W or 64"W Metal H Leg Support

NOTES:

- Square Edge Standard
- Optional Top Material, Edge Finish Combinations (see page 217)
- Optional Grommets

- Optional Power Cutout Location Selections
- Worksurface Straightener Should be Specified to use when Span of Unsupported Worksurface is Greater than 48"W (see page 313)

30"D



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-MCT-48/30	48	30	1	46	3	\$ 500	\$ 753
6-MCT-54/30	54	30	1	50	3	\$ 532	\$ 795
6-MCT-60/30	60	30	1	56	4	\$ 553	\$ 833
6-MCT-66/30	66	30	1	62	4	\$ 587	\$ 881
6-MCT-72/30	72	30	1	67	4	\$ 604	\$ 908
6-MCT-78/30	78	30	1	69	5	\$ 631	\$ 948
6-MCT-84/30	84	30	1	75	6	\$ 657	\$ 986

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FNP PKP LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	G1 No Grommet G2 Right \$91 G3 Center \$91 G4 Left \$91 G5 Right and Left \$182 G6 Right and Center \$182 G7 Left and Center \$182 G8 Right, Left and Center \$273	G1 No Grommet LJ Black LK Silver	A9F No Cutout A9G Right A9H Center A9J Left A9K Right and Left A9L Right and Center A9M Left and Center A9N Right, Left and Center NOTE: Power Supply must be ordered separately (see pages 314-319)
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge			
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge MRO DST PCO MNW MGW MGO MBM MHM MLC MMC BUW			

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish | grommet location | grommet color | power cutout. See page H for the designator finish name.

MODEL NUMBER

6-MCT-48/30

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T	EN2	EY	EN2	G1	G1	A9F

RECTANGULAR WORKSURFACE STANDARD FEATURES


- For Worksurface Height only
- Use with 64"W Metal H Leg Support

NOTES:

- Square Edge Standard
- Optional Top Material, Edge Finish Combinations (see page 217)
- Optional Grommets

- Optional Power Cutout Location Selections
- Worksurface Straightener Should be Specified to use when Span of Unsupported Worksurface is Greater than 48"W (see page 313)

36"D



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-MCT-48/36	48	36	1	51	4	\$ 511	\$ 760
6-MCT-54/36	54	36	1	57	4	\$ 571	\$ 816
6-MCT-60/36	60	36	1	67	4	\$ 616	\$ 926
6-MCT-66/36	66	36	1	74	5	\$ 678	\$ 1,015
6-MCT-72/36	72	36	1	80	5	\$ 739	\$ 1,107
6-MCT-78/36	78	36	1	83	5	\$ 813	\$ 1,214
6-MCT-84/36	84	36	1	89	6	\$ 889	\$ 1,336

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FNP PKP LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BL2 NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	G1 No Grommet G2 Right \$91 G3 Center \$91 G4 Left \$91 G5 Right and Left \$182 G6 Right and Center \$182 G7 Left and Center \$182 G8 Right, Left and Center \$273	G1 No Grommet LJ Black LK Silver	A9F No Cutout A9G Right A9H Center A9J Left A9K Right and Left A9L Right and Center A9M Left and Center A9N Right, Left and Center NOTE: Power Supply must be ordered separately (see pages 314-319)
	V Veneer NOTE: Veneer and HPL have a matching veneer edge					
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW	 DN Square (2mm Wood Edge)	Matching Veneer Edge			
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP					

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish | grommet location | grommet color | power cutout. See page H for the designator finish name.

MODEL NUMBER

6-MCT-48/36

Material	Top Finish	Edge Shape	Edge Finish	Grommet Location	Grommet Color	Power Cutout
T	EN2	EY	EN2	G1	G1	A9F

RECTANGULAR WORKSURFACE EXTENSION STANDARD FEATURES

NOTE:

- Attaches to Rectangular Worksurface with ECBKT4 Bracket (use One Set per Top)
- 48"W Extension must be used with 48"W Leg
- 64"W Extension must be used with 64"W Leg

TOP



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-4814ET	48.125	14	1	32	1	\$ 370	\$ 553
6-6414ET	64.125	14	1	40	2	\$ 460	\$ 687

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FN2 PKP LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BLP NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge MRO DST PCO MNW MGW MGO MBM MHM MLC MMC BUW

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish. See page H for the designator finish name.

MODEL NUMBER

6-4814ET

Material	Top Finish	Edge Shape	Edge Finish
T	EN2	EY	EN2

CLUSTER WORKSURFACE STANDARD FEATURES

- For Worksurface Height only
- Diagonal Grain
- Use with 6-48HBA3

NOTES:

- Square Edge Standard
- Optional Top Material, Edge Finish Combinations (see page 217)

TRI



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-CU-93.5/46	93.5	46	1	60	6	\$ 1,391	\$ 2,032

- For Tri Cluster 120 Degree Work Station

QUAD



model	w	d	h	wt	cu ft	TFL	quartered veneer/HPL
6-CU-54/54	54	54	1	65	6	\$ 1,063	\$ 1,619

- For Quad Cluster Work Station

OPTIONS

Material	Top Finish	Edge Shape	Edge Finish
T TFL or HPL NOTE: TFL and HPL have any PP edge finish.	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2 HPL Woodgrain Laminate <i>Quartered</i> COP DSP NWP STP KDP PCP MEP <i>Flat Cut</i> TMP HNP CMP BUP BEP CHP MGP <i>Textured Laminate</i> FN2 PK2 LOP DRP <i>Studio Textured Laminate (10% upcharge)</i> SDP CRP HPL Solid Color Laminate RWP FWP GRP SGP BL2 NOTE: Wilsonart matte texture standard pattern color laminates are available at standard list prices. Lead times may extend depending on supplier's availability. See page I.	 EY Square (2mm PP Edge)	Any PP Edge Color LM2 KD2 LC2 ST2 GR2 CO2 DS2 EN2 BU2 SG2 BE2 PC2 MC2 RW2 BL2 MH2 NW2 VM2 FW2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
V Veneer NOTE: Veneer and HPL have a matching veneer edge	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge
	HPL Woodgrain Laminate <i>Quartered</i> COP DSP PCP NWP MEP STP <i>Flat Cut</i> BEP HNP CHP CMP BUP	 DN Square (2mm Wood Edge)	Matching Veneer Edge MRO DST PCO MNW MGW MGO MBM MHM MLC MMC BUW

HOW TO ORDER

SPECIFY: Material | top finish | edge shape | edge finish. See page H for the designator finish name.

MODEL NUMBER


6-CU-93.5/46

Material	Top Finish	Edge Shape	Edge Finish
T	EN2	EY	EN2

SUPPORT STANDARD FEATURES

- Used on Ends of Benching Units
- For Worksurface Height Support only
- Set of Two

O LEG



- Inset Upper Cross Member
- Flush Lower Cross Member

model	w	d	h	wt	cu ft	list
6-48OBA2	48.125	4	27.875	90	4	\$ 2,157

- Use with 22" or 30"D Worksurface

6-64OBA2	64.125	4	27.875	100	6	\$ 2,366
----------	--------	---	--------	-----	---	----------

- Use with 30" or 36"D Worksurface

SUPPORT FOR WORKSURFACE EXTENSION STANDARD FEATURES

- Used with Rectangular Worksurface Extension
- Inset Upper Cross Member
- Set of Two
- For Worksurface Height Support only

H LEG




model	w	d	h	wt	cu ft	list
6-48HBA3	48.125	4	27.875	54	4	\$ 1,290

- Use with 22" or 30"D Worksurface

6-64HBA3	64.125	4	27.875	74	6	\$ 1,596
----------	--------	---	--------	----	---	----------

- Use with 30" or 36"D Worksurface

O LEG



- Flush Lower Cross Member

model	w	d	h	wt	cu ft	list
6-48OBA3	48.125	4	27.875	58	4	\$ 1,848

- Use with 22" or 30"D Worksurface

6-64OBA3	64.125	4	27.875	79	6	\$ 2,022
----------	--------	---	--------	----	---	----------

- Use with 30" or 36"D Worksurface

OPTIONS

Finish

Standard Powder Coat

BWT Bone White

CHLK Chalk

COPP Copper

SGLD Gold

GRPH Graphite

MSL Luster Grey

HIP Oiled Bronze

BKO Onyx

POLR Polar

SBRZ Soft Bronze

STON Stone

HIF Warm Grey

Super Matte Powder Coat

ION Ion

Studio Powder Coat

(10% upcharge)

HERN Heron

LATT Latte

MOSS Moss

RUST Rust

TURM Turmeric

HIFA Warm Grey

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER

6-48HBA3

Finish

BWT

CENTER H BASE STANDARD FEATURES

- Used to Support Worksurfaces as Center Supports in Benching Units
- For Worksurface Height Support only



model	w	d	h	wt	cu ft	list
6-30CHBA1	30	8	27.875	45	7	\$ 588
• Use with 22"D Worksurface						
6-42CHBA1	42	8	27.875	58	8	\$ 742
• Use with 30" or 36"D Worksurface						

CLUSTER SUPPORT BASE STANDARD FEATURES

- For Worksurface Height Support only

QUAD



model	w	d	h	wt	cu ft	list
6-QCBA	9.5	9.5	27.875	11	2	\$ 399
• Use in Center of Quad Cluster Configuration						

TRI



model	w	d	h	wt	cu ft	list
6-TCBA	16	16	27.875	14	2	\$ 457
• Use in Center of Tri Cluster Configuration						

BRACKET STANDARD FEATURES

- Set of Four

HANGING



model	w	d	h	wt	cu ft	list
HSBKT4	1.5	1.4375	12.25	6	0.2	\$ 187
• Attaches End Storage Box to Side of Benching Unit						

EXTENSION CANTILEVER



model	w	d	h	wt	cu ft	list
ECBKT4	18	2.75	0.75	8	0.25	\$ 385
• Attaches Worksurface Extension or End Storage Box to Side of Benching Unit						
• Black Finish Only						

OPTIONS

Finish (not available on ECBKT4)

Standard Powder Coat

BWT Bone White

CHLK Chalk

COPP Copper

SGLD Gold

GRPH Graphite

MSL Luster Grey

HIP Oiled Bronze

BKO Onyx

POLR Polar

SBRZ Soft Bronze

STON Stone

HIF Warm Grey

Super Matte Powder Coat

ION Ion

Studio Powder Coat
(10% upcharge)

HERN Heron

LATT Latte

MOSS Moss

RUST Rust

TURM Turmeric

HIFA Warm Grey

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER

6-30CHBA1

Finish (not available on ECBKT4)


BWT



DOUBLE SIDED TOOLRAIL KIT STANDARD FEATURES


- Clear Anodized Aluminum Finish
- End Cap on Ends (set of two)
- **NOTE:** Use when Specifying 1/4" Thick Privacy Panel
 - Single Sided Frosted Glass
 - Double Sided Frosted Glass
 - Frosted Acrylic
 - Clear Glass

TWO TOOLRAIL KITS




model		w	d	h	wt	cu ft	list
6-A96TRKA2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 1,172
6-A108TRKA2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 1,267
6-A120TRKA2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,354
6-A132TRKA2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,442
6-A144TRKA2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,580
6-A156TRKA2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,824
6-A168TRKA2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 2,126

THREE TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A144TRKA3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,738
6-A162TRKA3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 1,886
6-A180TRKA3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,977
6-A198TRKA3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 2,117
6-A216TRKA3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 2,290
6-A234TRKA3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,528
6-A252TRKA3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,791

FOUR TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A192TRKA4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 2,290
6-A216TRKA4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 2,468
6-A240TRKA4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,608
6-A264TRKA4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,801
6-A288TRKA4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 3,048
6-A312TRKA4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 3,608
6-A336TRKA4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 4,197

HOW TO ORDER

MODEL NUMBER


6-A96TRKA2



DOUBLE SIDED TOOLRAIL KIT STANDARD FEATURES


- Clear Anodized Aluminum Finish
- End Cap on Ends (set of two)
- **NOTE:** Use when Specifying 1" Thick Privacy Panel
 - TFL
 - Veneer
 - Dry Erase
 - Fabric Tackboard

TWO TOOLRAIL KITS




model		w	d	h	wt	cu ft	list
6-A96TRKB2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 908
6-A108TRKB2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 1,056
6-A120TRKB2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,202
6-A132TRKB2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,347
6-A144TRKB2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,420
6-A156TRKB2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,666
6-A168TRKB2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 1,954

THREE TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A144TRKB3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,374
6-A162TRKB3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 2,455
6-A180TRKB3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,768
6-A198TRKB3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 1,915
6-A216TRKB3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 2,063
6-A234TRKB3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,354
6-A252TRKB3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,590

FOUR TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A192TRKB4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 1,951
6-A216TRKB4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 2,196
6-A240TRKB4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,335
6-A264TRKB4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,542
6-A288TRKB4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 2,726
6-A312TRKB4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 3,313
6-A336TRKB4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 3,901

HOW TO ORDER

MODEL NUMBER


6-A96TRKB2



DOUBLE SIDED TOOLRAIL KIT STANDARD FEATURES


- For use with Above Worksurface Storage
 - Clear Anodized Aluminum Finish
 - End Cap on Ends (set of two)
- **NOTE:** Use when: 1/4" Thick Privacy Panel is Specified in Middle and/or on Ends
- Single Sided Frosted Glass
Double Sided Frosted Glass
Frosted Acrylic
Clear Glass

TWO TOOLRAIL KITS




model		w	d	h	wt	cu ft	list
6-A96TRKC2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 1,153
6-A108TRKC2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 1,224
6-A120TRKC2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,273
6-A132TRKC2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,375
6-A144TRKC2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,452
6-A156TRKC2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,681
6-A168TRKC2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 1,961

THREE TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A144TRKC3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,680
6-A162TRKC3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 1,785
6-A180TRKC3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,857
6-A198TRKC3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 2,011
6-A216TRKC3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 2,138
6-A234TRKC3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,353
6-A252TRKC3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,597

FOUR TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-A192TRKC4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 2,242
6-A216TRKC4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 2,384
6-A240TRKC4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,484
6-A264TRKC4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,684
6-A288TRKC4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 2,848
6-A312TRKC4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 3,360
6-A336TRKC4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 3,908


HOW TO ORDER

MODEL NUMBER


6-A96TRKC2

**DOUBLE SIDED TOOLRAIL KIT STANDARD FEATURES**


- For use with Above Worksurface Storage
- Clear Anodized Aluminum Finish
- End Cap on Ends (set of two)
- **NOTE:** Use when: No Privacy Screen is Specified
Specifying 1" Thick Privacy Panel
in Middle and on Ends
- 1" Thick Privacy Panel:
TFL
Veneer
Dry Erase
Fabric Tackboard

TWO TOOLRAILS

model		w	d	h	wt	cu ft	list
6-A96TRKD2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 1,168
6-A108TRKD2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 1,235
6-A120TRKD2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,251
6-A132TRKD2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,375
6-A144TRKD2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,452
6-A156TRKD2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,697
6-A168TRKD2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 1,994

THREE TOOLRAILS

model		w	d	h	wt	cu ft	list
6-A144TRKD3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,716
6-A162TRKD3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 1,812
6-A180TRKD3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,843
6-A198TRKD3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 2,026
6-A216TRKD3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 2,138
6-A234TRKD3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,448
6-A252TRKD3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,692

FOUR TOOLRAILS

model		w	d	h	wt	cu ft	list
6-A192TRKD4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 2,223
6-A216TRKD4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 2,346
6-A240TRKD4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,436
6-A264TRKD4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,628
6-A288TRKD4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 2,772
6-A312TRKD4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 3,370
6-A336TRKD4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 3,967


HOW TO ORDER**MODEL NUMBER**

6-A96TRKD2

TOOLRAIL KIT STANDARD FEATURES

- Clear Anodized Aluminum Finish

TRI-THREE TOOLRAILS



- End Caps on Ends (set of six)
- Three 54"W Toolrails

model	w	d	h	wt	cu ft	list
6-ATRITRKA3	96.25	83	4	16	1	\$ 1,695

- Used with 1/4" Material Insert and No Shared Organizer


6-ATRITRKB3	96.25	83	4	16	1	\$ 1,769
--------------------	-------	----	---	----	---	----------

- Used with 1" Material Insert and No Shared Organizer

6-ATRITRKC3	96.25	83	4	16	1	\$ 1,751
--------------------	-------	----	---	----	---	----------

- Used with Shared Organizer

QUAD-FOUR TOOLRAILS



- End Caps on Ends (set of four)
- Two 56"W Toolrails and Two 55.25"W Toolrails

model	w	d	h	wt	cu ft	list
6-AQUTRKA4	112	112	4	21	1	\$ 2,039

- Used with 1/4" Material Insert and No Shared Organizer

6-AQUTRKB4	112	112	4	21	1	\$ 1,806
-------------------	-----	-----	---	----	---	----------

- Used with 1" Material Insert and No Shared Organizer

6-AQUTRKC4	112	112	4	21	1	\$ 2,039
-------------------	-----	-----	---	----	---	----------


- Used with 1/4" Material Insert and Shared Organizer

6-AQUTRKD4	112	112	4	21	1	\$ 1,818
-------------------	-----	-----	---	----	---	----------

- Used with 1" Material Insert and Shared Organizer

STANDARD FEATURES

TOOLRAIL INFILL



model	w	d	h	wt	cu ft	list
TRC	120	0.9375	n/a	1	0.5	\$ 118

- 120" in Length
- Use to Enclose Open Top Edge of Toolrail When a Privacy Panel is Not Specified
- **NOTE:** Cut to Size During Installation

HOW TO ORDER

MODEL NUMBER


6-ATRITRKA3



SINGLE SIDED TOOLRAIL KIT STANDARD FEATURES


- Clear Anodized Aluminum Finish
- End Cap on Ends (set of two)
- **NOTE:** Use when Specifying 1/4" Thick Privacy Panel
 - Single Sided Frosted Glass
 - Double Sided Frosted Glass
 - Frosted Acrylic
 - Clear Glass

TWO TOOLRAIL KITS




model		w	d	h	wt	cu ft	list
6-S96TRKA2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 916
6-S108TRKA2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 1,015
6-S120TRKA2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,214
6-S132TRKA2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,310
6-S144TRKA2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,411
6-S156TRKA2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,606
6-S168TRKA2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 1,706

THREE TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-S144TRKA3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,359
6-S162TRKA3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 1,507
6-S180TRKA3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,803
6-S198TRKA3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 1,950
6-S216TRKA3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 2,099
6-S234TRKA3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,391
6-S252TRKA3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,540

FOUR TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-S192TRKA4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 1,802
6-S216TRKA4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 1,998
6-S240TRKA4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,388
6-S264TRKA4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,584
6-S288TRKA4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 2,779
6-S312TRKA4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 3,169
6-S336TRKA4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 3,362

HOW TO ORDER

MODEL NUMBER


6-S96TRKA2



SINGLE SIDED TOOLRAIL KIT STANDARD FEATURES


- Clear Anodized Aluminum Finish
- End Cap on Ends (set of two)
- **NOTE:** Use when Specifying 1" Thick Privacy Panel
 - TFL
 - Veneer
 - Dry Erase
 - Fabric Tackboard

TWO TOOLRAIL KITS




model		w	d	h	wt	cu ft	list
6-S96TRKB2	Two 48"W Toolrails	96	1.25	4	11	1	\$ 816
6-S108TRKB2	Two 54"W Toolrails	108	1.25	4	12	1	\$ 905
6-S120TRKB2	Two 60"W Toolrails	120	1.25	4	13	1	\$ 1,081
6-S132TRKB2	Two 66"W Toolrails	132	1.25	4	15	1	\$ 1,169
6-S144TRKB2	Two 72"W Toolrails	144	1.25	4	16	2	\$ 1,257
6-S156TRKB2	Two 78"W Toolrails	156	1.25	4	17	2	\$ 1,433
6-S168TRKB2	Two 84"W Toolrails	168	1.25	4	19	2	\$ 1,520

THREE TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-S144TRKB3	Three 48"W Toolrails	144	1.25	4	16	1	\$ 1,207
6-S162TRKB3	Three 54"W Toolrails	162	1.25	4	18	1	\$ 1,341
6-S180TRKB3	Three 60"W Toolrails	180	1.25	4	20	1	\$ 1,605
6-S198TRKB3	Three 66"W Toolrails	198	1.25	4	22	1	\$ 1,738
6-S216TRKB3	Three 72"W Toolrails	216	1.25	4	24	2	\$ 1,872
6-S234TRKB3	Three 78"W Toolrails	234	1.25	4	26	2	\$ 2,134
6-S252TRKB3	Three 84"W Toolrails	252	1.25	4	29	2	\$ 2,266

FOUR TOOLRAIL KITS



model		w	d	h	wt	cu ft	list
6-S192TRKB4	Four 48"W Toolrails	192	1.25	4	21	1	\$ 1,600
6-S216TRKB4	Four 54"W Toolrails	216	1.25	4	24	1	\$ 1,774
6-S240TRKB4	Four 60"W Toolrails	240	1.25	4	26	1	\$ 2,125
6-S264TRKB4	Four 66"W Toolrails	264	1.25	4	29	1	\$ 2,300
6-S288TRKB4	Four 72"W Toolrails	288	1.25	4	32	2	\$ 2,475
6-S312TRKB4	Four 78"W Toolrails	312	1.25	4	34	2	\$ 2,824
6-S336TRKB4	Four 84"W Toolrails	336	1.25	4	38	2	\$ 2,998

HOW TO ORDER

MODEL NUMBER

6-S96TRKB2



PRIVACY PANELS - TFL AND DRY ERASE STANDARD FEATURES

	model	w	d	h	wt	cu ft	TFL	dry erase
	6-PVPT-11.63/12.81	11.625	1	12.8125	4	0.5	\$ 124	\$ 348
	6-PVPT-14.63/12.81	14.625	1	12.8125	5	0.5	\$ 129	\$ 359
	6-PVPT-17.63/12.81	17.625	1	12.8125	6	0.5	\$ 140	\$ 389
	6-PVPT-20.63/12.81	20.625	1	12.8125	6	0.5	\$ 149	\$ 416
	6-PVPT-23.63/12.81	23.625	1	12.8125	7	0.75	\$ 156	\$ 440
	6-PVPT-26.63/12.81	26.625	1	12.8125	8	0.75	\$ 164	\$ 464
	6-PVPT-29.63/12.81	29.625	1	12.8125	9	0.75	\$ 174	\$ 489
	6-PVPT-32.63/12.81	32.625	1	12.8125	10	0.75	\$ 187	\$ 515
	6-PVPT-35.63/12.81	35.625	1	12.8125	11	1	\$ 198	\$ 540
	6-PVPT-41.63/12.81	41.625	1	12.8125	13	1.25	\$ 206	\$ 545
	6-PVPT-47.63/12.81	47.625	1	12.8125	16	1.5	\$ 214	\$ 603
	6-PVPT-53.63/12.81	53.625	1	12.8125	17	1.5	\$ 228	\$ 753
	6-PVPT-55.06/12.81	55.0625	1	12.8125	18	1.5	\$ 235	\$ 764
	6-PVPT-59.63/12.81	59.625	1	12.8125	19	1.5	\$ 245	\$ 770
	6-PVPT-65.63/12.81	65.625	1	12.8125	20	1.5	\$ 265	\$ 808
	6-PVPT-71.63/12.81	71.625	1	12.8125	22	2	\$ 282	\$ 849
	6-PVPT-77.63/12.81	77.625	1	12.8125	24	2	\$ 307	\$ 917
	6-PVPT-83.63/12.81	83.625	1	12.8125	26	3	\$ 330	\$ 989
	6-PVPT-11.63/18.81	11.625	1	18.8125	5	0.5	\$ 136	\$ 389
	6-PVPT-14.63/18.81	14.625	1	18.8125	6	0.5	\$ 149	\$ 420
	6-PVPT-17.63/18.81	17.625	1	18.8125	8	0.75	\$ 163	\$ 447
	6-PVPT-20.63/18.81	20.625	1	18.8125	9	0.75	\$ 178	\$ 473
	6-PVPT-23.63/18.81	23.625	1	18.8125	11	1	\$ 196	\$ 499
	6-PVPT-26.63/18.81	26.625	1	18.8125	12	1	\$ 201	\$ 543
	6-PVPT-29.63/18.81	29.625	1	18.8125	14	1	\$ 210	\$ 572
	6-PVPT-32.63/18.81	32.625	1	18.8125	16	1.5	\$ 220	\$ 591
	6-PVPT-35.63/18.81	35.625	1	18.8125	17	1.5	\$ 226	\$ 604
	6-PVPT-41.63/18.81	41.625	1	18.8125	20	1.5	\$ 250	\$ 691
	6-PVPT-47.63/18.81	47.625	1	18.8125	24	2	\$ 268	\$ 780
	6-PVPT-53.63/18.81	53.625	1	18.8125	26	2	\$ 296	\$ 972
	6-PVPT-55.06/18.81	55.0625	1	18.8125	27	2.25	\$ 315	\$ 1,009
	6-PVPT-59.63/18.81	59.625	1	18.8125	28	2.25	\$ 337	\$ 1,024
	6-PVPT-65.63/18.81	65.625	1	18.8125	31	2.5	\$ 365	\$ 1,070
	6-PVPT-71.63/18.81	71.625	1	18.8125	34	2.75	\$ 388	\$ 1,115
	6-PVPT-77.63/18.81	77.625	1	18.8125	36	3	\$ 423	\$ 1,207
	6-PVPT-83.63/18.81	83.625	1	18.8125	38	3.25	\$ 456	\$ 1,301

OPTIONS

Finish

TFL Woodgrain Laminate
Quartered
 CO2 DS2 NW2 ST2
 KD2 PC2 EN2
Flat Cut
 LM2 MH2 MC2 BU2
 BE2 LC2 VM2
Textured Laminate
 FN2 PK2 LO2 DR2
Studio Textured Laminate (10% upcharge)
 SD2 CR2

Dry Erase Laminate
 X3 White

TFL Solid Color Laminate
 RW2 FW2 GR2 SG2 BL2

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER

6-PVPT-11.63/12.81

Finish

EN2



PRIVACY PANELS - FROSTED ACRYLIC STANDARD FEATURES

	model	w	d	h	wt	cu ft	list
	6-PVPA-11.63/12.81	11.625	0.25	12.8125	2	0.5	\$ 156
	6-PVPA-14.63/12.81	14.625	0.25	12.8125	2	0.5	\$ 192
	6-PVPA-17.63/12.81	17.625	0.25	12.8125	2	0.5	\$ 226
	6-PVPA-20.63/12.81	20.625	0.25	12.8125	3	0.5	\$ 252
	6-PVPA-23.63/12.81	23.625	0.25	12.8125	3	0.75	\$ 283
	6-PVPA-26.63/12.81	26.625	0.25	12.8125	4	0.75	\$ 320
	6-PVPA-29.63/12.81	29.625	0.25	12.8125	4	0.75	\$ 353
	6-PVPA-32.63/12.81	32.625	0.25	12.8125	5	0.75	\$ 377
	6-PVPA-35.63/12.81	35.625	0.25	12.8125	5	1	\$ 395
	6-PVPA-41.63/12.81	41.625	0.25	12.8125	6	1.25	\$ 421
	6-PVPA-47.63/12.81	47.625	0.25	12.8125	7	1.25	\$ 445
	6-PVPA-53.63/12.81	53.625	0.25	12.8125	8	1.5	\$ 492
	6-PVPA-55.06/12.81	55.0625	0.25	12.8125	8	1.5	\$ 507
	6-PVPA-59.63/12.81	59.625	0.25	12.8125	8	1.5	\$ 540
	6-PVPA-65.63/12.81	65.625	0.25	12.8125	9	1.5	\$ 588
	6-PVPA-71.63/12.81	71.625	0.25	12.8125	10	2	\$ 642
	6-PVPA-77.63/12.81	77.625	0.25	12.8125	11	2	\$ 702
	6-PVPA-83.63/12.81	83.625	0.25	12.8125	12	3	\$ 757
	6-PVPA-11.63/18.81	11.625	0.25	18.8125	2	0.5	\$ 222
	6-PVPA-14.63/18.81	14.625	0.25	18.8125	3	0.5	\$ 265
	6-PVPA-17.63/18.81	17.625	0.25	18.8125	4	0.75	\$ 307
	6-PVPA-20.63/18.81	20.625	0.25	18.8125	4	0.75	\$ 348
	6-PVPA-23.63/18.81	23.625	0.25	18.8125	5	1	\$ 386
	6-PVPA-26.63/18.81	26.625	0.25	18.8125	6	1	\$ 414
	6-PVPA-29.63/18.81	29.625	0.25	18.8125	6	1.25	\$ 427
	6-PVPA-32.63/18.81	32.625	0.25	18.8125	7	1.5	\$ 456
	6-PVPA-35.63/18.81	35.625	0.25	18.8125	7	1.5	\$ 483
	6-PVPA-41.63/18.81	41.625	0.25	18.8125	9	1.5	\$ 540
	6-PVPA-47.63/18.81	47.625	0.25	18.8125	11	2	\$ 594
	6-PVPA-53.63/18.81	53.625	0.25	18.8125	11	2	\$ 672
	6-PVPA-55.06/18.81	55.0625	0.25	18.8125	12	2.25	\$ 691
	6-PVPA-59.63/18.81	59.625	0.25	18.8125	12	2.25	\$ 726
	6-PVPA-65.63/18.81	65.625	0.25	18.8125	14	2.5	\$ 797
	6-PVPA-71.63/18.81	71.625	0.25	18.8125	15	2.75	\$ 866
	6-PVPA-77.63/18.81	77.625	0.25	18.8125	16	3	\$ 938
	6-PVPA-83.63/18.81	83.625	0.25	18.8125	17	3.25	\$ 1,010

HOW TO ORDER

MODEL NUMBER

6-PVPA-11.63/12.81



PRIVACY PANELS - WOOD VENEER LAMINATE STANDARD FEATURES



model	w	d	h	wt	cu ft	quartered veneer
6-PVPV-11.63/12.81	11.625	1	12.8125	4	0.5	\$ 282
6-PVPV-14.63/12.81	14.625	1	12.8125	5	0.5	\$ 302
6-PVPV-17.63/12.81	17.625	1	12.8125	6	0.5	\$ 321
6-PVPV-20.63/12.81	20.625	1	12.8125	6	0.5	\$ 340
6-PVPV-23.63/12.81	23.625	1	12.8125	6	0.5	\$ 363
6-PVPV-26.63/12.81	26.625	1	12.8125	7	0.75	\$ 382
6-PVPV-29.63/12.81	29.625	1	12.8125	8	0.75	\$ 400
6-PVPV-32.63/12.81	32.625	1	12.8125	9	0.75	\$ 419
6-PVPV-35.63/12.81	35.625	1	12.8125	11	1	\$ 436
6-PVPV-41.63/12.81	41.625	1	12.8125	13	1.25	\$ 476
6-PVPV-47.63/12.81	47.625	1	12.8125	16	1.5	\$ 517
6-PVPV-53.63/12.81	53.625	1	12.8125	17	1.5	\$ 587
6-PVPV-55.06/12.81	55.0625	1	12.8125	18	1.5	\$ 601
6-PVPV-59.63/12.81	59.625	1	12.8125	19	1.5	\$ 603
6-PVPV-65.63/12.81	65.625	1	12.8125	20	1.5	\$ 651
6-PVPV-71.63/12.81	71.625	1	12.8125	22	2	\$ 702
6-PVPV-77.63/12.81	77.625	1	12.8125	24	2	\$ 759
6-PVPV-83.63/12.81	83.625	1	12.8125	26	3	\$ 817
6-PVPV-11.63/18.81	11.625	1	18.8125	5	0.5	\$ 319
6-PVPV-14.63/18.81	14.625	1	18.8125	6	0.5	\$ 340
6-PVPV-17.63/18.81	17.625	1	18.8125	8	0.75	\$ 366
6-PVPV-20.63/18.81	20.625	1	18.8125	9	0.75	\$ 386
6-PVPV-23.63/18.81	23.625	1	18.8125	11	1	\$ 407
6-PVPV-26.63/18.81	26.625	1	18.8125	12	1	\$ 454
6-PVPV-29.63/18.81	29.625	1	18.8125	14	1	\$ 488
6-PVPV-32.63/18.81	32.625	1	18.8125	16	1.5	\$ 526
6-PVPV-35.63/18.81	35.625	1	18.8125	17	1.5	\$ 538
6-PVPV-41.63/18.81	41.625	1	18.8125	20	1.5	\$ 595
6-PVPV-47.63/18.81	47.625	1	18.8125	24	2	\$ 650
6-PVPV-53.63/18.81	53.625	1	18.8125	26	2	\$ 747
6-PVPV-55.06/18.81	55.0625	1	18.8125	27	2.25	\$ 767
6-PVPV-59.63/18.81	59.625	1	18.8125	28	2.25	\$ 803
6-PVPV-65.63/18.81	65.625	1	18.8125	31	2.5	\$ 870
6-PVPV-71.63/18.81	71.625	1	18.8125	34	2.75	\$ 936
6-PVPV-77.63/18.81	77.625	1	18.8125	36	3	\$ 1,014
6-PVPV-83.63/18.81	83.625	1	18.8125	38	3.25	\$ 1,092

OPTIONS

Finish

Veneer

Quartered

OSL MHM MNW MMC BUW

MRO DST MLC MGO EBY

MBM PCO MGW

Studio Veneer Quartered (10% upcharge)

SVC

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER

6-PVPV-11.63/12.81

Finish

MLC



PRIVACY PANELS - GLASS STANDARD FEATURES



model	w	d	h	wt	cu ft	clear glass	single sided frosted glass	double sided frosted glass	bronze or black tint glass
6-PVPG-11.63/12.81	11.625	0.25	12.8125	4	2	\$ 180	\$ 201	\$ 465	\$ 618
6-PVPG-14.63/12.81	14.625	0.25	12.8125	5	2	\$ 194	\$ 237	\$ 518	\$ 689
6-PVPG-17.63/12.81	17.625	0.25	12.8125	6	2	\$ 202	\$ 277	\$ 575	\$ 763
6-PVPG-20.63/12.81	20.625	0.25	12.8125	7	2	\$ 211	\$ 323	\$ 619	\$ 824
6-PVPG-23.63/12.81	23.625	0.25	12.8125	8	3	\$ 224	\$ 369	\$ 664	\$ 883
6-PVPG-26.63/12.81	26.625	0.25	12.8125	9	3	\$ 239	\$ 411	\$ 708	\$ 941
6-PVPG-29.63/12.81	29.625	0.25	12.8125	10	3	\$ 252	\$ 455	\$ 754	\$ 1,003
6-PVPG-32.63/12.81	32.625	0.25	12.8125	11	4	\$ 271	\$ 500	\$ 798	\$ 1,062
6-PVPG-35.63/12.81	35.625	0.25	12.8125	12	4	\$ 284	\$ 540	\$ 843	\$ 1,120
6-PVPG-41.63/12.81	41.625	0.25	12.8125	13	5	\$ 294	\$ 610	\$ 886	\$ 1,179
6-PVPG-47.63/12.81	47.625	0.25	12.8125	16	6	\$ 303	\$ 678	\$ 931	\$ 1,238
6-PVPG-53.63/12.81	53.625	0.25	12.8125	17	6	\$ 336	\$ 760	\$ 1,045	\$ 1,391
6-PVPG-55.06/12.81	55.0625	0.25	12.8125	17	6	\$ 353	\$ 796	\$ 1,105	\$ 1,469
6-PVPG-59.63/12.81	59.625	0.25	12.8125	19	6	\$ 364	\$ 827	\$ 1,143	\$ 1,520
6-PVPG-65.63/12.81	65.625	0.25	12.8125	21	7	\$ 392	\$ 903	\$ 1,250	\$ 1,662
6-PVPG-71.63/12.81	71.625	0.25	12.8125	23	8	\$ 421	\$ 978	\$ 1,356	\$ 1,803
6-PVPG-77.63/12.81	77.625	0.25	12.8125	25	9	\$ 456	\$ 1,061	\$ 1,469	\$ 1,954
6-PVPG-83.63/12.81	83.625	0.25	12.8125	27	10	\$ 490	\$ 1,143	\$ 1,583	\$ 2,105
6-PVPG-11.63/18.81	11.625	0.25	18.8125	6	2	\$ 198	\$ 275	\$ 564	\$ 750
6-PVPG-14.63/18.81	14.625	0.25	18.8125	7	2	\$ 220	\$ 311	\$ 643	\$ 855
6-PVPG-17.63/18.81	17.625	0.25	18.8125	9	3	\$ 239	\$ 400	\$ 720	\$ 958
6-PVPG-20.63/18.81	20.625	0.25	18.8125	10	3	\$ 260	\$ 464	\$ 771	\$ 1,025
6-PVPG-23.63/18.81	23.625	0.25	18.8125	11	4	\$ 281	\$ 532	\$ 820	\$ 1,091
6-PVPG-26.63/18.81	26.625	0.25	18.8125	13	4	\$ 289	\$ 581	\$ 864	\$ 1,149
6-PVPG-29.63/18.81	29.625	0.25	18.8125	14	5	\$ 302	\$ 633	\$ 909	\$ 1,209
6-PVPG-32.63/18.81	32.625	0.25	18.8125	15	5	\$ 316	\$ 687	\$ 957	\$ 1,273
6-PVPG-35.63/18.81	35.625	0.25	18.8125	17	6	\$ 324	\$ 739	\$ 1,002	\$ 1,332
6-PVPG-41.63/18.81	41.625	0.25	18.8125	20	6	\$ 350	\$ 894	\$ 1,133	\$ 1,507
6-PVPG-47.63/18.81	47.625	0.25	18.8125	24	7	\$ 376	\$ 909	\$ 1,261	\$ 1,678
6-PVPG-53.63/18.81	53.625	0.25	18.8125	25	8	\$ 439	\$ 1,026	\$ 1,482	\$ 1,971
6-PVPG-55.06/18.81	55.0625	0.25	18.8125	25	9	\$ 453	\$ 1,075	\$ 1,503	\$ 1,999
6-PVPG-59.63/18.81	59.625	0.25	18.8125	28	9	\$ 457	\$ 1,127	\$ 1,565	\$ 2,082
6-PVPG-65.63/18.81	65.625	0.25	18.8125	31	10	\$ 494	\$ 1,226	\$ 1,711	\$ 2,275
6-PVPG-71.63/18.81	71.625	0.25	18.8125	34	11	\$ 533	\$ 1,332	\$ 1,856	\$ 2,470
6-PVPG-77.63/18.81	77.625	0.25	18.8125	37	12	\$ 576	\$ 1,442	\$ 2,014	\$ 2,680
6-PVPG-83.63/18.81	83.625	0.25	18.8125	39	13	\$ 620	\$ 1,555	\$ 2,170	\$ 2,885

OPTIONS

Finish

Glass
B9Q Clear
B2M Single Sided Frosted
B8Y Double Sided Frosted
C8C Bronze Tint
C8D Black Tint

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER

6-PVPG-11.63/12.81

Finish

B9Q



PRIVACY PANELS - FABRIC STANDARD FEATURES

					model						w		d		h		wt		cu ft	
					6-PVPF-11.63/18.81						11.625		1		18.8125		5		0.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
0.5	n/a	287	296	307	320	338	365	391	417	444	470	496	522	549	575	601	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-14.63/18.81						14.625		1		18.8125		6		0.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
0.5	n/a	333	342	353	366	384	411	437	463	490	516	542	568	595	621	647	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-17.63/18.81						17.625		1		18.8125		8		0.75	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	385	403	424	451	488	540	593	645	698	751	803	856	909	961	1,014	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-20.63/18.81						20.625		1		18.8125		9		0.75	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	403	421	442	469	506	558	611	663	716	769	821	874	927	979	1,032	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-23.63/18.81						23.625		1		18.8125		11		1	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	421	439	460	487	524	576	629	681	734	787	839	892	945	997	1,050	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-26.63/18.81						26.625		1		18.8125		12		1	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	445	463	484	511	548	600	653	705	758	811	863	916	969	1,021	1,074	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-29.63/18.81						29.625		1		18.8125		14		1	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	465	483	504	531	568	620	673	725	778	831	883	936	989	1,041	1,094	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-32.63/18.81						32.625		1		18.8125		15		1.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1	n/a	491	509	530	557	594	646	699	751	804	857	909	962	1,015	1,067	1,120	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-35.63/18.81						35.625		1		18.8125		17		1.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1.5	n/a	524	552	583	623	678	757	836	915	994	1,073	1,152	1,230	1,309	1,388	1,467	n/a	n/a	n/a	

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-PVPPF-11.63/18.81

Fabric/Grade

Grade 3, Momentum, Hue, Smoke



PRIVACY PANELS - FABRIC STANDARD FEATURES

					model						w		d		h		wt		cu ft	
					6-PVPF-41.63/18.81						41.625		1		18.8125		20		1.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1.5	n/a	593	621	652	692	747	826	905	984	1,063	1,142	1,221	1,299	1,378	1,457	1,536	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-47.63/18.81						47.625		1		18.8125		24		2	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
1.5	n/a	667	695	726	766	821	900	979	1,058	1,137	1,216	1,295	1,373	1,452	1,531	1,610	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-53.63/18.81						53.625		1		18.8125		26		2	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2	n/a	1,061	1,098	1,140	1,193	1,266	1,371	1,477	1,582	1,687	1,792	1,898	2,003	2,108	2,213	2,319	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-55.06/18.81						55.0625		1		18.8125		27		2.25	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2	n/a	1,114	1,151	1,193	1,246	1,319	1,424	1,530	1,635	1,740	1,845	1,951	2,056	2,161	2,266	2,372	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-59.63/18.81						59.625		1		18.8125		28		2.25	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2	n/a	1,155	1,192	1,234	1,287	1,360	1,465	1,571	1,676	1,781	1,886	1,992	2,097	2,202	2,307	2,413	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-65.63/18.81						65.625		1		18.8125		31		2.5	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2	n/a	1,176	1,213	1,255	1,308	1,381	1,486	1,592	1,697	1,802	1,907	2,013	2,118	2,223	2,328	2,434	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-71.63/18.81						71.625		1		18.8125		34		2.75	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2.5	n/a	1,203	1,249	1,302	1,367	1,460	1,591	1,723	1,854	1,986	2,117	2,249	2,380	2,512	2,644	2,775	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-77.63/18.81						77.625		1		18.8125		37		3	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2.5	n/a	1,300	1,346	1,399	1,464	1,557	1,688	1,820	1,951	2,083	2,214	2,346	2,477	2,609	2,741	2,872	n/a	n/a	n/a	
					model						w		d		h		wt		cu ft	
					6-PVPF-83.63/18.81						83.625		1		18.8125		40		3.25	
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3	
2.5	n/a	1,396	1,442	1,495	1,560	1,653	1,784	1,916	2,047	2,179	2,310	2,442	2,573	2,705	2,837	2,968	n/a	n/a	n/a	

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-PVPF-41.63/18.81

Fabric/Grade

Grade 3, Momentum, Hue, Smoke



PRIVACY PANELS - FABRIC STANDARD FEATURES

			model																	wt	cu ft
			6-PVPF-11.63/12.81																	4	0.5
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
0.5	n/a	241	250	261	274	292	319	345	371	398	424	450	476	503	529	555	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-14.63/12.81																	5	0.5
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
0.5	n/a	267	276	287	300	318	345	371	397	424	450	476	502	529	555	581	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-17.63/12.81																	6	0.5
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	302	320	341	368	405	457	510	562	615	668	720	773	826	878	931	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-20.63/12.81																	6	0.5
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	334	352	373	400	437	489	542	594	647	700	752	805	858	910	963	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-23.63/12.81																	7	0.75
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	365	383	404	431	468	520	573	625	678	731	783	836	889	941	994	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-26.63/12.81																	8	0.75
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	379	397	418	445	482	534	587	639	692	745	797	850	903	955	1,008	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-29.63/12.81																	9	0.75
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	395	413	434	461	498	550	603	655	708	761	813	866	919	971	1,024	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-32.63/12.81																	10	0.75
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1	n/a	412	430	451	478	515	567	620	672	725	778	830	883	936	988	1,041	n/a	n/a	n/a		
			model																	wt	cu ft
			6-PVPF-35.63/12.81																	11	1
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3		
1.5	n/a	435	463	494	534	589	668	747	826	905	984	1,063	1,141	1,220	1,299	1,378	n/a	n/a	n/a		

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-PVPF-11.63/12.81

Fabric/Grade

Grade 3, Momentum, Hue, Smoke



PRIVACY PANELS - FABRIC STANDARD FEATURES

					model						w	d	h	wt	cu ft				
					6-PVPF-41.63/12.81						41.625	1	12.8125	13	1.25				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	474	502	533	573	628	707	786	865	944	1,023	1,102	1,180	1,259	1,338	1,417	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-47.63/12.81						47.625	1	12.8125	16	1.5				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	512	540	571	611	666	745	824	903	982	1,061	1,140	1,218	1,297	1,376	1,455	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-53.63/12.81						53.625	1	12.8125	17	1.5				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	746	783	825	878	951	1,056	1,162	1,267	1,372	1,477	1,583	1,688	1,793	1,898	2,004	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-55.06/12.81						55.0625	1	12.8125	18	1.5				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	780	817	859	912	985	1,090	1,196	1,301	1,406	1,511	1,617	1,722	1,827	1,932	2,038	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-59.63/12.81						59.625	1	12.8125	19	1.5				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	800	837	879	932	1,005	1,110	1,216	1,321	1,426	1,531	1,637	1,742	1,847	1,952	2,058	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-65.63/12.81						65.625	1	12.8125	20	1.5				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	823	860	902	955	1,028	1,133	1,239	1,344	1,449	1,554	1,660	1,765	1,870	1,975	2,081	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-71.63/12.81						71.625	1	12.8125	22	2				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2.5	n/a	855	901	954	1,019	1,112	1,243	1,375	1,506	1,638	1,769	1,901	2,032	2,164	2,296	2,427	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-77.63/12.81						77.625	1	12.8125	24	2				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2.5	n/a	922	968	1,021	1,086	1,179	1,310	1,442	1,573	1,705	1,836	1,968	2,099	2,231	2,363	2,494	n/a	n/a	n/a
					model						w	d	h	wt	cu ft				
					6-PVPF-83.63/12.81						83.625	1	12.8125	26	3				
yds com (54")	sq ft col	1	com 2	3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
3	n/a	990	1,045	1,108	1,187	1,298	1,456	1,614	1,771	1,929	2,087	2,245	2,403	2,561	2,719	2,876	n/a	n/a	n/a

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

Fabric must be tested and approved for tackboard use/compatibility.

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER


6-PVPF-41.63/12.81

Fabric/Grade

Grade 3, Momentum, Hue, Smoke

WOOD VENEER MODESTY PANEL STANDARD FEATURES

- For Single Sided Benching Tables
- Modesty Panels available in Wood Veneer



model		w	d	h	wt	cu ft	quartered veneer
6-1246WMP	Use with 48"W Benching Worksurfaces	46	0.75	12	11	1	\$ 535
6-1252WMP	Use with 54"W Benching Worksurfaces	52	0.75	12	12	1	\$ 582
6-1258WMP	Use with 60"W Benching Worksurfaces	58	0.75	12	14	2	\$ 629
6-1264WMP	Use with 66"W Benching Worksurfaces	64	0.75	12	15	2	\$ 659
6-1270WMP	Use with 72"W Benching Worksurfaces	70	0.75	12	17	2	\$ 689
6-1276WMP	Use with 78"W Benching Worksurfaces	76	0.75	12	18	2	\$ 736
6-1282WMP	Use with 84"W Benching Worksurfaces	82	0.75	12	19	2	\$ 781

OPTIONS

Finish

Veneer

Quartered

OSL MHM MNW MMC BUW

MRO DST MLC MGO EBY

MBM PCO MGW

Studio Veneer Quartered (10% upcharge)

SVC

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER


6-1246WMP

Finish

BUW

TFL WOODGRAIN AND TFL SOLID COLORS MODESTY PANEL STANDARD FEATURES

- For Single Sided Benching Tables



model		w	d	h	wt	cu ft	TFL
6-1246KMP	Use with 48"W Benching Worksurfaces	46	0.75	12	11	1	\$ 220
6-1252KMP	Use with 54"W Benching Worksurfaces	52	0.75	12	12	1	\$ 228
6-1258KMP	Use with 60"W Benching Worksurfaces	58	0.75	12	14	2	\$ 240
6-1264KMP	Use with 66"W Benching Worksurfaces	64	0.75	12	15	2	\$ 251
6-1270KMP	Use with 72"W Benching Worksurfaces	70	0.75	12	17	2	\$ 262
6-1276KMP	Use with 78"W Benching Worksurfaces	76	0.75	12	18	2	\$ 275
6-1282KMP	Use with 84"W Benching Worksurfaces	82	0.75	12	19	2	\$ 281

OPTIONS

Finish

TFL Woodgrain Laminate

Quartered

CO2 DS2 NW2 ST2

KD2 PC2 EN2

Flat Cut

LM2 MH2 MC2 BU2

BE2 LC2 VM2

Textured Laminate

FN2 PK2 LO2 DR2

Studio Textured Laminate (10% upcharge)

SD2 CR2

TFL Solid Color Laminate

RW2 FW2 GR2 SG2 BL2

HOW TO ORDER

SPECIFY: Finish. See page H for the designator finish name.

MODEL NUMBER

6-1246KMP

Finish

EN2

ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

• NOTE: Requires Two Stanchions

36"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	quartered veneer
6-3615BSO2A	36	14.5	15	45	6	\$ 920	\$ 1,379

• One Shared Organizer - One Opening on Right Each Side

48", 60" AND 72"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4815BSO4A	48	14.5	15	63	8	\$ 1,211	\$ 1,812
6-6015BSO4A	60	14.5	15	74	10	\$ 1,256	\$ 1,886
6-7215BSO4A	72	14.5	15	84	12	\$ 1,326	\$ 1,986

• One Shared Organizer - Two Alternate Openings Each Side

OPTIONS

Material	Organizer Finish	Back Finish
T Any combination of finishes excluding wood veneer	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2
V Any combination of finishes excluding TFL	<i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2	<i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered</i> SVC
		Dry Erase Laminates X3 White *Acrylic A5Z Frosted Glass *A9B White Backed *D1L White Backed with Anodized Backer (see page 313 for Magnets) Full Glass C5J White *NOTE: Includes insert with Matte Aluminum Frame See pricing below

Back Finish Upcharge

model	dry erase	frosted acrylic	backed glass	full glass
6-3615BSO2A	\$ 191	\$ 737	\$ 742	\$ 964
6-4815BSO4A	\$ 251	\$ 985	\$ 964	\$ 1,252
6-6015BSO4A	\$ 316	\$ 1,184	\$ 1,171	\$ 1,523
6-7215BSO4A	\$ 377	\$ 1,286	\$ 1,397	\$ 1,817

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish. See page H for the designator finish name.

MODEL NUMBER

6-3615BSO2A

Material	Organizer Finish	Back Finish
T	EN2	EN2

ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

• NOTE: Requires Two Stanchions

48", 60" AND 72"W



Top View



Front View

model		w	d	h	wt	cu ft	TFL	quartered veneer
6-4815LBSO4C	LEFT	48	14.5	15	63	8	\$ 1,211	\$ 1,812
6-6015LBSO4C	LEFT	60	14.5	15	74	10	\$ 1,256	\$ 1,886
6-7215LBSO4C	LEFT	72	14.5	15	84	12	\$ 1,326	\$ 1,986
• One Shared Organizer - Two Openings on Left Each Side								
6-4815RBSO4C	RIGHT	48	14.5	15	63	8	\$ 1,211	\$ 1,812
6-6015RBSO4C	RIGHT	60	14.5	15	74	10	\$ 1,256	\$ 1,886
6-7215RBSO4C	RIGHT	72	14.5	15	84	12	\$ 1,326	\$ 1,986
• One Shared Organizer - Two Openings on Right Each Side								

OPTIONS

Material	Organizer Finish	Back Finish
T Any combination of finishes excluding wood veneer	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2
V Any combination of finishes excluding TFL	<i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2	<i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate</i> SD2 CR2
	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2	TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered</i> SVC
		Dry Erase Laminates X3 White *Acrylic A5Z Frosted Glass *A9B White Backed *D1L White Backed with Anodized Backer (see page 313 for Magnets) Full Glass C5J White *NOTE: Includes insert with Matte Aluminum Frame See pricing below

Back Finish Upcharge

model	dry erase	frosted acrylic	backed glass	full glass
6-4815LBSO4C/6-4815RBSO4C	\$ 251	\$ 985	\$ 964	\$ 1,252
6-6015LBSO4C/6-6015RBSO4C	\$ 316	\$ 1,184	\$ 1,171	\$ 1,523
6-7215LBSO4C/6-7215RBSO4C	\$ 377	\$ 1,286	\$ 1,397	\$ 1,817

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish. See page H for the designator finish name.

MODEL NUMBER

6-4815LBSO4C

Material	Organizer Finish	Back Finish
T	EN2	EN2

ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

• **NOTE:** Requires Two Stanchions

36"W



Top View



Front View


model	w	d	h	wt	cu ft	TFL	quartered veneer
6-3615BSO2DA	36	14.5	15	55	6	\$ 995	\$ 1,459

- One Shared Organizer - One Hinged Door on Right Each Side
- **NOTE:** Optional Two Locks - available on TFL or Wood Veneer only

48", 60" AND 72"W



Top View



Front View

model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4815BSO4DA	48	14.5	15	71	8	\$ 1,346	\$ 1,982
6-6015BSO4DA	60	14.5	15	92	10	\$ 1,410	\$ 2,044
6-7215BSO4DA	72	14.5	15	105	12	\$ 1,622	\$ 2,139

- One Shared Organizer - Two Alternate Hinged Doors Each Side
- **NOTE:** Optional Four Locks - available on TFL or Wood Veneer only

OPTIONS

Material	Organizer Finish	Back Finish		Door Finish		Lock
T Any combination of finishes excluding wood veneer	TFL Woodgrain Laminate	TFL Woodgrain Laminate	Dry Erase Laminates	TFL Woodgrain Laminate	Dry Erase Laminates	NL No Lock - Standard Locking - Specific Key Locks ordered separately see page L LCK2 Requires 2 Lock Cores 6-3615BSO2DA \$176 LCK4 Requires 4 Lock Cores 6-4815BSO4DA \$352 6-6015BSO4DA \$352 6-7215BSO4DA \$352
	<i>Quartered</i>	<i>Quartered</i>	X3 White	<i>Quartered</i>	X3 White	
	CO2 NW2	CO2 NW2		CO2 NW2		
	KD2 EN2	KD2 EN2	*Acrylic	KD2 EN2	*Acrylic	
	DS2 ST2	DS2 ST2	A5Z Frosted	DS2 ST2	A5Z Frosted	
	PC2	PC2		PC2		
	<i>Flat Cut</i>	<i>Flat Cut</i>	*Glass	<i>Flat Cut</i>	*Glass	
	LM2 MC2	LM2 MC2	A9B White Backed	LM2 MC2	A9B White Backed	
	BE2 VM2	BE2 VM2	D1L White Backed with	BE2 VM2	D1L White Backed with	
	MH2 BU2	MH2 BU2	Anodized Backer (see	MH2 BU2	Anodized Backer (see	
V Any combination of finishes excluding TFL	LC2	LC2	page 313 for Magnets)	LC2	page 313 for Magnets)	
	<i>Textured Laminate</i>	<i>Textured Laminate</i>		<i>Textured Laminate</i>		
	FN2 LO2	FN2 LO2	Full Glass	FN2 LO2	Full Glass	
	PK2 DR2	PK2 DR2	C5J White	PK2 DR2	C5J White	
	<i>Studio Textured Laminate</i> (10% upcharge)	<i>Studio Textured Laminate</i>		<i>Studio Textured Laminate</i>		
	SD2 CR2	SD2 CR2	*NOTE: Includes insert with Matte Aluminum Frame	SD2 CR2	*NOTE: Includes insert with Matte Aluminum Frame	
	TFL Solid Color Laminate	TFL Solid Color Laminate		TFL Solid Color Laminate		
	RW2 GR2	RW2 GR2		RW2 GR2		
	FW2 SG2	FW2 SG2	See pricing below	FW2 SG2	See pricing below	
	BL2	BL2		BL2		
	Veneer <i>Quartered</i>	Veneer <i>Quartered</i>		Veneer <i>Quartered</i>		
	OSL MLC	OSL MLC		OSL MLC		
	MRO MGW	MRO MGW		MRO MGW		
	MBM MMC	MBM MMC		MBM MMC		
	MHM MGO	MHM MGO		MHM MGO		
	DST BUW	DST BUW		DST BUW		
	PCO EBY	PCO EBY		PCO EBY		
	MNW	MNW		MNW		
	<i>Studio Veneer Quartered</i> (10% upcharge)	<i>Studio Veneer Quartered</i>		<i>Studio Veneer Quartered</i>		
	SVC	SVC		SVC		

Back Finish Upcharge

model	dry erase	frosted acrylic	backed glass	full glass
6-3615BSO2DA	\$ 191	\$ 737	\$ 742	\$ 964
6-4815BSO4DA	\$ 251	\$ 985	\$ 964	\$ 1,252
6-6015BSO4DA	\$ 316	\$ 1,184	\$ 1,171	\$ 1,523
6-7215BSO4DA	\$ 377	\$ 1,286	\$ 1,397	\$ 1,817

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish | door finish | lock. See page H for the designator finish name.

MODEL NUMBER

6-3615BSO2DA

Material	Organizer Finish	Back Finish	Door Finish	Lock
T	EN2	EN2	EN2	NL

ABOVE WORKSURFACE SHARED STORAGE STANDARD FEATURES

NOTES:

- Requires Two Stanchions
- Optional Four Locks - available on TFL or Wood Veneer only

48", 60" AND 72"W



Top View



Front View

model		w	d	h	wt	cu ft	TFL	quartered veneer
6-4815LBSO4DC	LEFT	48	14.5	15	71	8	\$ 1,346	\$ 1,982
6-6015LBSO4DC	LEFT	60	14.5	15	92	10	\$ 1,410	\$ 2,044
6-7215LBSO4DC	LEFT	72	14.5	15	105	12	\$ 1,622	\$ 2,139
• One Shared Organizer - Two Hinged Doors on Left Each Side								
6-4815RBSO4DC	RIGHT	48	14.5	15	71	8	\$ 1,346	\$ 1,982
6-6015RBSO4DC	RIGHT	60	14.5	15	92	10	\$ 1,410	\$ 2,044
6-7215RBSO4DC	RIGHT	72	14.5	15	105	12	\$ 1,622	\$ 2,139

- One Shared Organizer - Two Hinged Doors on Right Each Side

OPTIONS

Material	Organizer Finish	Back Finish	Door Finish	Lock
T Any combination of finishes excluding wood veneer	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK4 Requires 4 Lock Cores \$352
V Any combination of finishes excluding TFL	<i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2 Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	<i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2 Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	<i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2 Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	

Back Finish Upcharge

model	dry erase	frosted acrylic	backed glass	full glass
6-4815LBSO4DC/6-4815RBSO4DC	\$ 251	\$ 985	\$ 964	\$ 1,252
6-6015LBSO4DC/6-6015RBSO4DC	\$ 316	\$ 1,184	\$ 1,171	\$ 1,523
6-7215LBSO4DC/6-7215RBSO4DC	\$ 377	\$ 1,286	\$ 1,397	\$ 1,817

HOW TO ORDER

SPECIFY: Material | organizer finish | back finish | door finish | lock. See page H for the designator finish name.

MODEL NUMBER

6-4815LBSO4DC

Material	Organizer Finish	Back Finish	Door Finish	Lock
T	EN2	EN2	EN2	NL



STANCHION BRACKET STANDARD FEATURES

NOTES:

- Used to Support Shared Organizer
- Two per Package



model	w	d	h	wt	cu ft	list
6-SSS	5.875	2	5.875	6	1	\$ 154

HOW TO ORDER

MODEL NUMBER

6-SSS


WORKSURFACE STORAGE BOX STANDARD FEATURES

• 12.25"D Opening

• Finished Back


• NOTE: Rests Directly on Worksurface

13"H



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-2213PSB	22	13	13	22	4	\$ 376	\$ 578
6-3013PSB	30	13	13	28	5	\$ 519	\$ 787
6-3613PSB	36	13	13	32	5	\$ 624	\$ 942

19"H



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-2219PSB	22	13	19	27	5	\$ 637	\$ 861
6-3019PSB	30	13	19	34	6	\$ 784	\$ 1,043
6-3619PSB	36	13	19	39	7	\$ 904	\$ 1,212

OPTIONS

Material	Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC

HOW TO ORDER

SPECIFY: Material | finish. See page H for the designator finish name.

MODEL NUMBER

6-2213PSB

Material	Finish
T	EN2


END STORAGE BOX STANDARD FEATURES

- Can Be Positioned Facing User using ECBKT4 Brackets or Hung on the Side of an H Base using HSBKT4 Brackets
- Finished Back

NOTES:

- When Using ECBKT4 the Box Rests Above End of Worksurface
- When Using HSBKT4 the Box Rests Below End of Worksurface

- 48"W Box must be used with 48"W Leg
- 64"W Box must be used with 64"W Leg



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4814ESB	48.125	14	14.125	53	7	\$ 1,121	\$ 2,580
6-6414ESB	64.125	14	14.125	70	10	\$ 1,212	\$ 2,785


END STORAGE BOOKCASE STANDARD FEATURES

- End Bookcase Open to Outside
- Two Adjustable Shelves per Section
- One Stationary Shelf per Section
- Attaches to Benching Unit using HSBKT4 Brackets

- Finished Back

NOTES:

- Rests on the Floor Next to Benching Unit
- 48"W Bookcase must be used with 48"W Leg
- 64"W Bookcase must be used with 64"W Leg



model	w	d	h	wt	cu ft	TFL	quartered veneer
6-4842ESB	48.125	14	42	110	20	\$ 1,370	\$ 2,693
6-6442ESB	64.125	14	42	144	26	\$ 1,658	\$ 2,982

OPTIONS

Material	Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 DS2 NW2 ST2 KD2 PC2 EN2 <i>Flat Cut</i> LM2 MH2 MC2 BU2 BE2 LC2 VM2 <i>Textured Laminate</i> FN2 PK2 LO2 DR2 <i>Studio Textured Laminate (10% upcharge)</i> SD2 CR2 TFL Solid Color Laminate RW2 FW2 GR2 SG2 BL2
V Veneer	Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered (10% upcharge)</i> SVC <i>Studio Veneer Planked (10% upcharge)</i> SFO SFW

HOW TO ORDER

SPECIFY: Material | finish. See page H for the designator finish name.

MODEL NUMBER

6-4814ESB

Material	Finish
T	EN2


LOW HEIGHT FLOOR STORAGE WITHOUT RISER STANDARD FEATURES

- Low Height
- One Box Drawer

- One Lateral File Drawer for Letter or Legal Filing
- One Adjustable Shelf

NOTES:

- Optional Felt for Top
- Optional Cushion sold page 287



model			w	d	h	wt	cu ft	TFL	quartered veneer
6-NL4819FSL	LEFT	30"W Lateral File Drawer	48	19	23	174	14	\$ 1,803	\$ 2,774
6-NL6019FSL	LEFT	36"W Lateral File Drawer	60	19	23	186	18	\$ 2,015	\$ 3,097
6-NL4819FSR	RIGHT	30"W Lateral File Drawer	48	19	23	174	14	\$ 1,803	\$ 2,774
6-NL6019FSR	RIGHT	36"W Lateral File Drawer	60	19	23	186	18	\$ 2,015	\$ 3,097

OPTIONS

Material	Finish	Edge Finish	Chassis Finish	Top Drawer(s) Finish	Bottom Drawer Finish	Felt	Lock	Pull	
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	X9 No Felt Felt ANS Anthracite CRS Curry EBS EcoBrown JNS Jeans LBS LightBlue LMS Lime MKS Mokka OWS OffWhite ORS Orange PKS Pink RDS Red SGS Stone Grey 6-NL4819FSL and 6-NL6019FSR \$388 6-NL6019FSL and 6-NL6019FSR \$488	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk COPP Copper SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SNCK Satin Nickel SBRZ Soft Bronze STON Stone HIF Warm Grey Super Matte Powder Coat ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	Matching Veneer <i>Edge Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered</i> SVC					

HOW TO ORDER

SPECIFY: Material | finish | edge finish | chassis finish | top drawer(s) finish | bottom drawer finish | felt | lock | pull | pull finish. See page H for the designator finish name.

MODEL NUMBER

6-NL4819FSL

Material	Finish	Edge Finish	Chassis Finish	Top Drawer(s) Finish	Bottom Drawer Finish	Felt	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	EN2	X9	NL	Parallel	BWT


LOW HEIGHT FLOOR STORAGE WITH RISER STANDARD FEATURES

- Low Height
- One Tray Drawer

- One Lateral File Drawer for Letter or Legal Filing
- One Adjustable Shelf

NOTES:

- Optional Felt for Top
- Optional Cushion sold page 287



model			w	d	h	wt	cu ft	TFL	quartered veneer
6-RL4819FSL	LEFT	30"W Lateral File Drawer	48	19	23	170	14	\$ 1,972	\$ 3,034
6-RL6019FSL	LEFT	36"W Lateral File Drawer	60	19	23	180	18	\$ 2,201	\$ 3,385
6-RL4819FSR	RIGHT	30"W Lateral File Drawer	48	19	23	170	14	\$ 1,972	\$ 3,034
6-RL6019FSR	RIGHT	36"W Lateral File Drawer	60	19	23	180	18	\$ 2,201	\$ 3,385

OPTIONS

Material	Finish	Edge Finish	Chassis Finish	Top Drawer(s) Finish	Bottom Drawer Finish	Felt	Lock	Pull	Pull Finish
T TFL	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> (10% upcharge) SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	2mm PP Edge Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	TFL Woodgrain Laminate <i>Quartered</i> CO2 NW2 KD2 EN2 DS2 ST2 PC2 <i>Flat Cut</i> LM2 MC2 BE2 VM2 MH2 BU2 LC2 <i>Textured Laminate</i> FN2 LO2 PK2 DR2 <i>Studio Textured Laminate</i> SD2 CR2 TFL Solid Color Laminate RW2 GR2 FW2 SG2 BL2	X9 No Felt Felt ANS Anthracite CRS Curry EBS EcoBrown JNS Jeans LBS LightBlue LMS Lime MKS Mokka OWS OffWhite ORS Orange PKS Pink RDS Red SGS Stone Grey 6-NL4819FSL and 6-NL4819FSR \$388 6-NL6019FSL and 6-NL6019FSR \$488	NL No Lock - Standard Locking - Specific Key • Locks ordered separately see page L LCK1 Requires 1 Lock Core \$88	Parallel Bow NOTE: Bow is not available in SNCK Satin Nickel	Standard Powder Coat BWT Bone White CHLK Chalk COPP Copper SGLD Gold GRPH Graphite MSL Luster Grey HIP Oiled Bronze BKO Onyx POLR Polar SNCK Satin Nickel SBRZ Soft Bronze STON Stone HIF Warm Grey <i>Super Matte Powder Coat</i> ION Ion Studio Powder Coat (Upcharge \$23) PAL Polished Aluminum HERN Heron LATT Latte MOSS Moss RUST Rust TURM Turmeric HIFA Warm Grey
V Veneer	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> (10% upcharge) SVC	Matching Veneer <i>Edge Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW SVC	Veneer <i>Quartered</i> OSL MLC MRO MGW MBM MMC MHM MGO DST BUW PCO EBY MNW <i>Studio Veneer Quartered</i> SVC	All Drawers Veneer <i>Quartered</i> OSL MHM MNW MMC BUW MRO DST MLC MGO EBY MBM PCO MGW <i>Studio Veneer Quartered</i> SVC					

HOW TO ORDER

SPECIFY: Material | finish | edge finish | chassis finish | top drawer(s) finish | bottom drawer finish | felt | lock | pull | pull finish. See page H for the designator finish name.


MODEL NUMBER

6-RL4819FSL

Material	Finish	Edge Finish	Chassis Finish	Top Drawer(s) Finish	Bottom Drawer Finish	Felt	Lock	Pull	Pull Finish
T	EN2	EN2	EN2	EN2	EN2	X9	NL	Parallel	BWT

FLOOR STORAGE CUSHION - FABRIC STANDARD FEATURES

- Must be Field Installed



model	w	d	h	wt	cu ft
6-3019SC	30	19	1.5	8	1

- Use with 48"W Floor Storage, Position over Lateral Files

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.25	n/a	421	444	470	503	549	615	681	747	812	878	944	1,010	1,075	1,141	1,207	725	791	856

model	w	d	h	wt	cu ft
6-3619SC	36	19	1.5	9	1

- Use with 60"W Floor Storage, Position over Lateral Files

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.5	n/a	515	543	574	614	669	748	827	906	985	1,064	1,143	1,221	1,300	1,379	1,458	874	953	1,031

model	w	d	h	wt	cu ft
6-4819SC	48	19	1.5	10	2

- Use with 48"W Floor Storage, Position over Entire Unit

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
1.75	n/a	684	716	753	799	864	956	1,048	1,140	1,232	1,324	1,416	1,508	1,600	1,692	1,784	1,097	1,190	1,281

model	w	d	h	wt	cu ft
6-6019SC	60	19	1.5	11	2

- Use with 60"W Floor Storage, Position over Entire Unit

yds com (54")	sq ft col	1	com 2	col 3	4	5	6	7	8	9	10	11	12	13	14	15	L1	L2	L3
2	n/a	836	873	915	968	1,041	1,146	1,252	1,357	1,462	1,567	1,673	1,778	1,883	1,988	2,094	1,304	1,410	1,514

OPTIONS

Fabric/Grade

Grade, Vendor, Pattern, Color

NOTE: A sample of all COM fabrics must be submitted to OFS for preliminary approval prior to shipment of fabric. See OFS Seating Price List for COM Ordering Instructions.

HOW TO ORDER

SPECIFY: Textile pattern and color. See page H for a full list of our fabric partners.

MODEL NUMBER

6-3019SC

Fabric/Grade

Grade 3, Momentum, Hue, Smoke




ECONOMY POWER KIT STANDARD FEATURES

- Two Double Block Systems
- One Power Jumper
- Four Toolrail Brackets

- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-96PK3E4-4	60	2	3	10	1	\$ 265
• One 36"W Power Jumper Included, use with 96"W Table						
PS-108PK3E4-4	66	2	3	11	1	\$ 271
• One 42"W Power Jumper Included, use with 108"W Table						
PS-120PK3E4-4	72	2	3	12	1	\$ 278
• One 48"W Power Jumper Included, use with 120"W Table						
PS-132PK3E4-4	78	2	3	13	1	\$ 282
• One 54"W Power Jumper Included, use with 132"W Table						
PS-144PK3E4-4	84	2	3	14	1	\$ 286
• One 60"W Power Jumper Included, use with 144"W Table						
PS-156PK3E4-4	90	2	3	15	1	\$ 293
• One 66"W Power Jumper Included, use with 156"W Table						
PS-168PK3E4-4	96	2	3	16	1	\$ 299
• One 72"W Power Jumper Included, use with 168"W Table						

HOW TO ORDER

MODEL NUMBER

PS-96PK3E4-4




ECONOMY POWER KIT STANDARD FEATURES

- Three Double Block Systems
- Two Power Jumpers
- Six Toolrail Brackets
- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Six Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-144PK3E6-4	108	2	3	15	1	\$ 432
• Two 36"W Power Jumpers Included, use with 144"W Table						
PS-162PK3E6-4	120	2	3	17	1	\$ 443
• Two 42"W Power Jumpers Included, use with 162"W Table						
PS-180PK3E6-4	132	2	3	19	1	\$ 454
• Two 48"W Power Jumpers Included, use with 180"W Table						
PS-198PK3E6-4	144	2	3	21	1	\$ 463
• Two 54"W Power Jumpers Included, use with 198"W Table						
PS-216PK3E6-4	156	2	3	23	1	\$ 474
• Two 60"W Power Jumpers Included, use with 216"W Table						
PS-234PK3E6-4	168	2	3	25	1	\$ 487
• Two 66"W Power Jumpers Included, use with 234"W Table						
PS-252PK3E6-4	180	2	3	27	1	\$ 497
• Two 72"W Power Jumpers Included, use with 252"W Table						

HOW TO ORDER

MODEL NUMBER

PS-144PK3E6-4




ECONOMY POWER KIT STANDARD FEATURES

- Four Double Block Systems
- Three Power Jumpers
- Eight Toolrail Brackets
- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Eight Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-192PK3E8-4	156	2	3	20	2	\$ 598
• Three 36"W Power Jumpers Included, use with 192"W Table						
PS-216PK3E8-4	174	2	3	23	2	\$ 616
• Three 42"W Power Jumpers Included, use with 216"W Table						
PS-240PK3E8-4	192	2	3	26	2	\$ 632
• Three 48"W Power Jumpers Included, use with 240"W Table						
PS-264PK3E8-4	210	2	3	29	2	\$ 646
• Three 54"W Power Jumpers Included, use with 264"W Table						
PS-288PK3E8-4	228	2	3	32	2	\$ 660
• Three 60"W Power Jumpers Included, use with 288"W Table						
PS-312PK3E8-4	246	2	3	35	2	\$ 681
• Three 66"W Power Jumpers Included, use with 312"W Table						
PS-336PK3E8-4	264	2	3	38	2	\$ 697
• Three 72"W Power Jumpers Included, use with 336"W Table						

HOW TO ORDER

MODEL NUMBER

PS-192PK3E8-4

**ECONOMY POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES**

- Three Double Block Systems
- Two 42"W Power Jumpers
- Six Toolrail Brackets
- One Y Connector

- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Three Users, Eight Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-TRPK3E3-8	70	37	3	12	1	\$ 466

ECONOMY POWER KIT - QUAD CLUSTER TABLE STANDARD FEATURES

- Two Double Block Systems
- One 42"W Power Jumpers
- Four Toolrail Brackets

- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-QUPK3E4-4	66	2	3	14	1	\$ 271

HOW TO ORDER**MODEL NUMBER**

PS-TRPK3E3-8




PREMIUM POWER KIT STANDARD FEATURES

- Two Double Block Assemblies with Face Plates
- One Power Jumper
- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-96PK3A4-4	69	2.25	7	10	1	\$ 1,235
• One 36"W Power Jumper Included, use with 96"W Table						
PS-108PK3A4-4	75	2.25	7	11	1	\$ 1,241
• One 42"W Power Jumper Included, use with 108"W Table						
PS-120PK3A4-4	81	2.25	7	12	1	\$ 1,246
• One 48"W Power Jumper Included, use with 120"W Table						
PS-132PK3A4-4	87	2.25	7	13	1	\$ 1,251
• One 54"W Power Jumper Included, use with 132"W Table						
PS-144PK3A4-4	93	2.25	7	14	1	\$ 1,256
• One 60"W Power Jumper Included, use with 144"W Table						
PS-156PK3A4-4	99	2.25	7	15	1	\$ 1,262
• One 66"W Power Jumper Included, use with 156"W Table						
PS-168PK3A4-4	105	2.25	7	16	1	\$ 1,268
• One 72"W Power Jumper Included, use with 168"W Table						

HOW TO ORDER

MODEL NUMBER

PS-96PK3A4-4




PREMIUM POWER KIT STANDARD FEATURES

- Three Double Block Assemblies with Face Plates
- Three Circuit System
- Two Power Jumpers
- UL Listed Electrical Components

NOTES:

- Six Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-144PK3A6-4	117	2.25	7	15	1	\$ 1,886

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-162PK3A6-4	129	2.25	7	17	1	\$ 1,898
---------------	-----	------	---	----	---	----------

- Two 42"W Power Jumpers Included, use with 162"W Table

PS-180PK3A6-4	141	2.25	7	19	1	\$ 1,908
---------------	-----	------	---	----	---	----------

- Two 48"W Power Jumpers Included, use with 180"W Table

PS-198PK3A6-4	153	2.25	7	21	1	\$ 1,918
---------------	-----	------	---	----	---	----------

- Two 54"W Power Jumpers Included, use with 198"W Table

PS-216PK3A6-4	165	2.25	7	23	1	\$ 1,928
---------------	-----	------	---	----	---	----------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-234PK3A6-4	177	2.25	7	25	1	\$ 1,939
---------------	-----	------	---	----	---	----------

- Two 66"W Power Jumpers Included, use with 234"W Table

PS-252PK3A6-4	189	2.25	7	27	1	\$ 1,953
---------------	-----	------	---	----	---	----------

- Two 72"W Power Jumpers Included, use with 252"W Table

HOW TO ORDER

MODEL NUMBER

PS-144PK3A6-4




PREMIUM POWER KIT STANDARD FEATURES

- Four Double Block Assemblies with Face Plates
- Three Circuit System
- Three Power Jumpers
- UL Listed Electrical Components

NOTES:

- Eight Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-192PK3A8-4	165	2.25	7	20	2	\$ 2,537
• Three 36"W Power Jumpers Included, use with 192"W Table						
PS-216PK3A8-4	183	2.25	7	23	2	\$ 2,633
• Three 42"W Power Jumpers Included, use with 216"W Table						
PS-240PK3A8-4	201	2.25	7	26	2	\$ 2,569
• Three 48"W Power Jumpers Included, use with 240"W Table						
PS-264PK3A8-4	219	2.25	7	29	2	\$ 2,662
• Three 54"W Power Jumpers Included, use with 264"W Table						
PS-288PK3A8-4	237	2.25	7	32	2	\$ 2,599
• Three 60"W Power Jumpers Included, use with 288"W Table						
PS-312PK3A8-4	255	2.25	7	35	2	\$ 2,697
• Three 66"W Power Jumpers Included, use with 312"W Table						
PS-336PK3A8-4	273	2.25	7	38	2	\$ 2,637
• Three 72"W Power Jumpers Included, use with 336"W Table						

HOW TO ORDER

MODEL NUMBER


PS-192PK3A8-4

**PREMIUM POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES**

- Three Double Block Assemblies with Face Plates
- Two 42"W Power Jumpers
- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Three Users, Eight Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)




model	w	d	h	wt	cu ft	list
PS-TRPK3A3-8	78	37	7	12	1	\$ 1,898

PREMIUM POWER KIT - QUAD CLUSTER TABLE STANDARD FEATURES

- Two Double Block Assemblies with Face Plates
- One 42"W Power Jumper
- Three Circuit System
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 294-296)



model	w	d	h	wt	cu ft	list
PS-QUPK3A4-4	74	2.25	7	14	1	\$ 1,241

POWER BLOCK ASSEMBLY (PREMIUM POWER) STANDARD FEATURES

- Power Block Assembly with Face Plates
 - Three Circuit System
- NOTES:**
- Four Outlets Each User



model	w	d	h	wt	cu ft	list
PBS5A-4	21	2.25	7	6	1	\$ 584


HOW TO ORDER**MODEL NUMBER**

PS-TRPK3A3-8




POWER IN-FEED STANDARD FEATURES

LIQUID TIGHT CONDUIT




model	w	d	h	wt	cu ft	list
PWF5L120	10'	0.75	2	8	1	\$ 164
• 10' Cord • Hardwire						

METAL CONDUIT




model	w	d	h	wt	cu ft	list
PWF5M120	10'	2	1	14	1	\$ 182
• 10' Cord • Hardwire						

METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF5NYC	6'	2	1.5	17	1	\$ 370
• 6' Cord • Complies with New York City Code • Hardwire • UL Listed						

POWER IN-FEED



model	w	d	h	wt	cu ft	list
PWF5M20AMP	6'	n/a	n/a	4	1	\$ 242
• Limits System to One Circuit (Must Use all Circuit I Outlets) • 20 Amp Plug • Usage Requires 20 Amp Wall Outlet • Straight Plug • 6' Cord • UL Recognized						

Y CONNCTOR BLOCK STANDARD FEATURES

- Used to Connect Power In-Feed to any Jumper Junction and Power Block



model	w	d	h	wt	cu ft	list
YCB5	2.19	1.5	2	1	0.1	\$ 23

POWER BLOCK BRACKET STANDARD FEATURES

- Used to Attach Power Block to Toolrail



model	w	d	h	wt	cu ft	list
PBBKA2	3.5	1.6875	1.375	1	1	\$ 23

DUPLEX RECEPTACLES STANDARD FEATURES

- 20 Amp Circuit
- UL Listed
- For Use with Five Wire Three Circuit System



model	w	d	h	wt	cu ft	list
DPX5W1 Circuit I	3.5	1.5	1.3	1	0.1	\$ 22
DPX5W2 Circuit II	3.5	1.5	1.3	1	0.1	\$ 22
DPX5W3 Circuit III	3.5	1.5	1.3	1	0.1	\$ 22

HOW TO ORDER


MODEL NUMBER

PWF5L120



POWER CIRCUIT JUMPER STANDARD FEATURES

- Multi Circuit Jumper for Five Wire Three Circuit System, Metal Conduit
- UL Listed



model	w	d	h	wt	cu ft	list
MCJ5W8M	8	0.75	2	2	0.1	\$ 42
MCJ5W12M	12	0.75	2	2	0.1	\$ 48
MCJ5W14M	14	0.75	2	2	0.1	\$ 49
MCJ5W16M	16	0.75	2	2	0.1	\$ 50
MCJ5W18M	18	0.75	2	2	0.1	\$ 52
MCJ5W20M	20	0.75	2	2	0.1	\$ 53
MCJ5W24M	24	0.75	2	2	0.1	\$ 56
MCJ5W26M	26	0.75	2	2	0.1	\$ 57
MCJ5W28M	28	0.75	2	2	0.1	\$ 59
MCJ5W30M	30	0.75	2	2	0.1	\$ 61
MCJ5W32M	32	0.75	2	2	0.1	\$ 64
MCJ5W36M	36	0.75	2	2	0.1	\$ 66
MCJ5W38M	38	0.75	2	2	0.1	\$ 68
MCJ5W40M	40	0.75	2	2	0.1	\$ 69
MCJ5W42M	42	0.75	2	2	0.1	\$ 72
MCJ5W44M	44	0.75	2	2	0.1	\$ 74
MCJ5W46M	46	0.75	2	2	0.1	\$ 75
MCJ5W48M	48	0.75	2	2	0.1	\$ 77
MCJ5W50M	50	0.75	2	2	0.1	\$ 78
MCJ5W54M	54	0.75	2	2	0.1	\$ 84
MCJ5W60M	60	0.75	2	2	0.1	\$ 88
MCJ5W66M	66	0.75	2	2	0.1	\$ 93
MCJ5W72M	72	0.75	2	2	0.1	\$ 100
MCJ5W78M	78	0.75	2	2	0.1	\$ 116
MCJ5W84M	84	0.75	2	2	0.1	\$ 120

HOW TO ORDER

MODEL NUMBER

MCJ5W8M



POWER BLOCK FOR RECEPTACLES STANDARD FEATURES

- UL Listed
- For Five Wire Three Circuit System


SINGLE



model	w	d	h	wt	cu ft	list
PB5S1	6	1.5	2.38	1	0.5	\$ 35

- Single Block
- Receives Two Duplex Receptacles (Double Sided)

DOUBLE




model	w	d	h	wt	cu ft	list
PB5D1	12	1.5	2.38	1	0.5	\$ 57

- Double Block
- Receives Four Duplex Receptacles (Double Sided)

DOUBLE BLOCK FOR FIVE WIRE THREE CIRCUIT SYSTEM STANDARD FEATURES

- Receives Four Duplex Receptacles (Double Sided)
- UL Listed



model	w	d	h	wt	cu ft	list
DPB5S18	18	1.5	2.38	3	1	\$ 70
DPB5S24	24	1.5	2.38	3	1	\$ 72
DPB5S30	30	1.5	2.38	3	1	\$ 77

HOW TO ORDER

MODEL NUMBER

PB5S1




ECONOMY POWER KIT STANDARD FEATURES

- Two Double Block Systems
- One Power Jumper
- Four Toolrail Brackets
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-96PK4E4-4	60	2	3	10	1	\$ 436
• One 36"W Power Jumper Included, use with 96"W Table						
PS-108PK4E4-4	66	2	3	11	1	\$ 441
• One 42"W Power Jumper Included, use with 108"W Table						
PS-120PK4E4-4	72	2	3	12	1	\$ 456
• One 48"W Power Jumper Included, use with 120"W Table						
PS-132PK4E4-4	78	2	3	13	1	\$ 470
• One 54"W Power Jumper Included, use with 132"W Table						
PS-144PK4E4-4	84	2	3	14	1	\$ 472
• One 60"W Power Jumper Included, use with 144"W Table						
PS-156PK4E4-4	90	2	3	15	1	\$ 487
• One 66"W Power Jumper Included, use with 156"W Table						
PS-168PK4E4-4	96	2	3	16	1	\$ 496
• One 72"W Power Jumper Included, use with 168"W Table						

HOW TO ORDER

MODEL NUMBER

PS-96PK4E4-4




ECONOMY POWER KIT STANDARD FEATURES

- Three Double Block Systems
- Two Power Jumpers
- Six Toolrail Brackets
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Six Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-144PK4E6-4	108	2	3	15	1	\$ 713
• Two 36"W Power Jumpers Included, use with 144"W Table						
PS-162PK4E6-4	120	2	3	17	1	\$ 724
• Two 42"W Power Jumpers Included, use with 162"W Table						
PS-180PK4E6-4	132	2	3	19	1	\$ 754
• Two 48"W Power Jumpers Included, use with 180"W Table						
PS-198PK4E6-4	144	2	3	21	1	\$ 778
• Two 54"W Power Jumpers Included, use with 198"W Table						
PS-216PK4E6-4	156	2	3	23	1	\$ 784
• Two 60"W Power Jumpers Included, use with 216"W Table						
PS-234PK4E6-4	168	2	3	25	1	\$ 813
• Two 66"W Power Jumpers Included, use with 234"W Table						
PS-252PK4E6-4	180	2	3	27	1	\$ 835
• Two 72"W Power Jumpers Included, use with 252"W Table						

HOW TO ORDER

MODEL NUMBER

PS-144PK4E6-4




ECONOMY POWER KIT STANDARD FEATURES

- Four Double Block Systems
- Three Power Jumpers
- Eight Toolrail Brackets
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Eight Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-192PK4E8-4	156	2	3	20	2	\$ 988
• Three 36"W Power Jumpers Included, use with 192"W Table						
PS-216PK4E8-4	174	2	3	23	2	\$ 1,007
• Three 42"W Power Jumpers Included, use with 216"W Table						
PS-240PK4E8-4	192	2	3	26	2	\$ 1,052
• Three 48"W Power Jumpers Included, use with 240"W Table						
PS-264PK4E8-4	210	2	3	29	2	\$ 1,089
• Three 54"W Power Jumpers Included, use with 264"W Table						
PS-288PK4E8-4	228	2	3	32	2	\$ 1,095
• Three 60"W Power Jumpers Included, use with 288"W Table						
PS-312PK4E8-4	246	2	3	35	2	\$ 1,141
• Three 66"W Power Jumpers Included, use with 312"W Table						
PS-336PK4E8-4	264	2	3	38	2	\$ 1,174
• Three 72"W Power Jumpers Included, use with 336"W Table						

HOW TO ORDER

MODEL NUMBER

PS-192PK4E8-4

**ECONOMY POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES**

- Three Double Block Systems
- Two 42"W Power Jumpers
- Six Toolrail Brackets
- Four Circircuit System

- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Three Users, Eight Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-TRPKE3-8	70	37	3.5	12	1	\$ 738

ECONOMY POWER KIT - QUAD CLUSTER TABLE STANDARD FEATURES

- Two Double Block Systems
- One 42"W Power Jumpers
- Four Toolrail Brackets

- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-QUPK4E4-4	66	2	3	14	1	\$ 441

HOW TO ORDER**MODEL NUMBER**

PS-TRPKE3-8




PREMIUM POWER KIT STANDARD FEATURES

- Two Double Block Assemblies with Face Plates
- One Power Jumper
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-96PK4A4-4	69	2.25	7	10	1	\$ 1,415
• One 36"W Power Jumper Included, use with 96"W Table						
PS-108PK4A4-4	75	2.25	7	11	1	\$ 1,420
• One 42"W Power Jumper Included, use with 108"W Table						
PS-120PK4A4-4	81	2.25	7	12	1	\$ 1,436
• One 48"W Power Jumper Included, use with 120"W Table						
PS-132PK4A4-4	87	2.25	7	13	1	\$ 1,447
• One 54"W Power Jumper Included, use with 132"W Table						
PS-144PK4A4-4	93	2.25	7	14	1	\$ 1,451
• One 60"W Power Jumper Included, use with 144"W Table						
PS-156PK4A4-4	99	2.25	7	15	1	\$ 1,465
• One 66"W Power Jumper Included, use with 156"W Table						
PS-168PK4A4-4	105	2.25	7	16	1	\$ 1,476
• One 72"W Power Jumper Included, use with 168"W Table						

HOW TO ORDER

MODEL NUMBER

PS-96PK4A4-4




PREMIUM POWER KIT STANDARD FEATURES

- Three Double Block Assemblies with Face Plates
- Two Power Jumpers
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Six Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-144PK4A6-4	117	2.25	7	15	1	\$ 2,180

- Two 36"W Power Jumpers Included, use with 144"W Table

PS-162PK4A6-4	129	2.25	7	17	1	\$ 2,194
---------------	-----	------	---	----	---	----------

- Two 42"W Power Jumpers Included, use with 162"W Table

PS-180PK4A6-4	141	2.25	7	19	1	\$ 2,222
---------------	-----	------	---	----	---	----------

- Two 48"W Power Jumpers Included, use with 180"W Table

PS-198PK4A6-4	153	2.25	7	21	1	\$ 2,248
---------------	-----	------	---	----	---	----------

- Two 54"W Power Jumpers Included, use with 198"W Table

PS-216PK4A6-4	165	2.25	7	23	1	\$ 2,253
---------------	-----	------	---	----	---	----------

- Two 60"W Power Jumpers Included, use with 216"W Table

PS-234PK4A6-4	177	2.25	7	25	1	\$ 2,281
---------------	-----	------	---	----	---	----------

- Two 66"W Power Jumpers Included, use with 234"W Table

PS-252PK4A6-4	189	2.25	7	27	1	\$ 2,304
---------------	-----	------	---	----	---	----------

- Two 72"W Power Jumpers Included, use with 252"W Table

HOW TO ORDER

MODEL NUMBER

PS-144PK4A6-4




PREMIUM POWER KIT STANDARD FEATURES

- Four Double Block Assemblies with Face Plates
- Three Power Jumpers
- Four Circuit System
- 3 + 1 Wire Configuration
- UL Listed Electrical Components

NOTES:

- Eight Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-192PK4A8-4	165	2.25	7	20	2	\$ 2,949
• Three 36"W Power Jumpers Included, use with 192"W Table						
PS-216PK4A8-4	183	2.25	7	23	2	\$ 2,966
• Three 42"W Power Jumpers Included, use with 216"W Table						
PS-240PK4A8-4	201	2.25	7	26	2	\$ 3,010
• Three 48"W Power Jumpers Included, use with 240"W Table						
PS-264PK4A8-4	219	2.25	7	29	2	\$ 3,046
• Three 54"W Power Jumpers Included, use with 264"W Table						
PS-288PK4A8-4	237	2.25	7	32	2	\$ 3,055
• Three 60"W Power Jumpers Included, use with 288"W Table						
PS-312PK4A8-4	255	2.25	7	35	2	\$ 3,098
• Three 66"W Power Jumpers Included, use with 312"W Table						
PS-336PK4A8-4	273	2.25	7	38	2	\$ 3,132
• Three 72"W Power Jumpers Included, use with 336"W Table						

HOW TO ORDER

MODEL NUMBER


PS-192PK4A8-4

**PREMIUM POWER KIT - TRI CLUSTER TABLE STANDARD FEATURES**

- Three Double Block Assemblies with Face Plates
- Two 42"W Power Jumpers
- Four Circuit System
- 3 + 1 Wiring Configuration
- UL Listed Electrical Components

NOTES:

- Three Users, Eight Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)




model	w	d	h	wt	cu ft	list
PS-TRPK4A3-8	78	37	7	12	1	\$ 2,194

PREMIUM POWER KIT - QUAD CLUSTER TABLE STANDARD FEATURES

- Two Double Block Assemblies with Face Plates
- One 42"W Power Jumper
- Four Circuit System
- 3 + 1 Wiring Configuration
- UL Listed Electrical Components

NOTES:

- Four Users, Four Outlets Each User
- Does Not Include Duplex Receptacles or In-Feeds (see pages 248-250)



model	w	d	h	wt	cu ft	list
PS-QUPK4A4-4	74	2.25	7	14	1	\$ 1,420

POWER BLOCK ASSEMBLY (PREMIUM POWER) STANDARD FEATURES

- Power Block Assembly with Face Plates
- Four Circuit System
- 3 + 1 Wire Configuration

NOTES:

- Four Outlets Each User



model	w	d	h	wt	cu ft	list
PBS8A-4	21	2.25	7	6	1	\$ 649


HOW TO ORDER**MODEL NUMBER**

PS-TRPKA3-8




POWER IN-FEED STANDARD FEATURES

LIQUID TIGHT CONDUIT




model	w	d	h	wt	cu ft	list
PWF3L120	10'	2	1	14	1	\$ 303
• 10' Cord • Hardwire • UL Listed						

METAL CONDUIT




model	w	d	h	wt	cu ft	list
PWF3M120	10'	2	1	14	1	\$ 247
• 10' Cord • Hardwire • UL Listed						

METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF3NYC	6'	2	1.5	17	1	\$ 277
• 6' Cord • Complies with New York City Code • Hardwire • UL Listed						

POWER IN-FEED



model	w	d	h	wt	cu ft	list
PWF3M20AMP	6'	n/a	n/a	4	1	\$ 217
• Limits System to One Circuit (Must Use all Circuit I Outlets) • 20 Amp Plug • Usage Requires 20 Amp Wall Outlet • Straight Plug • 6' Cord • UL Recognized						

POWER BLOCK BRACKET STANDARD FEATURES

- Used to Attach Power Block to Toolrail




model	w	d	h	wt	cu ft	list
PBBKTA2	3.5	1.6875	1.375	1	1	\$ 23

POWER BLOCK FOR RECEPTACLES STANDARD FEATURES


- UL Listed
- For Five Wire Three Circuit System

SINGLE



model	w	d	h	wt	cu ft	list
PBS1	5.25	2	2	1	1	\$ 86
• Single Block • Receives Two Duplex Receptacles (Double Sided)						


DOUBLE



model	w	d	h	wt	cu ft	list
PBD1	10.5	2	2	2	1	\$ 120
• Double Block • Receives Four Duplex Receptacles (Double Sided)						

DOUBLE BLOCK SYSTEM 28"W STANDARD FEATURES

- Receives Four Duplex Receptacles (Double Sided)
- UL Listed



model	w	d	h	wt	cu ft	list
DPBS28	28	4	3	4	1	\$ 175

HOW TO ORDER

MODEL NUMBER

PWF3L120



DUPLEX RECEPTACLES STANDARD FEATURES

• 15 Amp Circuit

• UL Listed




model	w	d	h	wt	cu ft	list
DPX8W1	3.5	1.75	.875	1	0.1	\$ 27
• Circuit I						
DPX8W2	3.5	1.75	.875	1	0.1	\$ 27
• Circuit II						
DPX8W3	3.5	1.75	.875	1	0.1	\$ 27
• Circuit III						
DPX8W4	3.5	1.75	.875	1	0.1	\$ 27
• Circuit IV (Isolated and Dedicated)						

POWER CIRCUIT JUMPER STANDARD FEATURES

• Multi Circuit Jumper for Eight Wire Metal Conduit

• UL Listed



model	w	d	h	wt	cu ft	list
MCJ8W8M	8	2	1	2	0.1	\$ 99
MCJ8W12M	12	2	1	3	0.1	\$ 100
MCJ8W14M	14	2	1	3	0.1	\$ 102
MCJ8W16M	16	2	1	4	0.1	\$ 104
MCJ8W18M	18	2	1	5	0.1	\$ 107
MCJ8W20M	20	2	1	5	0.1	\$ 107
MCJ8W24M	24	2	1	6	0.1	\$ 108
MCJ8W26M	26	2	1	6	0.1	\$ 110
MCJ8W28M	28	2	1	6	0.1	\$ 111
MCJ8W30M	30	2	1	7	0.1	\$ 114
MCJ8W32M	32	2	1	8	0.1	\$ 117
MCJ8W36M	36	2	1	8	0.1	\$ 121
MCJ8W38M	38	2	1	9	0.1	\$ 124
MCJ8W40M	40	2	1	10	0.1	\$ 126
MCJ8W42M	42	2	1	10	0.1	\$ 127
MCJ8W44M	44	2	1	11	0.1	\$ 139
MCJ8W46M	46	2	1	12	0.1	\$ 141
MCJ8W48M	48	2	1	12	0.1	\$ 143
MCJ8W50M	50	2	1	13	0.1	\$ 145
MCJ8W54M	54	2	1	13	0.1	\$ 152
MCJ8W56M	56	2	1	14	0.1	\$ 153
MCJ8W60M	60	2	1	14	0.1	\$ 158
MCJ8W66M	66	2	1	15	0.1	\$ 172
MCJ8W72M	72	2	1	18	0.1	\$ 182
MCJ8W78M	78	2	1	19	0.1	\$ 190
MCJ8W84M	84	2	1	20	0.1	\$ 201

HOW TO ORDER

MODEL NUMBER


DPX8W1



POWER IN-FEED STANDARD FEATURES

- Hardwire
- UL Listed

METAL CONDUIT



model	w	d	h	wt	cu ft	list
PWF4M120N	10'	2	1	17	1	\$ 2,296

- Circuitrac In-Feed
- 10' Power Cord
- Complies with ASHRAE Title 24 Requirements

SENSOR STANDARD FEATURES

- Circuitrac Sensor for use with PWF4M120N



model	w	d	h	wt	cu ft	list
SEN1	3	3	3	1	0.5	\$ 739

DUPLEX RECEPTACLES STANDARD FEATURES

- 15 Amp Circuit
- Printed with Controlled Circuit Label
- For Use with PWF4M120N
- UL Listed



model		w	d	h	wt	cu ft	list
DPX8WCT1	Circuit I	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT2	Circuit II	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT3	Circuit III	3.5	1.75	.875	1	0.1	\$ 30
DPX8WCT4	Circuit IV (isolated and dedicated)	3.5	1.75	.875	1	0.1	\$ 30


HOW TO ORDER

MODEL NUMBER

PWF4M120N


CHICAGO CODE POWER HOUSING STANDARD FEATURES

• **NOTE:** Does Not Include Electrical Components




model	w	d	h	wt	cu ft	list
PS-PKCC4-4	69-105	2.25	7	8	1	\$ 1,312

- Two Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Four Users, Four Outlets Each User



model	w	d	h	wt	cu ft	list
PS-PKCC6-4	117-189	2.25	7	12	1	\$ 1,966

- Three Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Six Users, Four Outlets Each User



model	w	d	h	wt	cu ft	list
PS-PKCC8-4	165-273	2.25	7	16	2	\$ 2,622

- Four Power Block Assemblies with Outlet Boxes and Face Plates
- **NOTE:** Eight Users, Four Outlets Each User

HOW TO ORDER

MODEL NUMBER

PS-PKCC4-4




CHICAGO CODE POWER HOUSING - TRI CLUSTER TABLE STANDARD FEATURES

- Three Power Block Assemblies with Outlet Boxes and Face Plates

NOTES:

- Three Users, Eight Outlets Each User


- Does Not Include Electrical Components



model	w	d	h	wt	cu ft	list
PS-TRPKCC3-8	84	78	7	14	1	\$ 1,966

CHICAGO CODE SINGLE J-BOX STANDARD FEATURES

- Includes T-Nuts and Bolts to Install on Toolrail



model	w	d	h	wt	cu ft	list
PS-JBC1	7.125	2	2.5	0.5	0.1	\$ 31

POWER BLOCK ASSEMBLY (CHICAGO CODE POWER) STANDARD FEATURES

- Power Block Assembly with Outlet Boxes and Face Plates

NOTES:

- Four Outlets Each User

- Does Not Include Electrical Components



model	w	d	h	wt	cu ft	list
PBSCC-4	21	2.25	7	4	1	\$ 655


HOW TO ORDER

MODEL NUMBER

PS-TRPKCC3-8

**COLUMN WIRE MANAGER STANDARD FEATURES**

- For Heavy Duty Cabling
- Includes Hardware that Attaches to the Toolrail or Underside of Worksurface



model	w	d	h	wt	cu ft	list
VCWM5	5.125	3.375	28	4	1	\$ 485

OPTIONS**Finish**

BKO Onyx
MSL Luster Grey
POLR Polar

HOW TO ORDER

SPECIFY: Finish.

MODEL NUMBER


VCWM5

Finish

BKO

WIRE BASKET KIT STANDARD FEATURES

- Wire Basket Kit Attaches to Toolrail



model	w	d	h	wt	cu ft	list
WM-48CBKT-1	32	10	9	4	2	\$ 299
Single Basket, use on Double Sided Table with Two 48"W Tops						
WM-54CBKT-1	44	10	9	5	2	\$ 353
Single Basket, use on Double Sided Table with Two 54"W Tops						
WM-60CBKT-1	44	10	9	5	2	\$ 353
Single Basket, use on Double Sided Table with Two 60"W Tops						
WM-66CBKT-1	56	10	9	6	2	\$ 398
Single Basket, use on Double Sided Table with Two 66"W Tops						
WM-72CBKT-1	56	10	9	6	2	\$ 398
Single Basket, use on Double Sided Table with Two 72"W Tops						
WM-78CBKT-1	68	10	9	7	2	\$ 472
Single Basket, use on Double Sided Table with Two 78"W Tops						
WM-84CBKT-1	68	10	9	7	2	\$ 472
Single Basket, use on Double Sided Table with Two 84"W Tops						
WM-96CBKT-2	80	10	9	8	2	\$ 598
• Two Baskets, use on Double sided Table with Four 48"W Tops						
WM-108CBKT-2	98	10	9	10	2	\$ 706
• Two Baskets, use on Double sided Table with Four 54"W Tops						
WM-120CBKT-2	104	10	9	10	2	\$ 706
• Two Baskets, use on Double sided Table with Four 60"W Tops						
WM-132CBKT-2	122	10	9	12	2	\$ 795
• Two Baskets, use on Double sided Table with Four 66"W Tops						
WM-144CBKT-2	128	10	9	12	2	\$ 795
• Two Baskets, use on Double sided Table with Four 72"W Tops						
WM-156CBKT-2	146	10	9	14	3	\$ 942
• Two Baskets, use on Double sided Table with Four 78"W Tops						
WM-168CBKT-2	152	10	9	14	3	\$ 942
• Two Baskets, use on Double sided Table with Four 84"W Tops						


HOW TO ORDER

MODEL NUMBER

WM-32CBKT-1

WIRE BASKET KIT STANDARD FEATURES

- Wire Basket Kit Attaches to Toolrail



model	w	d	h	wt	cu ft	list
WM-144CBKT-3	128	10	9	12	5	\$ 897
• Three Baskets, use on Double sided Table with Six 48"W Tops						
WM-162CBKT-3	152	10	9	15	6	\$ 1,060
• Three Baskets, use on Double sided Table with Six 54"W Tops						
WM-180CBKT-3	164	10	9	15	6	\$ 1,060
• Three Baskets, use on Double sided Table with Six 60"W Tops						
WM-198CBKT-3	188	10	9	18	6	\$ 1,191
• Three Baskets, use on Double sided Table with Six 66"W Tops						
WM-216CBKT-3	200	10	9	18	6	\$ 1,191
• Three Baskets, use on Double sided Table with Six 72"W Tops						
WM-234CBKT-3	224	10	9	21	6	\$ 1,413
• Three Baskets, use on Double sided Table with Six 78"W Tops						
WM-252CBKT-3	236	10	9	21	6	\$ 1,413
• Three Baskets, use on Double sided Table with Six 84"W Tops						
WM-192CBKT-4	176	10	9	16	8	\$ 1,196
• Four Baskets, use on Double sided Table with Eight 48"W Tops						
WM-216CBKT-4	206	10	9	20	9	\$ 1,412
• Four Baskets, use on Double sided Table with Eight 54"W Tops						
WM-240CBKT-4	224	10	9	20	9	\$ 1,412
• Four Baskets, use on Double sided Table with Eight 60"W Tops						
WM-264CBKT-4	254	10	9	24	9	\$ 1,588
• Four Baskets, use on Double sided Table with Eight 66"W Tops						
WM-288CBKT-4	272	10	9	24	9	\$ 1,588
• Four Baskets, use on Double sided Table with Eight 72"W Tops						
WM-312CBKT-4	302	10	9	28	12	\$ 1,885
• Four Baskets, use on Double sided Table with Eight 78"W Tops						
WM-336CBKT-4	320	10	9	28	12	\$ 1,885
• Four Baskets, use on Double sided Table with Eight 84"W Tops						


HOW TO ORDER

MODEL NUMBER

WM-144CBKT-3

WIRE BASKET KIT - TRI CLUSTER TABLE STANDARD FEATURES

- Wire Basket Kit Attaches to Toolrail




model	w	d	h	wt	cu ft	list
WM-TRCBKT-3	86	86	9	4	2	\$ 897

- Three Baskets, use on Cluster Table

WIRE BASKET KIT - QUAD CLUSTER TABLE STANDARD FEATURES

- Wire Basket Kit Attaches to Toolrail



model	w	d	h	wt	cu ft	list
WM-QUCBKT-4	98	98	9	8	4	\$ 1,412

- Four Baskets, use on Cluster Table

GLASS MARKERBOARD MAGNETS STANDARD FEATURES



model	w	d	h	wt	cu ft	list
MGT-1	n/a	n/a	n/a	1	1	\$ 173


- Rare Earth Magnets for use on Glass Markerboards with Anodized Backer (DIL)
- Set of Five

WORKSURFACE STRAIGHTENER STANDARD FEATURES

- Black Metal Finish

NOTES:

- Used when Span of Unsupported Worksurface is Greater than 48"W
- One per 22"D Worksurface
- Two per 30" or 36"D Worksurface



model	w	d	h	wt	cu ft	list
SPTR48	47.5	1.6875	0.75	6	0.04	\$ 50

- Use where Unsupported Worksurface Width is 48"-54"

model	w	d	h	wt	cu ft	list
SPTR54	54	1.6875	0.75	6	0.05	\$ 55

- Use where Unsupported Worksurface Width is 55"-60"

model	w	d	h	wt	cu ft	list
SPTR60	60	1.6875	0.75	7	0.05	\$ 66

- Use where Unsupported Worksurface Width is 61"-66"

model	w	d	h	wt	cu ft	list
SPTR66	66	1.6875	0.75	8	0.06	\$ 69


- Use where Unsupported Worksurface Width is 67"-78"

HOW TO ORDER

MODEL NUMBER


WM-TRCBKT-3

POWER SUPPLY STANDARD FEATURES




model	w	d	h	wt	cu ft	list
PS-77	12.5	2.25	1.75	3	0.25	\$ 188

- Mounts below Worksurface
- Mounting Tabs on Short Sides (Screws not included)
- Six 12 Amp Outlets
- Overload Switch
- Surge Protection
- Black with Aluminum Housing
- 10' Cord




model	w	d	h	wt	cu ft	list
PS-55	5.4375	3.375	2.125	1	0.5	\$ 216
PS-55W	5.4375	3.375	2.125	1	0.5	\$ 216

- Mounts Below Worksurface
- Mounting Bracket Included
- Two 12 Amp Power Outlets (Front)
- One Power Outlet (Back)
- Two 2.1 Amp USB Charging Ports
- 10' Power Cord
- UL Listed



model	w	d	h	wt	cu ft	list
PS-60W	3.875	3.875	2	2	0.25	\$ 375

- White Power Supply
- Mobile Table Top Unit
- Two 15 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- 6' Cord
- UL Listed
- NOTE: Includes Interchangeable Green Top Cap



model	w	d	h	wt	cu ft	list
PS-100BE	3.6	3.9	2.1	2	0.25	\$ 382

- Beech Shell with Clear Finish
- Dusk Braided Cord

PS-100BK	3.6	3.9	2.1	2	0.25	\$ 382
----------	-----	-----	-----	---	------	--------

- Beech Shell with Black Finish
- Black with White Pinstripe Braided Cord

PS-100WL	3.6	3.9	2.1	2	0.25	\$ 382
----------	-----	-----	-----	---	------	--------

- Walnut Shell with Clear Finish
- Black with White Pinstripe Braided Cord
- One Power Outlet
- One USB-A Charging Port
- One USB-C Charging Port
- 9' Braided Power Cord
- UL Listed


HOW TO ORDER

MODEL NUMBER

PS-77


POWER SUPPLY STANDARD FEATURES

- White Power Supply
- Two 2.1 Amp USB Charging Ports
- 10' Cord
- UL Listed




model	w	d	h	wt	cu ft	list
PS-62W	5.5	3.25	6.5	3	0.25	\$ 400

- Clamps to Rim of Worksurface
 - Two 15 Amp Outlets
- NOTE: Clamp on Accessories will not work on Knife Edge Profile




model	w	d	h	wt	cu ft	list
PS-63W	8	4	6.875	4	0.25	\$ 476

- Clamps to Rim of Worksurface
 - Three 15 Amp Outlets
 - One Open Data Port
- NOTE: Clamp on Accessories will not work on Knife Edge Profile



model	w	d	h	wt	cu ft	list
PS-64W	6.5	3	1.875	2	0.25	\$ 367

- Mounts Below Worksurface
- Two 15 Amp Outlets



model	w	d	h	wt	cu ft	list
PS-65W	8	4	1.875	3	0.25	\$ 445


- Mounts Below Worksurface
- Three 15 Amp Outlets
- One Open Data Port

POWER SUPPLY INSERT

model		list
DGBV15F	VGA Gender Changer	\$ 38
HDFF	HDMI Gender Changer	\$ 54
TDG1026A-8C	RJ45 Panel Mount Coupler	\$ 33

• Use with: PS-63W and PS-65W


WIRELESS CHARGING UNIT



model		w	d	h	wt	cu ft	list
WC-2	BLACK	4.5	4.5	1.375	0.1	0.5	\$ 427

- Field Installed Wireless Charging Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed
- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 5' Cord

WIRELESS CHARGING MULTI UNIT



model		w	d	h	wt	cu ft	list
WC-MU	BLACK	4.5	4.5	1.375	2	0.25	\$ 589

- Field Installed Wireless Charging Multi Unit
- Must be Routed in from Bottom Side of Top 1/4" from Face
- 15 WATT Charging Speed
- Cover Cap is Exposed 5/8" Below Surface
- Location Decal Provided for Face of Top
- 15' Multi Unit Cord (can use up to 4 Pucks)
- 4' From Hub to Plug, 11' From Hub to Each Puck

OPTIONS

Number of Pucks (WC-MU only)

One	Standard
Two	\$350
Three	\$700
Four	\$1,050

HOW TO ORDER

SPECIFY: Number of Pucks

MODEL NUMBER


WC-MU

Number of Pucks (WC-MU only)

One


POWER SUPPLY STANDARD FEATURES

- UL Listed
- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information




model		w	d	h	wt	cu ft	list
PS-66B	BLACK	5.1	4.4	3.25	2	0.25	\$ 224
PS-66S	SILVER	5.1	4.4	3.25	2	0.25	\$ 224

- One 12 Amp Outlet
- One RJ-45 Data Jack
- Anodized Aluminum Finish
- 9' Cord




model		w	d	h	wt	cu ft	list
PS-67B	BLACK	5.1	4.4	3.25	2	0.25	\$ 224
PS-67S	SILVER	5.1	4.4	3.25	2	0.25	\$ 224

- Two 12 Amp Outlets
- Anodized Aluminum Finish
- 9' Cord




model		w	d	h	wt	cu ft	list
PS-68B	BLACK	5.1	4.4	3.25	2	0.25	\$ 286
PS-68S	SILVER	5.1	4.4	3.25	2	0.25	\$ 286

- One 12 Amp Outlet
- Two 2.1 Amp USB Charging Ports
- Anodized Aluminum Finish
- 9' Cord




model		w	d	h	wt	cu ft	list
PS-69B	BLACK	6.6	4.4	3.25	3	0.25	\$ 321
PS-69S	SILVER	6.6	4.4	3.25	3	0.25	\$ 321

- Two 12 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- Anodized Aluminum Finish
- 9' Cord




model		w	d	h	wt	cu ft	list
PS-70B	BLACK	8.1	4.4	3.25	4	0.25	\$ 392
PS-70S	SILVER	8.1	4.4	3.25	4	0.25	\$ 392

- Two 12 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- One RJ-45 Data Jack
- Anodized Aluminum Finish
- 9' Cord



model		w	d	h	wt	cu ft	list
PS-99B	BLACK	8.1	4.4	3.25	4	0.25	\$ 392
PS-99S	SILVER	8.1	4.4	3.25	4	0.25	\$ 392

- Two 12 Amp Outlets
- Two 2.1 Amp USB Charging Ports
- One HDMI Coupler
- Anodized Aluminum Finish
- 9' Cord



model		w	d	h	wt	cu ft	list
PS-71B	BLACK	8.13	8.21	2.75	7	0.5	\$ 938
PS-71S	SILVER	8.13	8.21	2.75	7	0.5	\$ 938

- | | |
|---|---|
| SIDE 1: | SIDE 2: |
| • Two 12 Amp Outlets | • Two 12 Amp Outlets |
| • One 4.2 Amp USB Module with Two Ports | • One 4.2 Amp USB Module with Two Ports |
| • One VGA Coupler | • One HDMI Coupler |
| • 10' Cord | • 10' Cord |

HOW TO ORDER

MODEL NUMBER

PS-66B

POWER SUPPLY STANDARD FEATURES

- UL Listed
- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information




model	w	d	h	wt	cu ft	list
PS-74	3.5	3.5	2.6	1	0.25	\$ 141

- Two 15 Amp Outlets
- 10' Power Cord
- Black Power Supply




model	w	d	h	wt	cu ft	list
PS-75	3.5	3.5	2.6	1	0.25	\$ 193

- One 15 Amp Outlet
- One 4.2 Amp USB Module with Two Ports
- 10' Power Cord
- Black Power Supply




model	w	d	h	wt	cu ft	list
PS-78	8.25	5.25	3.75	5	0.4	\$ 620

- Hinged Lid with Cord Management when Closed
- Pass Thru Wire Management Area
- Two 2.1 Amp USB Charging Ports
- Black Power Supply
- One Open Data Port
- 6' Cord
- NOTE: Use with RJ-11 or RJ-45 Data Jacks



model		w	d	h	wt	cu ft	list
PS-80B	BLACK	11.75	4.375	4.375	6	0.4	\$ 1,379
PS-80S	SILVER	11.75	4.375	4.375	6	0.4	\$ 1,379

- One Touch Open and Close
- Safety Photo Electronic Eye Prevents Rotation when Unit is being Used
- One HDMI Port
- Two 15 Amp Outlets
- One 2.1 Amp USB Charging Port
- 12' Cord
- Anodized Aluminum Finish



model		w	d	h	wt	cu ft	list
PSH-16PP	SILVER POWDER COAT	5.25	4.25	1.875	3	0.25	\$ 353

- Two Electric Outlets
- 6' Hardwire Power Cord

HOW TO ORDER


MODEL NUMBER

PS-74

POWER SUPPLY STANDARD FEATURES


• UL Listed

• 10' Power Cord




model		w	d	h	wt	cu ft	list
PS-87W	WHITE	8	3.25	3.75	4	0.5	\$ 827
PS-87B	BLACK	8	3.25	3.75	4	0.5	\$ 827

- Mobile Table Top Unit
- One Power Outlet
- One USB Charging Port
- Bluetooth Speaker




model		w	d	h	wt	cu ft	list
PS-88W	WHITE	8	3	2.5	3	0.5	\$ 827
PS-88B	BLACK	8	3	2.5	3	0.5	\$ 827

- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information
- One Power Outlet
- One USB Charging Port
- Bluetooth Speaker




model		w	d	h	wt	cu ft	list
PS-91W	WHITE	3.88	3.88	4.31	2	0.25	\$ 534
PS-91B	BLACK	3.88	3.88	4.31	2	0.25	\$ 534

- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information
- Two 15 Amp Outlets
- One Duplex USB-A Charger
- One USB-C (18 Watt) Charger



model		w	d	h	wt	cu ft	list
PS-92W	WHITE	4	4	3.25	3	0.5	\$ 289
PS-92B	BLACK	4	4	3.25	3	0.5	\$ 289

- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information
- One Power Outlet
- One USB-A Charging Port
- One USB-C Charging Port



model		w	d	h	wt	cu ft	list
PS-93W	WHITE	7.38	7	4.38	3	0.5	\$ 579
PS-93B	BLACK	7.38	7	4.38	3	0.5	\$ 579

- Requires Cutout to be Machined at a Factory - Contact your STAKS® Project Spec Analyst for Ordering Information
- One Power Outlet
- Two USB-A Charging Ports
- Two Wireless Charging Mats

HOW TO ORDER


MODEL NUMBER

PS-80B


POWER SUPPLY STANDARD FEATURES



model	w	d	h	wt	cu ft	list
PS-60W-BC	3.88	3.88	2	2	0.25	\$ 478
• White Power Supply • Mobile Table Top Unit • Two 15 Amp Outlets • Two 2.1 Amp USB Charging Ports • 6' Braided Power Cord • NOTE: Includes Interchangeable Green Top Cap						



model	w	d	h	wt	cu ft	list
PS-87W-BC WHITE	8	3.25	3.75	4	0.5	\$ 1,088
PS-87B-BC BLACK	8	3.25	3.75	4	0.5	\$ 1,088
• Mobile Table Top Unit • One Power Outlet • One USB Charging Port • Bluetooth Speaker • 10' Braided Power Cord • UL Listed						




model	w	d	h	wt	cu ft	list
PS-88W-BC WHITE	8	3	2.5	3	0.5	\$ 1,088
PS-88B-BC BLACK	8	3	2.5	3	0.5	\$ 1,088
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • One USB Charging Port • Bluetooth Speaker • 10' Braided Power Cord • UL Listed						



model	w	d	h	wt	cu ft	list
PS-91W-BC WHITE	3.88	3.88	4.31	2	0.25	\$ 630
PS-91B-BC BLACK	3.88	3.88	4.31	2	0.25	\$ 630
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • Two 15 Amp Outlets • One Duplex USB-A Charger • One USB-C (18 Watt) Charger • 10' Braided Power Cord • UL Listed						



model	w	d	h	wt	cu ft	list
PS-92W-BC WHITE	4	4	3.25	3	0.5	\$ 374
PS-92B-BC BLACK	4	4	3.25	3	0.5	\$ 374
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • One USB-A Charging Port • One USB-C Charging Port • 10' Braided Power Cord • UL Listed						



model	w	d	h	wt	cu ft	list
PS-93W-BC WHITE	7.38	7	4.38	3	0.5	\$ 731
PS-93B-BC BLACK	7.38	7	4.38	3	0.5	\$ 731
• Requires Cutout to be Machined at a Factory - Contact Your Customer Service Representative for Ordering Information • One Power Outlet • Two USB-A Charging Ports • Two Wireless Charging Mats • 10' Braided Power Cord • UL Listed						

OPTIONS

Cord

- BC1 Dusk
- BC4 Brass
- BC15 Zig Zag Fog/Storm
- BC17 Zig Zag Berry/Poppy

HOW TO ORDER

SPECIFY: Cord

MODEL NUMBER

PS-60W-BC

Cord

BC1